Package 'MassSpecWavelet'

July 16, 2025

Type Package

Title Peak Detection for Mass Spectrometry data using wavelet-based algorithms

Version 1.75.1 Encoding UTF-8 Date 2025-05-03

Description Peak Detection in Mass Spectrometry data is one of the important preprocessing steps. The performance of peak detection affects subsequent processes, including protein identification, profile alignment and biomarker identification. Using Continuous Wavelet Transform (CWT), this package provides a reliable algorithm for peak detection that does not require any type of smoothing or previous baseline correction method, providing more consistent results for different spectra. See <doi:10.1093/bioinformatics/btl355} for further details.

URL https://github.com/zeehio/MassSpecWavelet

 $\pmb{BugReports} \ \text{http://github.com/zeehio/MassSpecWavelet/issues}$

License LGPL (>= 2)

Suggests signal, waveslim, BiocStyle, knitr, rmarkdown, RUnit, bench

biocViews ImmunoOncology, MassSpectrometry, Proteomics, PeakDetection

VignetteBuilder knitr

RoxygenNote 7.3.2

Roxygen list(markdown = TRUE)

git_url https://git.bioconductor.org/packages/MassSpecWavelet

git_branch devel

git_last_commit 486cc2b

git_last_commit_date 2025-05-03

Repository Bioconductor 3.22

Date/Publication 2025-07-16

Author Pan Du [aut],

Warren Kibbe [aut],

Simon Lin [aut],

Sergio Oller Moreno [aut, cre] (ORCID:

<https://orcid.org/0000-0002-8994-1549>)

Maintainer Sergio Oller Moreno <sergioller@gmail.com>

Contents

	MassSpecWavelet-package	2
	cwt	3
	exampleMS	5
	extendLength	5
	extendNBase	6
	findLocalMaxWinSize	7
	getLocalMaximumCWT	7
	getRidge	8
	getRidgeLength	0
	getRidgeValue	1
	identifyMajorPeaks	1
	localMaximum	4
	mexh 1	5
	mzInd2vRange	5
	mzV2indRange	6
	peakDetectionCWT	7
	plotLocalMax	9
	plotPeak	0
	plotRidgeList	1
	prepareWavelets	2
	smoothDWT	3
	tuneInPeakInfo	4
Index	2	6

MassSpecWavelet-package

Peak detection of mass spectrum by Wavelet transform based methods

Description

MassSpecWavelet R package is aimed to detect peaks on Mass Spectrometry (MS) data using Continuous Wavelet Transform (CWT).

Author(s)

Pan Du, Simon Lin

References

Du, P., Kibbe, W.A. and Lin, S.M. (2006) Improved peak detection in mass spectrum by incorporating continuous wavelet transform-based pattern matching, Bioinformatics, 22, 2059-2065.

See Also

Useful links:

- https://github.com/zeehio/MassSpecWavelet
- Report bugs at http://github.com/zeehio/MassSpecWavelet/issues

cwt 3

Examples

```
data(exampleMS)
SNR.Th <- 3
peakInfo <- peakDetectionCWT(exampleMS, SNR.Th = SNR.Th)
majorPeakInfo <- peakInfo$majorPeakInfo
peakIndex <- majorPeakInfo$peakIndex
plotPeak(exampleMS, peakIndex, main = paste("Identified peaks with SNR >", SNR.Th))
```

cwt

Continuous Wavelet Transform (CWT)

Description

CWT(Continuous Wavelet Transform) with Mexican Hat wavelet (by default) to match the peaks in Mass Spectrometry spectrum

Usage

```
cwt(ms, scales = 1, wavelet = "mexh")
```

Arguments

ms Mass Spectrometry spectrum (a vector of MS intensities)

scales a vector represents the scales at which to perform CWT. See the Details section.

Additionally, a prepared_wavelets object is also accepted (see prepareWavelets()).

wavelet The wavelet base, Mexican Hat by default. User can provide wavelet Psi(x) as

a form of two row matrix. The first row is the x value, and the second row is

Psi(x) corresponding to x.

Details

The default mother wavelet is a Mexican Hat evaluated in the [-8, 8] range using 1024 points (a step of roughly 1/64):

$$\psi(x) = \frac{2}{\sqrt{3}}\pi^{-0.25}(1-x^2)\exp{-x^2/2}$$

The σ of the mother Mexican Hat is of one x unit.

The scaled wavelet is a downsampled version of the mother wavelet. The scale determines how many samples per x unit are taken. For instance, with the default Mexican Hat wavelet, a scales = 2 will evaluate the [-8, 8] range sampling twice per x unit, this is with a step of 0.5. This generates a 33 points long scaled wavelet. Choosing this type of scaling is convenient because the scaled wavelet becomes a wavelet of $\sigma = `scales`$ points. Using the default wavelet, a scales smaller than 1 will show sampling issues, while a scales larger than 64 will resample points from the original mother wavelet. If you need to use scales larger than 64, consider providing your own mother wavelet. See the examples.

According to doi:10.1063/1.3505103, if your spectrum has a gaussian peak shape of variance m^2 points then the scales range should cover [1,1.9m]. If your spectrum has a Lorentzian peak shape of half-width-half-maximum L points then the scales range should cover [1,2.9L]. They also suggest using a $\log_{1.18}$ spacing. Take these values as suggestions for your analysis.

4 cwt

Value

The return is the 2-D CWT coefficient matrix, with column names as the scale. Each column is the CWT coefficients at that scale. If the scales are too big for the given signal, the returned matrix may include less columns than the given scales.

Author(s)

Pan Du, Simon Lin

```
data(exampleMS)
scales <- seq(1, 64, 3)
wCoefs <- cwt(exampleMS[5000:11000], scales = scales, wavelet = "mexh")</pre>
## Plot the 2-D CWT coefficients as image (It may take a while!)
xTickInterval <- 1000
image(5000:11000, scales, wCoefs,
    col = terrain.colors(256), axes = FALSE,
    xlab = "m/z index", ylab = "CWT coefficient scale", main = "CWT coefficients"
)
axis(1, at = seq(5000, 11000, by = xTickInterval))
axis(2, at = c(1, seq(10, 64, by = 10)))
box()
## Provide a larger wavelet:
scales <- c(seq(1, 64, 3), seq(72, 128, 8))
psi_xval \leftarrow seq(-8, 8, length.out = 4096)
psi \leftarrow (2 / sqrt(3) * pi^(-0.25)) * (1 - psi_xval^2) * exp(-psi_xval^2 / 2)
wCoefs <- cwt(exampleMS[5000:11000], scales = scales, wavelet = rbind(psi_xval, psi))</pre>
xTickInterval <- 1000
image(5000:11000, scales, wCoefs,
    col = terrain.colors(256), axes = FALSE,
    xlab = "m/z index", ylab = "CWT coefficient scale", main = "CWT coefficients"
axis(1, at = seq(5000, 11000, by = xTickInterval))
axis(2, at = c(1, seq(10, 128, by = 10)))
box()
## Custom log1.18 spaced scales:
get_scales <- function(scale_min, scale_max, num_scales) {</pre>
    (seq(0, 1, length.out = num_scales)^1.18) * (scale_max - scale_min) + scale_min
scales <- get_scales(scale_min = 1, scale_max = 64, num_scales = 32)</pre>
print(scales)
# For detecting a gaussian peak of 10 points:
gaussian_peak_sigma <- 10 # points</pre>
scales <- get_scales(scale_min = 1, scale_max = 1.9 * gaussian_peak_sigma, num_scales = 32)</pre>
print(scales)
# For detecting a lorentzian peak of 10 points:
lorentzian_peak_gamma <- 10 # points</pre>
scales <- get_scales(scale_min = 1, scale_max = 2.9 * lorentzian_peak_gamma, num_scales = 32)</pre>
print(scales)
```

exampleMS 5

exampleMS	An example mass spectrum
-----------	--------------------------

Description

An example mass spectrum from CAMDA 2006. All-in-1 Protein Standard II (Ciphergen Cat. # C100-0007) were measured on Ciphergen NP20 chips. There are 7 polypeptides in the sample with m/z values of 7034, 12230, 16951, 29023, 46671, 66433, 147300.

Format

A numeric vector represents the mass spectrum with equal sample intervals.

Source

CAMDA, CAMDA 2006 Competition Data Set. 2006, http://camda.duke.edu.

extendLength Extend the length of a signal or matrix

Description

Extend the length of a signal or matrix by row

Usage

```
extendLength(
    x,
    addLength = NULL,
    method = c("reflection", "open", "circular"),
    direction = c("right", "left", "both")
)
```

Arguments

x a vector or matrix with column with each column as a signal

addLength the length to be extended

method three methods available, c("reflection", "open", "circular"). By default, it is

"reflection".

direction three options available: c("right", "left", "both")

Value

The extended vector or matrix.

Author(s)

Pan Du

6 extendNBase

See Also

```
extendNBase()
```

Examples

```
a = matrix(rnorm(9), 3)
extendLength(a, 3, direction='right')
```

extendNBase

Extend the row number of a matrix as the exponential of base N

Description

Extend the data as the exponential of base N by increasing row number.

Usage

```
extendNBase(x, nLevel = 1, base = 2, ...)
```

Arguments

x data matrix

nLevel the level of DWT decomposition. Basically, it is equivalent to changing the

'base' as base^nLevel

base the base, 2 by default

... other parameters of used by extendLength()

Details

The method 'open' is padding the the matrix with the last row.

Value

Return a extended matrix

Author(s)

Pan Du

See Also

```
extendLength()
```

```
a <- matrix(rnorm(9), 3)
MassSpecWavelet:::extendNBase(a)</pre>
```

findLocalMaxWinSize 7

findLocalMaxWinSize	Find local maxima and return the size of the window where they are
	maximum.

Description

Compared to the rest of the package, this is a rather experimental function. If you plan to use it or are interested in it, please open an issue at https://github.com/zeehio/MassSpecWavelet/issues to show your interest.

Usage

```
findLocalMaxWinSize(x, capWinSize = NA)
```

Arguments

```
x A numeric vector.

capWinSize the maximum window size to report. NA means unlimited.
```

Value

An integer vector y of the same length as x. y[i] will be the size of the largest window on x containing x[i] where:

- x[i] is a local maximum or a center of a plateau
- x[i] is not at a window border Optionally, if capWinSize is a positive integer, the maximum window size is capped to that value, to increase performance. Use this in case you just want to check if there exists a window of that size. @export @examples x <- c(1, 2, 3, 2, 1) findLocalMaxWinSize(x)

Description

Identify the local maximum of each column in 2-D CWT coefficients matrix by using a slide window. The size of slide window linearly changes from the coarse scale (bigger window size) to detail scale. The scale of CWT increases with the column index.

Usage

```
getLocalMaximumCWT(
  wCoefs,
  minWinSize = 5,
  amp.Th = 0,
  isAmpThreshRelative = FALSE,
  exclude0scaleAmpThresh = FALSE)
```

8 getRidge

Arguments

wCoefs 2-D CWT coefficients, each column corresponding to CWT coefficient at one

scale. The column name is the scale.

minWinSize The minimum slide window size used.

amp. Th The minimum peak amplitude.

 $is {\it AmpThreshRelative}$

Whether amp. Th is given relative to max(wCoefs).

exclude0scaleAmpThresh

When computing the relative amp.Th, if this is set to TRUE, the amp.Th will exclude the zero-th scale from the max(wCoefs). The zero-th scale corresponds to the original signal, that may have a much larger baseline than the wavelet coefficients and can distort the threshold calculation. The default is FALSE to preserve backwards compatibility.

Value

return a matrix with same dimension as CWT coefficient matrix, wCoefs. The local maxima are marked as 1, others are 0.

Author(s)

Pan Du

See Also

localMaximum()

Examples

```
data(exampleMS)
scales <- seq(1, 64, 3)
wCoefs <- cwt(exampleMS[5000:11000], scales = scales, wavelet = "mexh")
localMax <- getLocalMaximumCWT(wCoefs)
plotLocalMax(localMax)</pre>
```

getRidge

Identify ridges based on the local maximum matrix

Description

Identify ridges by connecting the local maximum of 2-D CWT coefficients from the coarse scale to detail scale. The local maximum matrix is returned from getLocalMaximumCWT()

getRidge 9

Usage

```
getRidge(
  localMax,
  iInit = ncol(localMax),
  step = -1,
  iFinal = 1,
  minWinSize = 5,
  gapTh = 3,
  skip = NULL,
  scaleToWinSize = "doubleodd"
)
```

Arguments

localMax	The local maximum matrix is returned from $\mathtt{getLocalMaximumCWT()}$ with 1 represents maximum, others are 0.
iInit	The start column to search ridge. By default, it starts from the coarsest scale level.
step	Search step1 by default, which means searching from coarse scale to detail scale column by column.
iFinal	The final column index of search ridge.
minWinSize	The minimum slide window size used.
gapTh	The gap allowed during searching for ridge. 3 by default.
skip	The column to be skipped during search.
scaleToWinSize	How scales should be mapped to window sizes. Traditionally, MassSpecWavelet used the "doubleodd" mapping (winSize <- 2*scale+1). xcms switched this

Value

Return a list of ridge. As some ridges may end at the scale larger than 1, in order to keep the uniqueness of the ridge names, we combined the smallest scale of the ridge and m/z index of the peak at that scale together to name the ridges. For example the ridge name "1_653" means the peak ridge ends at the CWT scale 1 with m/z index 653 at scale 1.

mapping to "halve" (winSize <- floor(scale/2)). Besides "doubleodd"

and "halve" this parameter can also be a custom function of the scale.

Author(s)

Pan Du, Simon Lin

References

Du, P., Kibbe, W.A. and Lin, S.M. (2006) Improved peak detection in mass spectrum by incorporating continuous wavelet transform-based pattern matching, Bioinformatics, 22, 2059-2065.

See Also

```
getLocalMaximumCWT(), identifyMajorPeaks()
```

10 getRidgeLength

Examples

```
data(exampleMS)
scales <- seq(1, 64, 3)
wCoefs <- cwt(exampleMS[5000:11000], scales = scales, wavelet = "mexh")
localMax <- getLocalMaximumCWT(wCoefs)
ridgeList <- getRidge(localMax)
plotRidgeList(ridgeList)</pre>
```

 ${\tt getRidgeLength}$

Estimate the length of the ridge

Description

Estimate the length of the ridge line, which is composed of local maxima at adjacent CWT scales. The ridge line is cut off at the end point, whose amplitude divided by the maximum ridge amplitude is larger than the cutoff amplitude ratio threshold (0.5 by default).

Usage

```
getRidgeLength(ridgeList, Th = 0.5)
```

Arguments

ridgeList a list of identified ridges

Th the cutoff amplitude ratio (the amplitude divided by the maximum amplitude of

the ridge) threshold of the ridge line end.

Value

a vector of estimated ridge length

Author(s)

Pan Du

```
stopifnot(getRidgeLength(list(c(5,4,3,2,1), c(5,3,1))) == c(3,2))
```

getRidgeValue 11

getRidgeValue

Get the CWT coefficient values corresponding to the peak ridge

Description

Get the CWT coefficient values corresponding to the peak ridge

Usage

```
getRidgeValue(ridgeList, wCoefs, skip = 0)
```

Arguments

ridgeList a list of ridge lines wCoefs 2-D CWT coefficients

skip the CWT scale level to be skipped, by default the 0 scale level (raw spectrum) is

skipped.

Value

A list of ridge values corresponding to the input ridgeList.

Author(s)

Pan Du

identifyMajorPeaks

Identify peaks based on the ridges in 2-D CWT coefficient matrix

Description

Identify the peaks based on the ridge list (returned by getRidge()) in 2-D CWT coefficient matrix and estimated Signal to Noise Ratio (SNR). The criteria for peak identification is described in the Details section.

Usage

```
identifyMajorPeaks(
   ms,
   ridgeList,
   wCoefs,
   scales = as.numeric(colnames(wCoefs)),
   SNR.Th = 3,
   peakScaleRange = 5,
   ridgeLength = 32,
   nearbyPeak = FALSE,
   nearbyWinSize = ifelse(nearbyPeak, 150, 100),
   winSize.noise = 500,
   SNR.method = "quantile",
   minNoiseLevel = 0.001,
   excludeBoundariesSize = nearbyWinSize/2
```

12 identifyMajorPeaks

Arguments

ms the mass spectrometry spectrum

ridgeList returned by getRidge()

wCoefs 2-D CWT coefficients as obtained by cwt().

scales scales of CWT, by default it is the colnames of wCoefs

SNR.Th threshold of SNR

peakScaleRange the CWT scale range of the peak, used to estimate the signal of the SNR. See

Details. If a single value is given then all scales larger than the value will be considered. If two values are given only the scales between those values will be

considered.

ridgeLength the maximum ridge scale of the major peaks.

nearbyPeak determine whether to include the small peaks close to large major peaks. See

Details.

nearbyWinSize the window size to determine the nearby peaks. Only effective when nearbyPeak=TRUE.

winSize.noise the local window size to estimate the noise level.

SNR.method method to estimate the noise level. See Details.

minNoiseLevel the minimum noise level used in calculating SNR. This value should be zero or

positive. If the number is smaller than one, it is assumed to be a fraction of the largest wavelet coefficient in the data. Otherwise it is assumed to be the actual noise level. If you want to fix the actual noise level to a value smaller than one, you should name the value as fixed as in minNoiseLevel = c("fixed" = 0.5).

See details.

excludeBoundariesSize

number of points at each boundary of the ms signal that will be excluded in

search for peaks to avoid boundary effects.

Details

The ridge list may return peaks than have to be filtered out. This function filters the peaks according to the following rules. All rules must pass for a peak to be identified as such.

- The maximum scale of the peak ridge should be larger than ridgeLength. If nearbyPeak=TRUE, all peaks at less than nearbyWinSize points from a peak that fullfills this rule are also considered
- The SNR of the peak must be larger than SNR. Th.
- The peak should not appear at the first or last excludeBoundariesSize points.

To debug and diagnose why good peaks get filtered, you may want to set ridgeLength=0, SNR. Th=0 and/or excludeBoundariesSize=0 to disable each of the filtering criteria.

SNR estimation:

The SNR is defined as $SNR = \frac{signal}{noise}$. Both signal and noise values need to be estimated for each peak.

The "signal" is estimated as the maximum wavelet coefficient obtained in the corresponding peak ridge, considering all the scales within peakScaleRange.

The "noise" is estimated differently depending on the SNR.method. All methods use a window of data points of size 2 * winSize.noise + 1 centered at the peak to make the noise estimation. Here is how the noise is estimated depending on the SNR.method value:

identifyMajorPeaks 13

• "quantile": The "noise" is the 95% quantile of the absolute value of the wavelet coefficients at scale 1 in the window.

- "sd": The "noise" is the standard deviation of the absolute value of the wavelet coefficients at scale 1 in the window.
- "mad": The "noise" is the mad() with center=0 of the absolute value of the wavelet coefficients at scale 1 in the window.
- "data.mean": The "noise" is the mean value of the ms spectrum in the window.
- "data.mean.quant": The "noise" is the mean value of the ms spectrum in the window, but only considering values below the 95% quantile in the window.

If the obtained noise estimation is below the minimum noise level, that minimum is used as the noise estimation instead. Check minNoiseLevel for further details on how the minimum noise level is defined.

Using the estimated "signal" and "noise", we compute the peakSNR value for each peak.

Value

Return a list with following elements:

peakIndex the m/z indexes of the identified peaks

peakCenterIndex the m/z indexes of peak centers, which correspond to the maximum on the ridge. peakCenterIndex includes all the peaks, not just the identified major peaks.

peak Value the CWT coefficients (the maximum on the ridge) corresponding to peak Center Index

peakSNR the SNR of the peak, which is the ratio of peakValue and noise level

peakScale the estimated scale of the peak, which corresponds to the peakCenterIndex

potentialPeakIndex the m/z indexes of all potential peaks, which satisfy all requirements of a peak without considering its SNR. Useful, if you want to change to a lower SNR threshold later.

allPeakIndex the m/z indexes of all the peaks, whose order is the same as peakCenterIndex, peakCenterValue, peakSNR peakScale and peakRidgeLengthScale.

peakRidgeLengthScale The largest scale value found for each ridge.

peakNoise The estimated noise on each peak, used to compute the SNR.

selInd Three logical vectors, one for each rule, determining which peak fullfills which rules.

peakRidgeLengthScale, peakNoise and selInd are meant for debugging and there is no guarantee they will appear in future versions. Please open an issue if you depend on them for any calculation if you find them useful.

All of these return elements have peak names, which are the same as the corresponding peak ridges. see getRidge() for details.

Author(s)

Pan Du, Simon Lin

References

Du, P., Kibbe, W.A. and Lin, S.M. (2006) Improved peak detection in mass spectrum by incorporating continuous wavelet transform-based pattern matching, Bioinformatics, 22, 2059-2065.

See Also

```
peakDetectionCWT(), tuneInPeakInfo()
```

14 localMaximum

Examples

```
data(exampleMS)
scales <- seq(1, 64, 3)
wCoefs <- cwt(exampleMS, scales = scales, wavelet = "mexh")

localMax <- getLocalMaximumCWT(wCoefs)
ridgeList <- getRidge(localMax)

SNR.Th <- 3
majorPeakInfo <- identifyMajorPeaks(exampleMS, ridgeList, wCoefs, SNR.Th = SNR.Th)
## Plot the identified peaks
peakIndex <- majorPeakInfo$peakIndex
plotPeak(exampleMS, peakIndex, main = paste("Identified peaks with SNR >", SNR.Th))
```

localMaximum

Identify local maximum within a slide window.

Description

The simplest local maximum detection using a sliding window searches for maxima in a window of a given size, and slides that window across the signal, shifting it one position at a time.

Usage

```
localMaximum(x, winSize = 5)
```

Arguments

```
x a vector represents a signal profile
winSize the slide window size, 5 by default.
```

Details

The default implementation found here shifts the window by half of its size instead of by one position at a time. This makes the implementation faster, at the expense of not being able to detect peaks that are too close to each other, if they appear in some positions with respect to the windows.

Additionally, this implementation removes all instances of peaks found at a distance less than the window size

Experimentally, we are exploring other algorithms for local maxima detection. These algorithms can be chosen setting the "MassSpecWavelet.localMaximum.algorithm" option. See the "Finding local maxima" vignette for further details.

Value

Return a vector with the same length of the input x. The position of local maximum is set as 1L, 0L else where.

Author(s)

Pan Du and Sergio Oller

mexh 15

See Also

```
getLocalMaximumCWT()
```

Examples

```
x <- rnorm(200)
lmax <- localMaximum(x, 5)
maxInd <- which(lmax > 0)
plot(x, type = "1")
points(maxInd, x[maxInd], col = "red")
```

mexh

The mexican hat function

Description

$$\psi(x) = \frac{2}{\sqrt{3}}\pi^{-0.25}(1-x^2)\exp{-x^2/2}$$

Usage

mexh(x)

Arguments

Х

where to evaluate the mexican hat

Value

A vector of the same length as x with the corresponding values

Examples

```
x \leftarrow seq(-8, 8, length.out = 256)
mexh(x)
```

mzInd2vRange

Match m/z index to m/z value with a certain error range

Description

Match m/z index to m/z value with a certain error range

Usage

```
mzInd2vRange(mzInd, error = 0.003)
```

mzV2indRange

Arguments

mzInd a vector of m/z index

error error range

Value

return a vector of sorted m/z values

Author(s)

Pan Du

See Also

mzV2indRange()

mzV2indRange

Match m/z value to m/z index with a certain error range

Description

Match m/z value to m/z index with a certain error range

Usage

```
mzV2indRange(mzV, error = 0.003)
```

Arguments

mzV a vector of m/z value

error error range

Value

return a vector of sorted m/z indexes

Author(s)

Pan Du

See Also

mzInd2vRange()

peakDetectionCWT 17

peakDetectionCWT

The main function of peak detection by CWT based pattern matching

Description

This function is a wrapper of cwt(), getLocalMaximumCWT(), getRidge(), identifyMajorPeaks()

Usage

```
peakDetectionCWT(
   ms,
   scales = c(1, seq(2, 30, 2), seq(32, 64, 4)),
   SNR.Th = 3,
   nearbyPeak = TRUE,
   peakScaleRange = 5,
   amp.Th = 0.01,
   minNoiseLevel = amp.Th/SNR.Th,
   ridgeLength = 24,
   peakThr = NULL,
   tuneIn = FALSE,
   ...,
   exclude0scaleAmpThresh = FALSE,
   getRidgeParams = list(gapTh = 3, skip = 2)
)
```

Arguments

ms the mass spectrometry spectrum

scales Scales of CWT. See cwt() for details. Additionally, a prepared_wavelets

object is also accepted (see prepareWavelets()).

SNR. Th SNR (Signal to Noise Ratio) threshold

nearbyPeak Determine whether to include the nearby small peaks of major peaks. TRUE by

default

peakScaleRange the scale range of the peak. larger than 5 by default.

amp. Th the minimum required relative amplitude of the peak (ratio to the maximum of

CWT coefficients)

minNoiseLevel the minimum noise level used in computing the SNR

ridgeLength the minimum highest scale of the peak in 2-D CWT coefficient matrix

peakThr Minimal absolute intensity (above the baseline) of peaks to be picked. If this

value is provided, then the smoothing function signal::sgolayfilt() will be called to estimate the local intensity.(added based on the suggestion and code of

Steffen Neumann)

tuneIn determine whether to tune in the parameter estimation of the detected peaks.

If TRUE, peak detection is run again on a segment of the spectrum with more detailed scales. This tuning happens with the default wavelet and settings so it may not be that useful to you if you are using custom wavelets or thresholds.

.. other parameters used by identifyMajorPeaks(). Additionally, f1 (filter length,

with a default value of 1001) and forder (filter order, with a default value of 2)

are set and passed to signal::sgolayfilt() when peakThr is given.

18 peakDetectionCWT

```
exclude0scaleAmpThresh
```

When computing the relative amp.Th, if this is set to TRUE, the amp.Th will exclude the zero-th scale from the max(wCoefs). The zero-th scale corresponds to the original signal, that may have a much larger baseline than the wavelet coefficients and can distort the threshold calculation. The default is FALSE to preserve backwards compatibility.

getRidgeParams A list with parameters for getRidge().

Value

```
majorPeakInfo return of identifyMajorPeaks()
```

ridgeList return of getRidge()

localMax return of getLocalMaximumCWT()

wCoefs 2-D CWT coefficient matrix, see cwt() for details.

Author(s)

Pan Du, Simon Lin

References

Du, P., Kibbe, W.A. and Lin, S.M. (2006) Improved peak detection in mass spectrum by incorporating continuous wavelet transform-based pattern matching, Bioinformatics, 22, 2059-2065.

See Also

```
cwt(), getLocalMaximumCWT(), getRidge(), identifyMajorPeaks()
```

```
data(exampleMS)
# Detect peaks with prepared wavelets:
prep_wav <- prepareWavelets(length(exampleMS))</pre>
SNR.Th <- 3
peakInfo <- peakDetectionCWT(exampleMS, prep_wav, SNR.Th = SNR.Th, exclude0scaleAmpThresh=TRUE)</pre>
peakIndex <- peakInfo$majorPeakInfo$peakIndex</pre>
plotPeak(exampleMS, peakIndex, main = paste("Identified peaks with SNR >", SNR.Th))
SNR.Th <- 3
peakInfo <- peakDetectionCWT(exampleMS, SNR.Th = SNR.Th)</pre>
majorPeakInfo <- peakInfo$majorPeakInfo</pre>
peakIndex <- majorPeakInfo$peakIndex</pre>
plotPeak(exampleMS, peakIndex, main = paste("Identified peaks with SNR >", SNR.Th))
## In some cases, users may want to add peak filtering based on the absolute peak amplitude
peakInfo <- peakDetectionCWT(exampleMS, SNR.Th = SNR.Th, peakThr = 500)</pre>
majorPeakInfo <- peakInfo$majorPeakInfo</pre>
peakIndex <- majorPeakInfo$peakIndex</pre>
plotPeak(exampleMS, peakIndex, main = paste("Identified peaks with SNR >", SNR.Th))
```

plotLocalMax 19

plotLocalMax

Plot the local maximum matrix

Description

Plot the local maximum matrix of 2-D CWT coefficients returned by getLocalMaximumCWT()

Usage

```
plotLocalMax(
  localMax,
  wCoefs = NULL,
  range = c(1, nrow(localMax)),
  colorMap = "RYB",
  main = NULL,
  cex = 3,
  pch = ".",
  ...
)
```

Arguments

```
local maximum matrix of 2-D CWT coefficients returned by getLocalMaximumCWT()
wCoefs 2-D CWT coefficients
range plot range of m/z index
colorMap the colormap used in plotting the points
main parameter of plot()
cex parameter of plot()
pch parameter of plot()
... other parameters of points()
```

Value

No value is returned; this function is called for its side effects (plot).

Author(s)

Pan Du

See Also

```
getLocalMaximumCWT()
```

```
data(exampleMS)
scales <- seq(1, 64, 3)
wCoefs <- cwt(exampleMS[5000:11000], scales = scales, wavelet = "mexh")
localMax <- getLocalMaximumCWT(wCoefs)
plotLocalMax(localMax)</pre>
```

20 plotPeak

plotPeak

Plot the identified peaks over the spectrum

Description

Plot the identified peaks over the spectrum. The identified peaks are returned by peakDetectionCWT() or identifyMajorPeaks()

Usage

```
plotPeak(
   ms,
   peakIndex = NULL,
   mz = 1:length(ms),
   range = c(min(mz), max(mz)),
   method = c("p", "l"),
   main = NULL,
   log = "",
   ...
)
```

Arguments

ms	the MS spectrum
peakIndex	m/z indexes of the identified peaks
mz	m/z value correspond to m/z index
range	the plot range of m/z value
method	plot method of the identified peaks. method 'p' plot circles on the peaks; method 'l' add vertical lines over the peaks.
main	parameter of plot()
log	parameter of plot()
	other parameters of points()

Value

No value is returned; this function is called for its side effects (plot).

Author(s)

Pan Du

See Also

```
peakDetectionCWT(), identifyMajorPeaks()
```

plotRidgeList 21

Examples

```
data(exampleMS)
SNR.Th <- 3
peakInfo <- peakDetectionCWT(exampleMS, SNR.Th = SNR.Th)
majorPeakInfo <- peakInfo$majorPeakInfo
peakIndex <- majorPeakInfo$peakIndex
plotPeak(exampleMS, peakIndex, main = paste("Identified peaks with SNR >", SNR.Th))
```

 ${\tt plotRidgeList}$

Plot the ridge list

Description

Plot the ridge list returned by getRidge()

Usage

```
plotRidgeList(
  ridgeList,
  wCoefs = NULL,
  range = NULL,
  colorMap = "RYB",
  main = NULL,
  pch = ".",
  cex = 3,
  ...
)
```

Arguments

```
returned by getRidge()

wCoefs 2-D CWT coefficients

range plot range of m/z index

colorMap colorMap to plot the points of local maximum

main parameter of plot()

pch parameter of plot()

cex parameter of plot()

... other parameters of points()
```

Value

No value is returned; this function is called for its side effects (plot).

Author(s)

Pan Du

22 prepareWavelets

See Also

```
getRidge()
```

Examples

```
data(exampleMS)
scales <- seq(1, 64, 3)
wCoefs <- cwt(exampleMS[5000:11000], scales = scales, wavelet = "mexh")
localMax <- getLocalMaximumCWT(wCoefs)
ridgeList <- getRidge(localMax)
plotRidgeList(ridgeList)</pre>
```

prepareWavelets

Prepare daughter wavelets for faster CWT

Description

Prepare daughter wavelets for faster CWT

Usage

```
prepareWavelets(
   mslength,
   scales = c(1, seq(2, 30, 2), seq(32, 64, 4)),
   wavelet = "mexh",
   wavelet_xlimit = 8,
   wavelet_length = 1024L,
   extendLengthScales = TRUE
)
```

Arguments

mslength Length of the signal to transform

scales a vector represents the scales at which to perform CWT. See the Details section.

Additionally, a prepared_wavelets object is also accepted (see prepareWavelets()).

wavelet The wavelet base, Mexican Hat by default. User can provide wavelet Psi(x) as

a form of two row matrix. The first row is the x value, and the second row is

Psi(x) corresponding to x.

wavelet_xlimit The mother wavelet will be evaluated between these limits. Ignored if wavelet

is a matrix.

wavelet_length The number of points of the mother wavelet. Ignored if wavelet is a matrix

extendLengthScales

A logical value. If the signal is too short, we may need to pad it to convolve it with larger daughter wavelets. Set this to TRUE to let scales be used to determine the padding length. It's set to FALSE by default to preserve backwards compatibility.

smoothDWT 23

Value

A prepared_wavelets object.

See Also

cwt

Examples

```
x <- runif(2000)
scales <- c(1, 2, 4, 8)
prep_wavelets <- prepareWavelets(length(x), scales = scales)
wCoefs <- cwt(x, prep_wavelets)</pre>
```

smoothDWT

smooth (denoise) the spectrum by DWT (Discrete Wavelet Transform)

Description

Smooth (denoise) the spectrum by DWT (Discrete Wavelet Transform)

Usage

```
smoothDWT(
   ms,
   nLevel = 6,
   wf = "la8",
   localNoiseTh = seq(1, 0, by = -0.2),
   localWinSize = 500,
   globalNoiseTh = 0.75,
   smoothMethod = c("soft", "hard"),
   method = c("dwt", "modwt")
)
```

Arguments

a vector representing the mass spectrum ms the level of DWT decomposition nLevel wf the name of wavelet for DWT localNoiseTh local noise level threshold local window size for estimate local noise threshold localWinSize globalNoiseTh global noise level threshold the method used for denoising. 'hard' means keeping the dwt coefficients higher smoothMethod than the threshold unchanged; "soft" means the dwt coefficients higher than the threshold were subtracted by the threshold. method 'dwt' or 'modwt' used for decomposition

Value

return the smoothed mass spectrum with the 'detail' component of DWT as an attribute 'detail'.

24 tuneInPeakInfo

Author(s)

Pan Du

tuneInPeakInfo

Tune in the peak information: peak position and peak scale

Description

Based on the identified peak position, more precise estimation of the peak information, i.e., peak position and peak scale, can be got by this function. The basic idea is to cut the segment of spectrum near the identified peaks, and then do similar procedures as peakDetectionCWT(), but with more detailed scales around the estimated peak scale.

Usage

```
tuneInPeakInfo(
  ms,
  majorPeakInfo = NULL,
  peakIndex = NULL,
  peakScale = NULL,
  maxScale = 128,
   ...
)
```

Arguments ms

```
majorPeakInfo return of identifyMajorPeaks()

peakIndex the m/z index of the identified peaks

peakScale the scales of the identified peaks

maxScale the maximum scale allowed for the peak

other parameters of used by getLocalMaximumCWT(), getRidge(), identifyMajorPeaks()
```

Details

The majorPeakInfo or peakIndex and peakScale must be provided.

the mass spectrometry spectrum

Value

```
peakCenterIndex
```

the updated peak center m/z index

peakScale the updated peak scale

peakValue the corresponding peak value

Author(s)

Pan Du

tuneInPeakInfo 25

References

Du, P., Kibbe, W.A. and Lin, S.M. (2006) Improved peak detection in mass spectrum by incorporating continuous wavelet transform-based pattern matching, Bioinformatics, 22, 2059-2065.

See Also

```
peakDetectionCWT()
```

```
data(exampleMS)
SNR.Th <- 3
peakInfo <- peakDetectionCWT(exampleMS, SNR.Th = SNR.Th)
majorPeakInfo <- peakInfo$majorPeakInfo
betterPeakInfo <- tuneInPeakInfo(exampleMS, majorPeakInfo)
plot(500:length(exampleMS), exampleMS[500:length(exampleMS)], type = "1", log = "x")
abline(v = betterPeakInfo$peakCenterIndex, col = "red")</pre>
```

Index

* datasets	localMaximum, 14	
exampleMS, 5	localMaximum(), 8	
* hplot		
plotLocalMax, 19	mad(), <i>13</i>	
plotPeak, 20	MassSpecWavelet	
plotRidgeList, 21	(MassSpecWavelet-package), 2	
* internal	MassSpecWavelet-package, 2	
extendLength, 5	mexh, 15	
extendNBase, 6	mzInd2vRange, 15	
* methods	mzInd2vRange(), <i>16</i>	
cwt, 3	mzV2indRange, 16	
getLocalMaximumCWT, 7	mzV2indRange(), <i>16</i>	
getRidge, 8	- "	
getRidgeLength, 10	<pre>peakDetectionCWT, 17</pre>	
getRidgeValue, 11	peakDetectionCWT(), 13, 20, 24, 25	
identifyMajorPeaks, 11	plot(), <i>19-21</i>	
localMaximum, 14	plotLocalMax, 19	
mzInd2vRange, 15	plotPeak, 20	
mzV2indRange, 16	plotRidgeList, 21	
peakDetectionCWT, 17	points(), <i>19-21</i>	
smoothDWT, 23	prepareWavelets, 22	
tuneInPeakInfo, 24	prepareWavelets(), 3 , 17 , 22	
* package		
MassSpecWavelet-package, 2	signal::sgolayfilt(), <i>17</i>	
Massspechaverer-package, 2	smoothDWT, 23	
cwt, 3		
cwt(), 12, 17, 18	tuneInPeakInfo, 24	
(),,,	tuneInPeakInfo(), <i>13</i>	
exampleMS, 5		
extendLength, 5		
extendLength(), 6		
extendNBase, 6		
extendNBase(), 6		
<pre>findLocalMaxWinSize, 7</pre>		
<pre>getLocalMaximumCWT, 7</pre>		
getLocalMaximumCWT(), 8, 9, 15, 17-19, 24		
getRidge, 8		
getRidge(), 11–13, 17, 18, 21, 22, 24		
getRidgeLength, 10		
getRidgeValue, 11		
identifyMajorPeaks, 11		
identifyMajorPeaks(), 9, 17, 18, 20, 24		