

# Package ‘NumericEnsembles’

October 13, 2025

**Title** Automatically Runs 18 Individual and 14 Ensembles of Models

**Version** 0.10.3

**Depends** Cubist, Metrics, arm, brnn, broom, car, caret, corrplot, doParallel, dplyr, e1071, earth, gam, gbm, ggplot2, glmnet, graphics, grDevices, gridExtra, ipred, leaps, nnet, olsrr, parallel, pls, purrr, randomForest, reactable, reactablefmtr, readr, rpart, stats, tidyr, tree, utils, xgboost, R ( $\geq 4.1.0$ )

**Description** Automatically runs 18 individual models and 14 ensembles on numeric data, for a total of 32 models. The package automatically returns complete results on all 32 models, 30 charts and six tables. The user simply provides the tidy data, and answers a few questions (for example, how many times would you like to resample the data). From there the package randomly splits the data into train, test and validation sets, fits each of models on the training data, makes predictions on the test and validation sets, measures root mean squared error (RMSE), removes features above a user-set level of Variance Inflation Factor, and has several optional features including scaling all numeric data, four different ways to handle strings in the data. Perhaps the most significant feature is the package's ability to make predictions using the 32 pre trained models on totally new (untrained) data if the user selects that feature. This feature alone represents a very effective solution to the issue of reproducibility of models in data science. The package can also randomly resample the data as many times as the user sets, thus giving more accurate results than a single run. The graphs provide many results that are not typically found. For example, the package automatically calculates the Kolmogorov-Smirnov test for each of the 32 models and plots a bar chart of the results, a bias bar chart of each of the 32 models, as well as several plots for exploratory data analysis (automatic histograms of the numeric data, automatic histograms of the numeric data). The package also automatically creates a summary report that can be both sorted and searched for each of the 32 models, including RMSE, bias, train RMSE, test RMSE, validation RMSE, overfitting and duration. The best results on the holdout data typically beat the best results in data science competitions and published results for the same data set.

**License** MIT + file LICENSE

**Encoding** UTF-8

**RoxygenNote** 7.3.2

**LazyData** true**Suggests** knitr, rmarkdown, testthat (>= 3.0.0)**Config/testthat/edition** 3**VignetteBuilder** knitr**URL** <http://www.NumericEnsembles.com>,  
<https://github.com/InfiniteCuriosity/NumericEnsembles>**BugReports** <https://github.com/InfiniteCuriosity/NumericEnsembles/issues>**NeedsCompilation** no**Author** Russ Conte [aut, cre, cph]**Maintainer** Russ Conte <russconte@mac.com>**Repository** CRAN**Date/Publication** 2025-10-12 22:50:02 UTC

## Contents

Boston_housing . . . . .	2
Concrete . . . . .	3
Insurance . . . . .	4
New_Boston . . . . .	4
Numeric . . . . .	5
<b>Index</b>	<b>8</b>

---

Boston_housing	<i>Boston_housing data</i>
----------------	----------------------------

---

## Description

This is a modified version of the famous Boston housing data set. This data set includes rows 4:209 and 212:506. The data here is complete except for the data use to make New\_Boston. The data first appeared in a paper by David Harrison, Jr. and Daniel L. Rubinfeld, Hedonic housing Prices and the demand for clean air. This was published in March, 1978. Journal of Environmental Economics and Management 5(1):81-102. The descriptions below are quoted from the original paper:

**crim** Crime rate by town. Original data in 1970 FBI data**zn** Proportion of a town's residential land zoned for lots greater than 25,000 square feet**indus** Proportional non-retail business per town**chas** Captures the amenities of a riverside location and thus should be positive**nox** Nitrogen oxygen concentrations in part per hundred million**rm** Average number of rooms in owner units**age** Proportion of owner units built prior to 1940

- dis** Weighted distances to five employment centers in the Boston region
- rad** Index of accessibility to radial highways
- tax** Full property value tax rate (\$/\$10,000)
- ptratio** Pupil-teacher ratio by town school district
- black** Black proportion of population
- lstat** Proportion of population that is lower status (proportion of adults without some high school education and proportion of male workers classified as laborers)
- medv** Median value of owner occupied homes, from the 1970 United States census

**Usage**

Boston\_housing

**Format**

An object of class `data.frame` with 501 rows and 14 columns.

**Source**

<https://www.law.berkeley.edu/files/Hedonic.PDF>

---

Concrete	<i>Concrete - This is the strength of concrete data set originally posted on UCI</i>
----------	--

---

**Description**

Concrete is the most important material in civil engineering. The concrete compressive strength is a highly nonlinear function of age and ingredients.

**Usage**

Concrete

**Format**

Concrete A data frame with 1030 rows and 9 columns:

- Cement** quantitative – kg in a m3 mixture – Input Variable
- Blast\_Furnace\_Slag** quantitative – kg in a m3 mixture – Input Variable
- Fly\_Ash** quantitative – kg in a m3 mixture – Input Variable
- Water** quantitative – kg in a m3 mixture – Input Variable
- Superplasticizer** quantitative – kg in a m3 mixture – Input Variable
- Coarse\_Aggregate** quantitative – kg in a m3 mixture – Input Variable
- Fine\_Aggregate** quantitative – kg in a m3 mixture – Input Variable
- Age** Day (1~365) – Input Variable
- Strength** quantitative – MPa – Output Variable

**Source**

<https://archive.ics.uci.edu/dataset/165/concrete+compressive+strength>

---

Insurance

*Insurance - The data is from UCI*

---

**Description**

This dataset contains detailed information about insurance customers, including their age, sex, body mass index (BMI), number of children, smoking status and region. Having access to such valuable insights allows analysts to get a better view into customer behaviour and the factors that contribute to their insurance charges.

**Usage**

Insurance

**Format**

Insurance A data frame with 1338 rows and 7 columns Credit to Bob Wakefield

**Age** The age of the customer. (Integer)

**Children** The number of children the customer has. (Integer)

**Smoker** Whether or not the customer is a smoker. (Boolean)

**Region** The region the customer lives in. (String)

**Charges** The insurance charges for the customer. (Float)

**Source**

<https://www.kaggle.com/datasets/thedevastator/prediction-of-insurance-charges-using-age-gender>

---

New\_Boston

*NewBoston—These are only the five rows c(1:3, 210:211) from Boston Housing data set. This can be used as new data, and the Boston\_housing data set as the original. The numeric function will return predictions on the new data.*

---

**Description**

This is the first five rows of the Boston housing data set, which have been removed from the Boston data set included here. It is otherwise identical to the Boston data set.

**crim** Crime rate by town. Original data in 1970 FBI data

**zn** Proportion of a town's residential land zoned for lots greater than 25,000 square feet

**indus** Proportional non-retail business per town

**chas** Captures the amenities of a riverside location and thus should be positive

**nox** Nitrogen oxygen concentrations in part per hundred million

**rm** Average number of rooms in owner units

**age** Proportion of owner units built prior to 1940

**dis** Weighted distances to five employment centers in the Boston region

**rad** Index of accessibility to radial highways

**tax** Full property value tax rate (\$/\$10,000)

**ptratio** Pupil-teacher ratio by town school district

**black** Black proportion of population

**lstat** Proportion of population that is lower status (proportion of adults without some high school education and proportion of male workers classified as laborers)

**medv** Median value of owner occupied homes, from the 1970 United States census

**Usage**

New\_Boston

**Format**

An object of class `data.frame` with 5 rows and 14 columns.

**Source**

<https://www.law.berkeley.edu/files/Hedonic.PDF>

---

Numeric

*Numeric—function to automatically build 23 individual models and 17 ensembles then return the results to the user*

---

**Description**

Numeric—function to automatically build 23 individual models and 17 ensembles then return the results to the user

**Usage**

```

Numeric(
  data,
  colnum,
  numresamples,
  remove_VIF_above = 5,
  remove_ensemble_correlations_greater_than = 0.98,
  scale_all_predictors_in_data = c("Y", "N"),
  data_reduction_method = c(0("none"), 1("BIC exhaustive"), 2("BIC forward"),
    3("BIC backward"), 4("BIC seqrep"), 5("Mallows_cp exhaustive"),
    6("Mallows_cp forward"), 7("Mallows_cp backward"), 8("Mallows_cp, seqrep")),
  ensemble_reduction_method = c(0("none"), 1("BIC exhaustive"), 2("BIC forward"),
    3("BIC backward"), 4("BIC seqrep"), 5("Mallows_cp exhaustive"),
    6("Mallows_cp forward"), 7("Mallows_cp backward"), 8("Mallows_cp, seqrep")),
  how_to_handle_strings = c(0("none"), 1("factor levels"), 2("One-hot encoding"),
    3("One-hot encoding with jitter")),
  predict_on_new_data = c("Y", "N"),
  set_seed = c("Y", "N"),
  save_all_trained_models = c("Y", "N"),
  save_all_plots = c("Y", "N"),
  use_parallel = c("Y", "N"),
  train_amount,
  test_amount,
  validation_amount
)

```

**Arguments**

<code>data</code>	data can be a CSV file or within an R package, such as MASS::Boston
<code>colnum</code>	a column number in your data
<code>numresamples</code>	the number of resamples
<code>remove_VIF_above</code>	remove columns with Variable Inflation Factor above value chosen by the user
<code>remove_ensemble_correlations_greater_than</code>	maximum value for correlations of the ensemble
<code>scale_all_predictors_in_data</code>	"Y" or "N" to scale numeric data
<code>data_reduction_method</code>	0(none), BIC (1, 2, 3, 4) or Mallow's_cp (5, 6, 7, 8) for Forward, Backward, Exhaustive and SeqRep
<code>ensemble_reduction_method</code>	0(none), BIC (1, 2, 3, 4) or Mallow's_cp (5, 6, 7, 8) for Forward, Backward, Exhaustive and SeqRep
<code>how_to_handle_strings</code>	0: No strings, 1: Factor values, 2: One-hot encoding, 3: One-hot encoding AND jitter

predict\_on\_new\_data "Y" or "N". If "Y", then you will be asked for the new data  
set\_seed "Y" or "N" to set the seed to make the results fully reproducible  
save\_all\_trained\_models "Y" or "N". If "Y", then places all the trained models in the Environment  
save\_all\_plots Saves all plots to the working directory  
use\_parallel "Y" or "N" for parallel processing  
train\_amount set the amount for the training data  
test\_amount set the amount for the testing data  
validation\_amount Set the amount for the validation data

**Value**

a real number

# Index

## \* datasets

Boston\_housing, 2

Concrete, 3

Insurance, 4

New\_Boston, 4

Boston\_housing, 2

Concrete, 3

Insurance, 4

New\_Boston, 4

Numeric, 5