

Package ‘ards’

October 24, 2025

Type Package

Title Creates Analysis Results Datasets

Version 0.1.3

Maintainer David Bosak <dbosak01@gmail.com>

Description Contains functions to help create an Analysis Results Dataset.
The dataset follows industry recommended structure. The dataset can be created in multiple passes, using different data frames as input. Analysis Results Datasets are used in the pharmaceutical and biotech industries to capture analysis in a common tabular data structure.

License CC0

Encoding UTF-8

URL <https://ards.r-sassy.org>, <https://github.com/dbosak01/ards>

BugReports <https://github.com/dbosak01/ards/issues>

Depends R (>= 4.1)

Suggests dplyr, tidyr, tibble, testthat (>= 3.0.0), knitr, rmarkdown

Config/testthat/edition 3

RoxygenNote 7.3.2

VignetteBuilder knitr

NeedsCompilation no

Author David Bosak [aut, cre],
Kevin Kramer [ctb],
Jack Fuller [ctb],
Matt Baldwin [ctb]

Repository CRAN

Date/Publication 2025-10-24 02:20:02 UTC

Contents

add_ards	2
get_ards	4
init_ards	5
restore_ards	7
Index	10

add_ards	<i>Adds data to an Analysis Results Dataset</i>
----------	---

Description

The add_ards function dumps data from an input analysis dataset to the ARDS dataset. The function is designed to be pipe-friendly, and will return the input dataset unaltered. The parameters on the function define how to extract the desired data from the analysis dataset. The "statvars" parameter defines which columns contain desired analysis results. The values in these columns will be used to populate the "statval" variable in the output dataset. Other parameters are used to define identifying information for the statistics values, and are optional.

The add_ards function should be called immediately after any calculations, while the analysis results are still in numeric form. This recommendation is to ensure that the ARDS will contain full precision of the analysis values. Once the analysis values are dumped into the ARDS, you may proceed to transform and format your analysis data, without affecting the values captured in the ARDS.

Usage

```
add_ards(  
  data,  
  statvars,  
  statdesc = NULL,  
  byvars = NULL,  
  trtvar = NULL,  
  paramcd = NULL,  
  anal_var = NULL,  
  anal_val = NULL  
)
```

Arguments

data	The input data to create analysis results for. This parameter is required.
statvars	A vector of column names that identify the desired results. Statvar columns must be numeric. This parameter is required.
statdesc	A vector of values or a column name that identifies a description for each statvar. If passed as a vector of values, the number of values should correspond to the number of 'statvar' variables.

byvars	A vector of column names to use for by variables.
trtvar	A column name to use for the treatment variable.
paramcd	A character string that describes the analysis parameter code or column name that contains the parameter code. If supplied as a column name, the function will populate the 'paramcd' column in the ARDS with the value of the 'paramcd' column.
anal_var	A column name for the analysis variable or a string that identifies the analysis variable.
anal_val	The analysis variable value. Can be identified by a column name or a vector of values. By default, the analysis values will be taken from the values of the variable passed in 'anal_var'. This parameter exists so that you may pass in the values from a different variable, if desired.

Value

The input data frame, unaltered.

See Also

Other ards: [get_ards\(\)](#), [init_ards\(\)](#), [restore_ards\(\)](#)

Examples

```
library(ards)
library(dplyr)

# Initialize the ARDS
init_ards(studyid = "MTCARS",
          tableid = "01", adsns = "mtcars",
          population = "all cars",
          time = "1973")

# Perform analysis on MPG
# - Add to ARDS from within continuous variable pipeline
mpgdf <- mtcars |>
  select(cyl, mpg) |>
  group_by(cyl) |>
  summarize(n = n(),
            mean = mean(mpg),
            std = sd(mpg),
            min = min(mpg),
            max = max(mpg)) |>
  add_ards(statvars = c("n", "mean", "std", "min", "max"),
          anal_var = "mpg", trtvar = "cyl")

# Perform analysis on GEAR
# - Add to ARDS from within categorical variable pipeline
geardf <- mtcars |>
  mutate(denom = n()) |>
  select(cyl, gear, denom) |>
```

```

group_by(cyl, gear) |>
  summarize(cnt = n(),
            denom = max(denom)) |>
  mutate(pct = cnt / denom * 100) |>
  add_ards(statvars = c("cnt", "pct", "denom"),
          anal_var = "gear", trtvar = "cyl")

# Get the ARDS
ards <- get_ards()

# Uncomment to view ards
# View(ards)

```

get_ards

Returns the current Analysis Results Dataset

Description

The `get_ards` function returns the current state of the Analysis Results Dataset (ARDS) as an R data frame. This data frame may be saved to disk, saved in a database, or examined from code. The function takes no parameters.

Usage

```
get_ards()
```

Value

A data frame of the current analysis results.

See Also

Other ards: [add_ards\(\)](#), [init_ards\(\)](#), [restore_ards\(\)](#)

Examples

```

library(ards)
library(dplyr)

# Initialize the ARDS
# - These values will be common through the dataset
init_ards(studyid = "IRIS",
          tableid = "01", adsns = "iris",
          population = "all flowers",
          time = "1973")

# Perform analysis on Petal.Length
# - Using Species as a by-group
analdf1 <- iris |>
  select(Petal.Length, Species) |>

```

```

group_by(Species) |>
summarize(n = n(),
          mean = mean(Petal.Length),
          std = sd(Petal.Length),
          min = min(Petal.Length),
          max = max(Petal.Length)) |>
add_ards(statvars = c("n", "mean", "std", "min", "max"),
        statdesc = c("Count", "Mean", "STD", "Minimum", "Maximum"),
        anal_var = "Petal.Length", trtvar = "Species")

# Perform analysis on Petal.Width
# - Using Species as a by-group
analdf2 <- iris |>
select(Petal.Width, Species) |>
group_by(Species) |>
summarize(n = n(),
          mean = mean(Petal.Width),
          std = sd(Petal.Width),
          min = min(Petal.Width),
          max = max(Petal.Width)) |>
add_ards(statvars = c("n", "mean", "std", "min", "max"),
        statdesc = c("Count", "Mean", "STD", "Minimum", "Maximum"),
        anal_var = "Petal.Width", trtvar = "Species")

# Get the ARDS
ards <- get_ards()

# Uncomment to view ards
# View(ards)

```

init_ards

*Initialize the Analysis Results Dataset***Description**

A function to initialize the Analysis Results Dataset (ARDS). This function will first create a data template in the desired structure, and then populate common values across the dataset from that template. These common values will be repeated on each row of the analysis data frame for subsequent inserts from the [add_ards](#) function.

Usage

```

init_ards(
  studyid = NA,
  tableid = NA,
  adsns = NA,
  population = NA,
  time = NA,
  where = NA,
  reset = TRUE
)

```

Arguments

studyid	The study for which the analysis was performed. This parameter is optional.
tableid	A table identifier to use for the results. This value identifies the table within the study. Optional string value.
adsns	A vector of source dataset names. This parameter is used to identify the input data for the analysis. This parameter is optional.
population	A description of the analysis population. This parameter is used to identify the population for analysis. This parameter is optional.
time	A optional description of the time frame used in the analysis. For example, in a clinical study, the "time" value may identify the visit on which the analysis is based.
where	An optional description of the criteria used to subset the data for analysis.
reset	If true, clears out the existing ARDS dataset and replaces with an empty template. Otherwise, just assign new parameter values to the existing template. The default value is TRUE, meaning the ARDS in memory will be cleared every time <code>init_ards</code> is called. If you wish to assign new initialization values, but keep appending to the existing ARDS dataset, set this parameter to FALSE. This feature is used when you are creating two different tables in the same program.

Value

The initialized analysis dataset.

See Also

Other ards: [add_ards\(\)](#), [get_ards\(\)](#), [restore_ards\(\)](#)

Examples

```
library(ards)
library(dplyr)

# Initialize the ARDS
# - These values will be common through the dataset
init_ards(studyid = "MTCARS",
          tableid = "01", adsns = "mtcars",
          population = "all cars",
          time = "1973")

# Perform analysis on MPG
# - Using cylinders as a by-group
analdf <- mtcars |>
  select(cyl, mpg) |>
  group_by(cyl) |>
  summarize(n = n(),
            mean = mean(mpg),
            std = sd(mpg),
            min = min(mpg),
```

```

max = max(mpg))

# View analysis data
analfdf
#   cyl    n mean  std  min  max
#   <dbl> <int> <dbl> <dbl> <dbl> <dbl>
# 1     4    11 26.7  4.51 21.4 33.9
# 2     6     7 19.7  1.45 17.8 21.4
# 3     8    14 15.1  2.56 10.4 19.2

# Add analysis data to ARDS
# - These values will be unique per row
add_ards(analfdf,
         statvars = c("n", "mean", "std", "min", "max"),
         anal_var = "mpg", trtvar = "cyl")

# Get the ARDS
ards <- get_ards()

# Uncomment to view ards
# View(ards)

```

restore_ards

Restore an ARDS dataset

Description

The `restore_ards` function restores the ARDS data to wide format. The wide data can then be used for reporting.

Usage

```
restore_ards(data, init_vars = FALSE, anal_var = "anal_var")
```

Arguments

<code>data</code>	The input dataset to restore. The input dataset should correspond to the CDISC ARDS structure, such as that created by <code>get_ards</code> . However, not all variables are required. The only required variables are "anal_var", "statname", and "statval". All other variables will be processed if available, and ignored otherwise.
<code>init_vars</code>	Whether or not to keep the initialization variables on the restored data frames. Default is FALSE. The initialization variables include "studyid", "tableid", "adsns", "population", "time", and "where". To keep these variables on the restored data frames, set <code>init_vars</code> to TRUE.
<code>anal_var</code>	The name to use for the analysis variable column. This column is retained to positively identify the data frame. The default name is "anal_var". If you need a different name for this column, pass the name as a quoted string. To eliminate the column entirely, pass a NULL value to this parameter.

Details

The `init_ards`, `add_ards`, and `get_ards` functions take data in wide format, and convert it to narrow format. The `restore_ards` function converts the narrow ARDS data back to wide format.

Wide format means there is a column for each statistic. Narrow format means all statistics are in a single column.

Because each analysis variable can have any number of statistics, when converting from narrow to wide, the resulting data frames can have different numbers of columns and different column names. Therefore, the `restore_ards` function returns a list of data frames, one for each analysis variable.

For each data frame, the statistics will each be in a separate column, named according to the original statistic variable name. The label of the statistics columns will be any value passed to the statistic description ("statdesc") for that analysis variable.

By default, the columns populated by `init_ards` will not be returned. These columns can be returned by setting the "init_vars" parameter to TRUE.

Once the ARDS data is restored and the statistics are back in separate columns, it will be easy to create a report, figure, or other output.

Value

A list of data frames, transposed back into wide format. The list will have one or more items, distinguished by the analysis variable. The list item name will correspond to the name of the analysis variable.

See Also

Other ards: `add_ards()`, `get_ards()`, `init_ards()`

Examples

```
library(ards)
library(dplyr)

# Initialize the ARDS
# - These values will be common through the dataset
init_ards(studyid = "IRIS",
          tableid = "01", adsns = "iris",
          population = "all flowers",
          time = "1973")

# Perform analysis on Petal.Length
# - Using Species as a by-group
analdf1 <- iris |>
  select(Petal.Length, Species) |>
  group_by(Species) |>
  summarize(n = n(),
            mean = mean(Petal.Length),
            std = sd(Petal.Length),
            min = min(Petal.Length),
            max = max(Petal.Length)) |>
  add_ards(statvars = c("n", "mean", "std", "min", "max"),
```

```

statdesc = c("Count", "Mean", "STD", "Minimum", "Maximum"),
anal_var = "Petal.Length", trtvar = "Species")

# Perform analysis on Petal.Width
# - Using Species as a by-group
analdf2 <- iris |>
  select(Petal.Width, Species) |>
  group_by(Species) |>
  summarize(n = n(),
            mean = mean(Petal.Width),
            std = sd(Petal.Width),
            min = min(Petal.Width),
            max = max(Petal.Width)) |>
  add_ards(statvars = c("n", "mean", "std", "min", "max"),
          statdesc = c("Count", "Mean", "STD", "Minimum", "Maximum"),
          anal_var = "Petal.Width", trtvar = "Species")

# Get the ARDS
ards <- get_ards()

# Convert back to wide format
res <- restore_ards(ards)

# View list names
print(names(res))
# [1] "Petal.Length" "Petal.Width"

# Pull out Petal.Length
r1 <- res$Petal.Length

# View column names on Petal.Length
print(names(r1))
# [1] "Species" "anal_var" "n" "mean" "std" "min" "max"

# View stat data on Petal.Length
print(r1)
#   Species   anal_var  n mean      std min max
# 1   setosa Petal.Length 50 1.462 0.1736640 1.0 1.9
# 2 versicolor Petal.Length 50 4.260 0.4699110 3.0 5.1
# 3  virginica Petal.Length 50 5.552 0.5518947 4.5 6.9

# Uncomment to view restored datasets
# View(res$Petal.Length)
# View(res$Petal.Width)

```

Index

* ards

add_ards, [2](#)

get_ards, [4](#)

init_ards, [5](#)

restore_ards, [7](#)

add_ards, [2](#), [4-6](#), [8](#)

get_ards, [3](#), [4](#), [6](#), [8](#)

init_ards, [3](#), [4](#), [5](#), [8](#)

restore_ards, [3](#), [4](#), [6](#), [7](#)