

Package ‘tenXplore’

April 11, 2023

Title ontological exploration of scRNA-seq of 1.3 million mouse neurons from 10x genomics

Description

Perform ontological exploration of scRNA-seq of 1.3 million mouse neurons from 10x genomics.

Version 1.20.0

Author Vince Carey

Suggests org.Hs.eg.db, testthat, knitr, rmarkdown

Depends R (>= 4.0), shiny, restfulSE (>= 0.99.12)

Imports methods, ontoProc (>= 0.99.7), SummarizedExperiment, AnnotationDbi, matrixStats, org.Mm.eg.db, stats, utils

Maintainer VJ Carey <stvjc@channing.harvard.edu>

License Artistic-2.0

LazyLoad yes

biocViews ImmunoOncology, DimensionReduction, PrincipalComponent, Transcriptomics, SingleCell

VignetteBuilder knitr

RoxygenNote 7.2.1

git_url <https://git.bioconductor.org/packages/tenXplore>

git_branch RELEASE_3_16

git_last_commit 32ae3e4

git_last_commit_date 2022-11-01

Date/Publication 2023-04-10

R topics documented:

CellTypes	2
tenx500	2
tenXplore	3

Index

4

CellTypes*cellTypes: data.frame with ids and terms***Description**

cellTypes: data.frame with ids and terms

Usage

CellTypes

Format

TermSet instance

Sourceefo.owl, August 2017, subclasses of http://www.ebi.ac.uk/efo/EFO_0000324**Examples**

```
data(CellTypes)
head(slot(CellTypes, "cleanFrame"))
```

tenx500*tenx500: serialized full SummarizedExperiment for demonstration***Description**

tenx500: serialized full SummarizedExperiment for demonstration

Usage

tenx500

Format

SummarizedExperiment instance

Source

restfulSE se1.3M pared down to 500 samples, assay materialized and assigned

Examples

```
data(tenx500)
tenx500
```

`tenXplore`

basic shiny interface to 10x data with ontological setup for cell selection

Description

basic shiny interface to 10x data with ontological setup for cell selection

Usage

`tenXplore()`

Value

shiny app invocation

Note

Starts slowly as it sets up connection to HDF Server.

Examples

`tenXplore`

Index

* datasets

CellTypes, [2](#)
tenx500, [2](#)

CellTypes, [2](#)

tenx500, [2](#)

tenXplore, [3](#)