

# **BSgenome.Hsapiens.UCSC.hg19**

April 12, 2023

---

`BSgenome.Hsapiens.UCSC.hg19`

*Full genome sequences for Homo sapiens (UCSC version hg19, based on GRCh37.p13)*

---

## Description

Full genome sequences for Homo sapiens (Human) as provided by UCSC (hg19, based on GRCh37.p13) and stored in Biostrings objects.

## Note

This BSgenome data package was made from the following source data files:

`hg19.2bit`, downloaded from <https://hgdownload.cse.ucsc.edu/goldenPath/hg19/bigZips/latest/> on March 2023

See [?BSgenomeForge](#) and the `BSgenomeForge` vignette (`vignette("BSgenomeForge")`) in the **BSgenome** software package for how to make a BSgenome data package.

## Author(s)

The Bioconductor Dev Team

## See Also

- `BSgenome` objects and the `available.genomes` function in the **BSgenome** software package.
- `DNAString` objects in the **Biostrings** package.
- The `BSgenomeForge` vignette (`vignette("BSgenomeForge")`) in the **BSgenome** software package for how to make a BSgenome data package.

**Examples**

```
BSgenome.Hsapiens.UCSC.hg19
genome <- BSgenome.Hsapiens.UCSC.hg19
head(seqlengths(genome))
genome$chr1 # same as genome[["chr1"]]

## -----
## Genome-wide motif searching
## -----
## See the GenomeSearching vignette in the BSgenome software
## package for some examples of genome-wide motif searching using
## Biostrings and the BSgenome data packages:
if (interactive())
  vignette("GenomeSearching", package="BSgenome")
```

# Index

```
* data
  BSgenome.Hsapiens.UCSC.hg19, 1
* package
  BSgenome.Hsapiens.UCSC.hg19, 1
available.genomes, 1
BSgenome, 1
BSgenome.Hsapiens.UCSC.hg19, 1
BSgenome.Hsapiens.UCSC.hg19-package
  (BSgenome.Hsapiens.UCSC.hg19),
  1
BSgenomeForge, 1
DNAString, 1
Hsapiens (BSgenome.Hsapiens.UCSC.hg19),
  1
```