

# Package ‘mtbls2’

April 20, 2016

**Version** 1.0.0

**Date** 2015-09-24

**Encoding** UTF-8

**Title** MetaboLights MTBLS2: Comparative LC/MS-based profiling of silver nitrate-treated *Arabidopsis thaliana* leaves of wild-type and cyp79B2 cyp79B3 double knockout plants. Böttcher et al. (2004)

**Author** Steffen Neumann <sneumann@ipb-halle.de>

**Maintainer** Steffen Neumann <sneumann@ipb-halle.de>

**Depends** R (>= 2.10)

**Suggests** xcms (>= 1.43.3), CAMERA, Risa (>= 1.0.0), knitr, Heatplus, pcaMethods, sp

**VignetteBuilder** knitr

**ZipData** no

**Description** Indole-3-acetaldoxime (IAOx) represents an early intermediate of the biosynthesis of a variety of indolic secondary metabolites including the phytoanticipin indol-3-ylmethyl glucosinolate and the phytoalexin camalexin (3-thiazol-2'-yl-indole). *Arabidopsis thaliana* cyp79B2 cyp79B3 double knockout plants are completely impaired in the conversion of tryptophan to indole-3-acetaldoxime and do not accumulate IAOx-derived metabolites any longer. Consequently, comparative analysis of wild-type and cyp79B2 cyp79B3 plant lines has the potential to explore the complete range of IAOx-derived indolic secondary metabolites.

**biocViews** MassSpectrometryData, RepositoryData

**License** CC0

**URL** <http://www.ebi.ac.uk/metabolights/MTBLS2>,  
<https://github.com/sneumann/mtbls2>

**NeedsCompilation** no

## R topics documented:

mtbls2	2
<b>Index</b>	<b>5</b>

---

mtbls2	<i>Comparative LC/MS-based profiling of silver nitrate-treated <i>Arabidopsis thaliana</i> leaves of wild-type and cyp79B2 cyp79B3 double knockout plants</i>
--------	---

---

### Description

xcmsSet object from the data in the paper on "Indole-3-acetaldoxime (IAOx) represents an early intermediate of the biosynthesis of a variety of indolic secondary metabolites including the phytoanticipin indol-3-ylmethyl glucosinolate and the phytoalexin camalexin (3-thiazol-2'-yl-indole). *Arabidopsis thaliana* cyp79B2 cyp79B3 double knockout plants are completely impaired in the conversion of tryptophan to indole-3-acetaldoxime and do not accumulate IAOx-derived metabolites any longer. Consequently, comparative analysis of wild-type and cyp79B2 cyp79B3 plant lines has the potential to explore the complete range of IAOx-derived indolic secondary metabolites." It was collected in positive ionization mode.

### Usage

```
data(mtbls2)
```

### Format

The format is:

```
Formal class 'xcmsSet' [package "xcms"] with 12 slots
..@ peaks           : num [1:83861, 1:23] 361 369 447 277 372 ...
.. ..- attr(*, "dimnames")=List of 2
.. .. .$. : NULL
.. .. .$. : chr [1:23] "mz" "mzmin" "mzmax" "rt" ...
..@ groups          : logi[0 , 0 ]
..@ groupidx        : list()
..@ filled           : int(0)
..@ phenoData        :'data.frame': 16 obs. of  2 variables:
.. ..$ Factor.Value.genotype. : Factor w/ 2 levels "Col-0","cyp79": 1 1 1 1 2 2 2 2 1 1 ...
.. ..$ Factor.Value.replicate.: Factor w/ 2 levels "Exp1","Exp2": 1 1 1 1 1 1 1 2 2 ...
..@ rt               :List of 2
.. ..$. raw       :List of 16
.. .. .$. : num [1:3562] 0.562 0.898 1.235 1.572 1.908 ...
.. .. .$. : num [1:3570] 0.57 0.907 1.244 1.58 1.917 ...
.. .. .$. : num [1:3564] 0.823 1.159 1.496 1.833 2.236 ...
.. .. .$. : num [1:3566] 0.501 0.838 1.175 1.511 1.848 ...
.. .. .$. : num [1:3565] 0.514 0.851 1.187 1.524 1.861 ...
```

```
... . . . $ : num [1:3566] 0.73 1.07 1.4 1.74 2.08 ...
... . . . $ : num [1:3567] 0.513 0.85 1.187 1.523 1.86 ...
... . . . $ : num [1:3568] 0.499 0.836 1.173 1.509 1.846 ...
... . . . $ : num [1:3567] 0.53 0.866 1.203 1.54 1.876 ...
... . . . $ : num [1:3567] 0.672 1.008 1.345 1.682 2.019 ...
... . . . $ : num [1:3568] 0.604 0.94 1.277 1.614 1.95 ...
... . . . $ : num [1:3566] 0.514 0.85 1.187 1.524 1.86 ...
... . . . $ : num [1:3568] 0.511 0.848 1.184 1.521 1.858 ...
... . . . $ : num [1:3567] 0.483 0.82 1.156 1.493 1.83 ...
... . . . $ : num [1:3567] 0.508 0.844 1.181 1.518 1.855 ...
... . . . $ : num [1:3568] 0.48 0.817 1.154 1.491 1.827 ...
... . . $ corrected:List of 16
... . . . $ : num [1:3562] 0.562 0.898 1.235 1.572 1.908 ...
... . . . $ : num [1:3570] 0.57 0.907 1.244 1.58 1.917 ...
... . . . $ : num [1:3564] 0.823 1.159 1.496 1.833 2.236 ...
... . . . $ : num [1:3566] 0.501 0.838 1.175 1.511 1.848 ...
... . . . $ : num [1:3565] 0.514 0.851 1.187 1.524 1.861 ...
... . . . $ : num [1:3566] 0.73 1.07 1.4 1.74 2.08 ...
... . . . $ : num [1:3567] 0.513 0.85 1.187 1.523 1.86 ...
... . . . $ : num [1:3568] 0.499 0.836 1.173 1.509 1.846 ...
... . . . $ : num [1:3567] 0.53 0.866 1.203 1.54 1.876 ...
... . . . $ : num [1:3567] 0.672 1.008 1.345 1.682 2.019 ...
... . . . $ : num [1:3568] 0.604 0.94 1.277 1.614 1.95 ...
... . . . $ : num [1:3566] 0.514 0.85 1.187 1.524 1.86 ...
... . . . $ : num [1:3568] 0.511 0.848 1.184 1.521 1.858 ...
... . . . $ : num [1:3567] 0.483 0.82 1.156 1.493 1.83 ...
... . . . $ : num [1:3567] 0.508 0.844 1.181 1.518 1.855 ...
... . . . $ : num [1:3568] 0.48 0.817 1.154 1.491 1.827 ...
..@ filepaths      : chr [1:16] "/usr/local/lib/R/site-library/mtbls2//vol/R/BioC-devel/mtbls2/MSpc"
..@ profinfo       :List of 2
... . . $ method: chr "bin"
... . . $ step   : num 0.1
..@ dataCorrection : int(0)
..@ polarity      : chr(0)
..@ progressInfo  :List of 12
... . . $ group.density        : num 0
... . . $ group.mzClust        : num 0
... . . $ group.nearest         : num 0
... . . $ findPeaks.centWave   : num 0
... . . $ findPeaks.massifquant : num 0
... . . $ findPeaks.matchedFilter: num 0
... . . $ findPeaks.MS1          : num 0
... . . $ findPeaks.MSW          : num 0
... . . $ retcor.obiwarp        : num 0
... . . $ retcor.peakgroups     : num 0
... . . $ fillPeaks.chrom        : num 0
... . . $ fillPeaks.MSW          : num 0
..@ progressCallback:function (progress)
```

## Details

The corresponding raw mzData files are located in the `mzData` subdirectory of this package.

## Source

<http://www.ebi.ac.uk/metabolights/MTBLS2> <https://github.com/sneumann/mtbls2>

## References

Neumann, S., Thum, A. & Böttcher, C. Nearline acquisition and processing of liquid chromatography-tandem mass spectrometry data *Metabolomics* (2012) DOI: 10.1007/s11306-012-0401-0

## See Also

`xcmsSet`, `xcmsRaw`

## Examples

```
data(mtbls2)

## The directory with the mzData LC/MS files
filepath <- file.path(find.package("mtbls2"), "mzData")
filepath
list.files(filepath, recursive = TRUE)

if (require(xcms)) {

  ## xcmsSet Summary
  show(mtbls2Set)

  filepaths(mtbls2Set)[1]

  ## Access raw data file

  ## Not run:
  xr <- xcmsRaw(filepaths(mtbls2Set)[1], profmethod = "bin", profstep = 0.1)
  xr

  ## End(Not run)
}
```

# Index

\*Topic **datasets**

`mtbls2`, [2](#)

`mtbls2`, [2](#)

`mtbls2Set (mtbls2)`, [2](#)

`xcmsRaw`, [4](#)

`xcmsSet`, [4](#)