

# **BSgenome.Tguttata.UCSC.taeGut2**

May 15, 2019

---

`BSgenome.Tguttata.UCSC.taeGut2`

*Full genome sequences for Taeniopygia guttata (UCSC version taeGut2)*

---

## Description

Full genome sequences for *Taeniopygia guttata* (Zebra finch) as provided by UCSC (taeGut2, Feb. 2013) and stored in Biostrings objects.

## Note

This BSgenome data package was made from the following source data files:

```
taeGut2.2bit from http://hgdownload.soe.ucsc.edu/goldenPath/taeGut2/bigZips/
```

See [?BSgenomeForge](#) and the `BSgenomeForge` vignette (`vignette("BSgenomeForge")`) in the **BSgenome** software package for how to make a BSgenome data package.

## Author(s)

The Bioconductor Dev Team

## See Also

- `BSgenome` objects and the `available.genomes` function in the **BSgenome** software package.
- `DNAString` objects in the **Biostrings** package.
- The `BSgenomeForge` vignette (`vignette("BSgenomeForge")`) in the **BSgenome** software package for how to make a BSgenome data package.

**Examples**

```
BSgenome.Tguttata.UCSC.taeGut2
genome <- BSgenome.Tguttata.UCSC.taeGut2
head(seqlengths(genome))
genome$chr1 # same as genome[["chr1"]]

## -----
## Genome-wide motif searching
## -----
## See the GenomeSearching vignette in the BSgenome software
## package for some examples of genome-wide motif searching using
## Biostrings and the BSgenome data packages:
if (interactive())
  vignette("GenomeSearching", package="BSgenome")
```

# Index

\*Topic **data**

  BSgenome.Tguttata.UCSC.taeGut2, [1](#)

\*Topic **package**

  BSgenome.Tguttata.UCSC.taeGut2, [1](#)

available.genomes, [1](#)

BSgenome, [1](#)

  BSgenome.Tguttata.UCSC.taeGut2, [1](#)

  BSgenome.Tguttata.UCSC.taeGut2-package

    (BSgenome.Tguttata.UCSC.taeGut2),  
    [1](#)

  BSgenomeForge, [1](#)

DNAString, [1](#)

Tguttata

  (BSgenome.Tguttata.UCSC.taeGut2),  
  [1](#)