

# Package ‘FLAMES’

July 16, 2025

**Title** FLAMES: Full Length Analysis of Mutations and Splicing in long read RNA-seq data

**Version** 2.3.3

**Date** 2023-03-27

**Description** Semi-supervised isoform detection and annotation from both bulk and single-cell long read RNA-seq data. Flames provides automated pipelines for analysing isoforms, as well as intermediate functions for manual execution.

**biocViews** RNASeq, SingleCell, Transcriptomics, DataImport, DifferentialSplicing, AlternativeSplicing, GeneExpression, LongRead

**BugReports** <https://github.com/mritchielab/FLAMES/issues>

**License** GPL (>= 3)

**Encoding** UTF-8

**Imports** abind, basilisk, bambu, BiocParallel, Biostrings, BiocGenerics, crew, circlize, ComplexHeatmap, cowplot, cli, dplyr, DropletUtils, GenomicRanges, GenomicFeatures, txdbmaker, GenomicAlignments, GenomeInfoDb, ggplot2, ggbio, grid, gridExtra, igraph, jsonlite, magrittr, magick, Matrix, MatrixGenerics, readr, reticulate, Rsamtools, rtracklayer, RColorBrewer, R.utils, S4Arrays, ShortRead, SingleCellExperiment, SummarizedExperiment, SpatialExperiment, scatter, scatterpie, S4Vectors, scuttle, stats, scan, stringr, tidyr, utils, withr, future, methods, tibble, tidyselect, IRanges

**Suggests** BiocStyle, GEOquery, knitr, rmarkdown, uwot, testthat (>= 3.0.0), xml2

**LinkingTo** Rcpp, Rhtslib, testthat

**SystemRequirements** GNU make, C++17

**RoxygenNote** 7.3.2

**VignetteBuilder** knitr

**URL** <https://mritchielab.github.io/FLAMES>

**Config/testthat/edition** 3

**Depends** R (>= 4.2.0)

**LazyLoad** yes

**StagedInstall** no  
**git\_url** <https://git.bioconductor.org/packages/FLAMES>  
**git\_branch** devel  
**git\_last\_commit** d23be84  
**git\_last\_commit\_date** 2025-06-18  
**Repository** Bioconductor 3.22  
**Date/Publication** 2025-07-16  
**Author** Luyi Tian [aut],  
 Changqing Wang [aut, cre],  
 Yupei You [aut],  
 Oliver Voogd [aut],  
 Jakob Schuster [aut],  
 Shian Su [aut],  
 Matthew Ritchie [ctb]  
**Maintainer** Changqing Wang <[wang.ch@wehi.edu.au](mailto:wang.ch@wehi.edu.au)>

## Contents

|                               |    |
|-------------------------------|----|
| addRowRanges . . . . .        | 3  |
| add_gene_counts . . . . .     | 4  |
| annotation_to_fasta . . . . . | 5  |
| blaze . . . . .               | 5  |
| BulkPipeline . . . . .        | 6  |
| bulk_long_pipeline . . . . .  | 8  |
| combine_sce . . . . .         | 10 |
| config . . . . .              | 11 |
| config<- . . . . .            | 11 |
| controllers . . . . .         | 12 |
| controllers<- . . . . .       | 12 |
| convolution_filter . . . . .  | 13 |
| create_config . . . . .       | 14 |
| create_sce_from_dir . . . . . | 16 |
| create_se_from_dir . . . . .  | 17 |
| create_spe . . . . .          | 17 |
| cutadapt . . . . .            | 18 |
| demultiplex_sockeye . . . . . | 19 |
| example_pipeline . . . . .    | 19 |
| experiment . . . . .          | 20 |
| fake_stranded_gff . . . . .   | 20 |
| filter_annotation . . . . .   | 21 |
| filter_coverage . . . . .     | 21 |
| find_barcode . . . . .        | 22 |
| find_bin . . . . .            | 24 |
| find_isoform . . . . .        | 24 |
| find_variants . . . . .       | 25 |
| FLAMES . . . . .              | 26 |
| flexiplex . . . . .           | 27 |
| get_coverage . . . . .        | 28 |
| get_GRangesList . . . . .     | 29 |

|  |    |
|--|----|
| gff2bed . . . . .                      | 29 |
| index_genome . . . . .                 | 30 |
| minimap2_align . . . . .               | 30 |
| MultiSampleSCPipeline . . . . .        | 31 |
| mutation_positions . . . . .           | 33 |
| mutation_positions_single . . . . .    | 34 |
| plot_coverage . . . . .                | 35 |
| plot_demultiplex . . . . .             | 36 |
| plot_demultiplex_raw . . . . .         | 37 |
| plot_isoforms . . . . .                | 38 |
| plot_isoform_heatmap . . . . .         | 39 |
| plot_isoform_reduced_dim . . . . .     | 40 |
| plot_spatial_feature . . . . .         | 42 |
| plot_spatial_isoform . . . . .         | 43 |
| plot_spatial_pie . . . . .             | 43 |
| quantify_gene . . . . .                | 44 |
| quantify_transcript . . . . .          | 45 |
| quantify_transcript_flames . . . . .   | 46 |
| resume_FLAMES . . . . .                | 47 |
| run_FLAMES . . . . .                   | 47 |
| run_step . . . . .                     | 48 |
| scmixology_lib10 . . . . .             | 49 |
| scmixology_lib10_transcripts . . . . . | 49 |
| scmixology_lib90 . . . . .             | 50 |
| sc_DTU_analysis . . . . .              | 50 |
| sc_impute_transcript . . . . .         | 52 |
| sc_long_multisample_pipeline . . . . . | 53 |
| sc_long_pipeline . . . . .             | 55 |
| sc_mutations . . . . .                 | 56 |
| show,FLAMES.Pipeline-method . . . . .  | 57 |
| SingleCellPipeline . . . . .           | 57 |
| steps . . . . .                        | 59 |
| steps<- . . . . .                      | 60 |
| weight_transcripts . . . . .           | 61 |

**Index****63**


---

|              |   |
|--------------|---|
| addRowRanges | <i>Add rowRanges by rownames to SummarizedExperiment object Assumes rownames are transcript_ids Assumes transcript_id is present in the annotation file</i> |
|--------------|---|

---

**Description**

Add rowRanges by rownames to SummarizedExperiment object Assumes rownames are transcript\_ids Assumes transcript\_id is present in the annotation file

**Usage**

```
addRowRanges(sce, annotation, outdir)
```

**Value**

a SummarizedExperiment object with rowRanges added

---

|                 |   |
|-----------------|---|
| add_gene_counts | <i>Add gene counts to a SingleCellExperiment object</i> |
|-----------------|---|

---

**Description**

Add gene counts to a SingleCellExperiment object as an altExps slot named gene.

**Usage**

```
add_gene_counts(sce, gene_count_file)
```

**Arguments**

|                 |  |
|-----------------|--|
| sce             | A SingleCellExperiment object.   |
| gene_count_file | The file path to the gene count file. If missing, the function will try to find the gene count file in the output directory. |

**Value**

A SingleCellExperiment object with gene counts added.

**Examples**

```
# Set up a mock SingleCellExperiment object
sce <- SingleCellExperiment::SingleCellExperiment(
  assays = list(counts = matrix(0, nrow = 10, ncol = 10))
)
colnames(sce) <- paste0("cell", 1:10)
# Set up a mock gene count file
gene_count_file <- tempfile()
gene_mtx <- matrix(1:10, nrow = 2, ncol = 5)
colnames(gene_mtx) <- paste0("cell", 1:5)
rownames(gene_mtx) <- c("gene1", "gene2")
write.csv(gene_mtx, gene_count_file)
# Add gene counts to the SingleCellExperiment object
sce <- add_gene_counts(sce, gene_count_file)
# verify the gene counts are added
SingleCellExperiment::altExps(sce)$gene
```

---

|                     |                                    |
|---------------------|------------------------------------|
| annotation_to_fasta | <i>GTF/GFF to FASTA conversion</i> |
|---------------------|------------------------------------|

---

### Description

convert the transcript annotation to transcriptome assembly as FASTA file. The genome annotation is first imported as TxDb object and then used to extract transcript sequence from the genome assembly.

### Usage

```
annotation_to_fasta(isoform_annotation, genome_fa, outfile, extract_fn)
```

### Arguments

|                    |   |
|--------------------|---|
| isoform_annotation | Path to the annotation file (GTF/GFF3)  |
| genome_fa          | The file path to genome fasta file.   |
| outfile            | The file path to the output FASTA file.   |
| extract_fn         | (optional) Function to extract GRangesList from the genome TxDb object. E.g.<br>function(txdb){GenomicFeatures::cdsBy(txdb, by="tx", use.names=TRUE)} |

### Value

This does not return anything. A FASTA file will be created at the specified location.

### Examples

```
fasta <- tempfile()
annotation_to_fasta(system.file("extdata", "rps24.gtf.gz", package = "FLAMES"), system.file("extdata", "rps24.fasta"),
cat(readChar(fasta, 1e3))
```

---

|       |   |
|-------|---|
| blaze | <i>BLAZE Assign reads to cell barcodes.</i> |
|-------|---|

---

### Description

Uses BLAZE to generate barcode list and assign reads to cell barcodes.

### Usage

```
blaze(expect_cells, fq_in, ...)
```

**Arguments**

|                           |   |
|---------------------------|---|
| <code>expect_cells</code> | Integer, expected number of cells. Note: this could be just a rough estimate. E.g., the targeted number of cells.   |
| <code>fq_in</code>        | File path to the fastq file used as a query sequence file   |
| <code>...</code>          | Additional BLAZE configuration parameters. E.g., setting <code>"output-prefix"= "some_prefix"</code> is equivalent to specifying <code>'-output-prefix some_prefix'</code> in BLAZE; Similarly, <code>'overwrite=TRUE'</code> is equivalent to switch on the <code>'-overwrite'</code> option. Note that the specified parameters will override the parameters specified in the configuration file. All available options can be found at <a href="https://github.com/shimlab/BLAZE">https://github.com/shimlab/BLAZE</a> . |

**Value**

A data.frame summarising the reads aligned. Other outputs are written to disk. The details of the output files can be found at <https://github.com/shimlab/BLAZE>.

**Examples**

```
outdir <- tempfile()
dir.create(outdir)
fastq <- system.file("extdata", "fastq", "musc_rps24.fastq.gz", package = "FLAMES")
blaze(
  expect_cells = 10, fastq,
  "output-prefix" = file.path(outdir, ""),
  "output-fastq" = file.path(outdir, "output.fastq"),
  overwrite=TRUE
)
```

BulkPipeline

*Pipeline for bulk long read RNA-seq data processing***Description**

Semi-supervised isoform detection and annotation for long read data. This variant is meant for bulk samples. Specific parameters can be configured in the config file (see [create\\_config](#)), input files are specified via arguments.

**Usage**

```
BulkPipeline(
  config_file,
  outdir,
  fastq,
  annotation,
  genome_fa,
  genome_mmi,
  minimap2,
  samtools,
  controllers
)
```

## Arguments

|                          |  |
|--------------------------|--|
| <code>config_file</code> | Path to the JSON configuration file. See <a href="#">create_config</a> for creating one.   |
| <code>outdir</code>      | Path to the output directory. If it does not exist, it will be created.  |
| <code>fastq</code>       | Path to the FASTQ file or a directory containing FASTQ files. Each file will be processed as an individual sample.   |
| <code>annotation</code>  | The file path to the annotation file in GFF3 / GTF format.   |
| <code>genome_fa</code>   | The file path to the reference genome in FASTA format.   |
| <code>genome_mmi</code>  | (optional) The file path to minimap2's index reference genome.   |
| <code>minimap2</code>    | (optional) The path to the minimap2 binary. If not provided, FLAMES will use a copy from bioconda via basilisk.  |
| <code>samtools</code>    | (optional) The path to the samtools binary. If not provided, FLAMES will use a copy from bioconda via basilisk. provided, FLAMES will use a copy from bioconda via basilisk. |
| <code>controllers</code> | (optional, <b>experimental</b> ) A <code>crew_class_controller</code> object for running certain steps   |

## Details

By default FLAMES use minimap2 for read alignment. After the genome alignment step (`do_genome_align`), FLAMES summarizes the alignment for each read by grouping reads with similar splice junctions to get a raw isoform annotation (`do_isoform_id`). The raw isoform annotation is compared against the reference annotation to correct potential splice site and transcript start/end errors. Transcripts that have similar splice junctions and transcript start/end to the reference transcript are merged with the reference. This process will also collapse isoforms that are likely to be truncated transcripts. If `isoform_id_bambu` is set to TRUE, `bambu::bambu` will be used to generate the updated annotations. Next is the read realignment step (`do_read_realign`), where the sequence of each transcript from the update annotation is extracted, and the reads are realigned to this updated `transcript_assembly.fa` by minimap2. The transcripts with only a few full-length aligned reads are discarded. The reads are assigned to transcripts based on both alignment score, fractions of reads aligned and transcript coverage. Reads that cannot be uniquely assigned to transcripts or have low transcript coverage are discarded. The UMI transcript count matrix is generated by collapsing the reads with the same UMI in a similar way to what is done for short-read scRNA-seq data, but allowing for an edit distance of up to 2 by default. Most of the parameters, such as the minimal distance to splice site and minimal percentage of transcript coverage can be modified by the JSON configuration file (`config_file`).

## Value

A `FLAMES.Pipeline` object. The pipeline could be run using [run\\_FLAMES](#), and / or resumed using [resume\\_FLAMES](#).

## See Also

[create\\_config](#) for creating a configuration file, [SingleCellPipeline](#) for single cell pipelines, [MultiSampleSCPipeline](#) for multi sample single cell pipelines.

## Examples

```
outdir <- tempfile()
dir.create(outdir)
# simulate 3 samples via sampling
```

```

reads <- ShortRead::readFastq(
  system.file("extdata", "fastq", "muscrps24.fastq.gz", package = "FLAMES")
)
dir.create(file.path(outdir, "fastq"))
ShortRead::writeFastq(reads[1:100],
  file.path(outdir, "fastq/sample1.fq.gz"),
  mode = "w", full = FALSE
)
reads <- reads[-(1:100)]
ShortRead::writeFastq(reads[1:100],
  file.path(outdir, "fastq/sample2.fq.gz"),
  mode = "w", full = FALSE
)
reads <- reads[-(1:100)]
ShortRead::writeFastq(reads,
  file.path(outdir, "fastq/sample3.fq.gz"),
  mode = "w", full = FALSE
)
# prepare the reference genome
genome_fa <- file.path(outdir, "rps24.fa")
R.utils::gunzip(
  filename = system.file("extdata", "rps24.fa.gz", package = "FLAMES"),
  destname = genome_fa, remove = FALSE
)
ppl <- BulkPipeline(
  fastq = c(
    "sample1" = file.path(outdir, "fastq", "sample1.fq.gz"),
    "sample2" = file.path(outdir, "fastq", "sample2.fq.gz"),
    "sample3" = file.path(outdir, "fastq", "sample3.fq.gz")
  ),
  annotation = system.file("extdata", "rps24.gtf.gz", package = "FLAMES"),
  genome_fa = genome_fa,
  config_file = create_config(outdir, type = "sc_3end", threads = 1, no_flank = TRUE),
  outdir = outdir
)
ppl <- run_FLAMES(ppl) # run the pipeline
experiment(ppl) # get the result as SummarizedExperiment

```

---

|                    |   |
|--------------------|---|
| bulk_long_pipeline | <i>Pipeline for bulk long read RNA-seq data processing (deprecated)</i> |
|--------------------|---|

---

## Description

This function is deprecated. Use [BulkPipeline](#) instead.

## Usage

```

bulk_long_pipeline(
  annotation,
  fastq,
  outdir,
  genome_fa,
  minimap2 = NULL,

```



```
    config_file
  )
```

### Arguments

|             |  |
|-------------|--|
| annotation  | The file path to the annotation file in GFF3 / GTF format.   |
| fastq       | Path to the FASTQ file or a directory containing FASTQ files. Each file will be processed as an individual sample.   |
| outdir      | Path to the output directory. If it does not exist, it will be created.  |
| genome_fa   | The file path to the reference genome in FASTA format.   |
| minimap2    | (optional) The path to the minimap2 binary. If not provided, FLAMES will use a copy from bioconda via basilisk. provided, FLAMES will use a copy from bioconda via basilisk. |
| config_file | Path to the JSON configuration file. See <a href="#">create_config</a> for creating one.   |

### Value

A SummarizedExperiment object containing the transcript counts.

### See Also

[BulkPipeline](#) for the new pipeline function. [SingleCellPipeline](#) for single cell pipelines, [MultiSampleSCPipeline](#) for multi sample single cell pipelines.

### Examples

```
outdir <- tempfile()
dir.create(outdir)
# simulate 3 samples via sampling
reads <- ShortRead::readFastq(
  system.file("extdata", "fastq", "muscrps24.fastq.gz", package = "FLAMES")
)
dir.create(file.path(outdir, "fastq"))
ShortRead::writeFastq(reads[1:100],
  file.path(outdir, "fastq/sample1.fq.gz"),
  mode = "w", full = FALSE
)
reads <- reads[-(1:100)]
ShortRead::writeFastq(reads[1:100],
  file.path(outdir, "fastq/sample2.fq.gz"),
  mode = "w", full = FALSE
)
reads <- reads[-(1:100)]
ShortRead::writeFastq(reads,
  file.path(outdir, "fastq/sample3.fq.gz"),
  mode = "w", full = FALSE
)
# prepare the reference genome
genome_fa <- file.path(outdir, "rps24.fa")
R.utils::gunzip(
  filename = system.file("extdata", "rps24.fa.gz", package = "FLAMES"),
  destname = genome_fa, remove = FALSE
)
se <- bulk_long_pipeline(
```

```

fastq = file.path(outdir, "fastq"),
annotation = system.file("extdata", "rps24.gtf.gz", package = "FLAMES"),
outdir = outdir, genome_fa = genome_fa,
config_file = create_config(outdir, type = "sc_3end", threads = 1, no_flank = TRUE)
)
se

```

---

combine\_sce

*Combine SCE*


---

## Description

Combine FLT-seq SingleCellExperiment objects

## Usage

```
combine_sce(sce_with_lr, sce_without_lr)
```

## Arguments

`sce_with_lr` A SingleCellExperiment object with both long and short reads. The long-read transcript counts should be stored in the 'transcript' altExp slot.

`sce_without_lr` A SingleCellExperiment object with only short reads.

## Details

For protocols like FLT-seq that generate two libraries, one with both short and long reads, and one with only short reads, this function combines the two libraries into a single SingleCellExperiment object. For the library with both long and short reads, the long-read transcript counts should be stored in the 'transcript' altExp slot of the SingleCellExperiment object. This function will combine the short-read gene counts of both libraries, and for the transcripts counts, it will leave NA values for the cells from the short-read only library. The `sc_impute_transcript` function can then be used to impute the NA values.

## Value

A SingleCellExperiment object with combined gene counts and a "transcript" altExp slot.

## Examples

```

with_lr <- SingleCellExperiment::SingleCellExperiment(assays = list(counts = matrix(rpois(100, 5), ncol = 10)))
without_lr <- SingleCellExperiment::SingleCellExperiment(assays = list(counts = matrix(rpois(200, 5), ncol = 2)))
long_read <- SingleCellExperiment::SingleCellExperiment(assays = list(counts = matrix(rpois(50, 5), ncol = 10)))
SingleCellExperiment::altExp(with_lr, "transcript") <- long_read
SummarizedExperiment::colData(with_lr)$Barcode <- paste0(1:10, "-1")
SummarizedExperiment::colData(without_lr)$Barcode <- paste0(8:27, "-1")
rownames(with_lr) <- as.character(101:110)
rownames(without_lr) <- as.character(103:112)
rownames(long_read) <- as.character(1001:1005)
combined_sce <- FLAMES::combine_sce(sce_with_lr = with_lr, sce_without_lr = without_lr)
combined_sce

```

---

|        |                                    |
|--------|------------------------------------|
| config | <i>Get pipeline configurations</i> |
|--------|------------------------------------|

---

**Description**

This function returns the configuration of the pipeline.

**Usage**

```
config(pipeline)

## S4 method for signature 'FLAMES.Pipeline'
config(pipeline)
```

**Arguments**

pipeline      An object of class 'FLAMES.Pipeline'.

**Value**

A list containing the configuration of the pipeline.

**Examples**

```
pipeline <- example_pipeline(type = "BulkPipeline")
config(pipeline)
```

---

|          |                                    |
|----------|------------------------------------|
| config<- | <i>Set pipeline configurations</i> |
|----------|------------------------------------|

---

**Description**

This function sets the configuration of the pipeline.

**Usage**

```
config(pipeline) <- value

## S4 replacement method for signature 'FLAMES.Pipeline'
config(pipeline) <- value
```

**Arguments**

pipeline      An pipeline of class 'FLAMES.Pipeline'.  
 value          A list containing the configuration of the pipeline, or a path to a JSON configuration file.

**Value**

An pipeline of class 'FLAMES.Pipeline' with the updated configuration.

**Examples**

```
pipeline <- example_pipeline(type = "BulkPipeline")
# Set a new configuration
config(pipeline) <- create_config(outdir = tempdir())
```

---

*controllers*

---

*Get controllers***Description**

Gets the controllers for the pipeline.

**Usage**

```
controllers(pipeline)

## S4 method for signature 'FLAMES.Pipeline'
controllers(pipeline)
```

**Arguments**

*pipeline*            A FLAMES.Pipeline object.

**Value**

A named list of *crew\_class\_controller* objects, where each controller corresponds to a step in the pipeline.

**Examples**

```
pipeline <- example_pipeline(type = "MultiSampleSCPipeline")
controllers(pipeline) # get the controllers
```

---

*controllers<-*

---

*Set controllers***Description**

Sets the controllers for the pipeline.

**Usage**

```
controllers(pipeline) <- value

## S4 replacement method for signature 'FLAMES.Pipeline'
controllers(pipeline) <- value
```

**Arguments**

|          |  |
|----------|--|
| pipeline | A FLAMES.Pipeline object.  |
| value    | A crew_class_controller object or a named list of crew_class_controller objects. If a single controller is provided, it will be used for all steps in the pipeline. If a named list is provided, steps with names that match the names of the list will use the corresponding controller, and steps without a specified controller will use the current R session. |

**Value**

An updated FLAMES.Pipeline object with the specified controllers.

**Examples**

```
pipeline <- example_pipeline()
# Only set the genome alignment controller
controllers(pipeline) <- list(genome_alignment = crew::crew_controller_local())
# Same as above
controllers(pipeline)[["genome_alignment"]] <- crew::crew_controller_local()
# Set a controller for all steps
controllers(pipeline) <- crew::crew_controller_local()
# Unset all controllers and use the current R session
controllers(pipeline) <- list()
```

---

|                    |  |
|--------------------|--|
| convolution_filter | <i>Convolution filter for smoothing transcript coverages</i> |
|--------------------|--|

---

**Description**

Filter out transcripts with sharp drops / rises in coverage, to be used in filter\_coverage to remove transcripts with potential misalignments / internal priming etc. Filtering is done by convolving the coverage with a kernel of 1s and -1s (e.g. `c(1, 1, -1, -1)`, where the width of the 1s and -1s are determined by the width parameter), and check if the maximum absolute value of the convolution is below a threshold. If the convolution is below the threshold, TRUE is returned, otherwise FALSE.

**Usage**

```
convolution_filter(x, threshold = 0.15, width = 2, trim = 0.05)
```

**Arguments**

|           |  |
|-----------|--|
| x         | numeric vector of coverage values  |
| threshold | numeric, the threshold for the maximum absolute value of the convolution   |
| width     | numeric, the width of the 1s and -1s in the kernel. E.g. width = 2 will result in a kernel of <code>c(1, 1, -1, -1)</code> |
| trim      | numeric, the proportion of the coverage values to ignore at both ends before convolution.                                  |

**Value**

logical, TRUE if the transcript passes the filter, FALSE otherwise

## Examples

```
# A >30% drop in coverage will fail the filter with threshold = 0.3
convolution_filter(c(1, 1, 1, 0.69, 0.69, 0.69), threshold = 0.3)
convolution_filter(c(1, 1, 1, 0.71, 0.7, 0.7), threshold = 0.3)
```

---

create\_config

*Create Configuration File From Arguments*

---

## Description

Create Configuration File From Arguments

## Usage

```
create_config(outdir, type = "sc_3end", ...)
```

## Arguments

|        |  |
|--------|--|
| outdir | the destination directory for the configuration file   |
| type   | use an example config, available values:<br><b>"sc_3end"</b> - config for 10x 3' end ONT reads<br><b>"SIRV"</b> - config for the SIRV example reads  |
| ...    | Configuration parameters.<br><b>seed</b> - Integer. Seed for minimap2.<br><b>threads</b> - Number of threads to use.<br><b>do_barcode_demultiplex</b> - Boolean. Specifies whether to run the barcode demultiplexing step.<br><b>do_genome_alignment</b> - Boolean. Specifies whether to run the genome alignment step. TRUE is recommended<br><b>do_gene_quantification</b> - Boolean. Specifies whether to run gene quantification using the genome alignment results. TRUE is recommended<br><b>do_isoform_identification</b> - Boolean. Specifies whether to run the isoform identification step. TRUE is recommended<br><b>bambu_isoform_identification</b> - Boolean. Whether to use Bambu for isoform identification.<br><b>multithread_isoform_identification</b> - Boolean. Whether to use FLAMES' new multithreaded Cpp implementation for isoform identification.<br><b>do_read_realignment</b> - Boolean. Specifies whether to run the read realignment step. TRUE is recommended<br><b>do_transcript_quantification</b> - Boolean. Specifies whether to run the transcript quantification step. TRUE is recommended<br><b>barcode_parameters</b> - List. Parameters for barcode demultiplexing passed to find_barcode (except fastq, barcodes_file, stats_out, reads_out) and threads, which are set by the pipeline, see ?find_barcode for more details.<br><b>generate_raw_isoform</b> - Boolean. Whether to generate all isoforms for debugging purpose. |

**max\_dist** - Maximum distance allowed when merging splicing sites in isoform consensus clustering.

**max\_ts\_dist** - Maximum distance allowed when merging transcript start/end position in isoform consensus clustering.

**max\_splice\_match\_dist** - Maximum distance allowed when merging splice site called from the data and the reference annotation.

**min\_fl\_exon\_len** - Minimum length for the first exon outside the gene body in reference annotation. This is to correct the alignment artifact

**max\_site\_per\_splice** - Maximum transcript start/end site combinations allowed per splice chain

**min\_sup\_cnt** - Minimum number of read support an isoform decrease this number will significantly increase the number of isoform detected.

**min\_cnt\_pct** - Minimum percentage of count for an isoform relative to total count for the same gene.

**min\_sup\_pct** - Minimum percentage of count for an splice chain that support a given transcript start/end site combination.

**strand\_specific** - 0, 1 or -1. 1 indicates if reads are in the same strand as mRNA, -1 indicates reads are reverse complemented, 0 indicates reads are not strand specific.

**remove\_incomp\_reads** - The strenght of truncated isoform filtering. larger number means more stringent filtering.

**use\_junctions** - whether to use known splice junctions to help correct the alignment results

**no\_flank** - Boolean. for synthetic spike-in data. refer to Minimap2 document for detail

**use\_annotation** - Boolean. whether to use reference to help annotate known isoforms

**min\_tr\_coverage** - Minimum percentage of isoform coverage for a read to be aligned to that isoform

**min\_read\_coverage** - Minimum percentage of read coverage for a read to be uniquely aligned to that isoform

## Details

Create a list object containing the arguments supplied in a format usable for the FLAMES pipeline. Also writes the object to a JSON file, which is located with the prefix 'config\_' in the supplied outdir. Default values from extdata/config\_sclr\_nanopore\_3end.json will be used for unprovided parameters.

## Value

file path to the config file created

## Examples

```
# create the default configuration file
outdir <- tempdir()
config <- create_config(outdir)
```

---

create\_sce\_from\_dir     *Create SingleCellExperiment object from FLAMES output folder*

---

## Description

Create SingleCellExperiment object from FLAMES output folder

## Usage

```
create_sce_from_dir(outdir, annotation, quantification = "FLAMES")
```

## Arguments

|                |  |
|----------------|--|
| outdir         | The folder containing FLAMES output files  |
| annotation     | the annotation file that was used to produce the output files  |
| quantification | (Optional) the quantification method used to generate the output files (either "FLAMES" or "Oarfish"). If not specified, the function will attempt to determine the quantification method. |

## Value

a list of SingleCellExperiment objects if multiple transcript matrices were found in the output folder, or a SingleCellExperiment object if only one were found

## Examples

```
outdir <- tempfile()
dir.create(outdir)
bc_allow <- file.path(outdir, "bc_allow.tsv")
genome_fa <- file.path(outdir, "rps24.fa")
R.utils::gunzip(
  filename = system.file("extdata", "bc_allow.tsv.gz", package = "FLAMES"),
  destname = bc_allow, remove = FALSE
)
R.utils::gunzip(
  filename = system.file("extdata", "rps24.fa.gz", package = "FLAMES"),
  destname = genome_fa, remove = FALSE
)
annotation <- system.file("extdata", "rps24.gtf.gz", package = "FLAMES")

sce <- sc_long_pipeline(
  genome_fa = genome_fa,
  fastq = system.file("extdata", "fastq", "muscle_rps24.fastq.gz", package = "FLAMES"),
  annotation = annotation,
  outdir = outdir,
  barcodes_file = bc_allow,
  config_file = create_config(outdir, oarfish_quantification = FALSE)
)
sce_2 <- create_sce_from_dir(outdir, annotation)
```



---

|                    |   |
|--------------------|---|
| create_se_from_dir | <i>Create SummarizedExperiment object from FLAMES output folder</i> |
|--------------------|---|

---

**Description**

Create SummarizedExperiment object from FLAMES output folder

**Usage**

```
create_se_from_dir(outdir, annotation, quantification = "FLAMES")
```

**Arguments**

|                |  |
|----------------|--|
| outdir         | The folder containing FLAMES output files  |
| annotation     | (Optional) the annotation file that was used to produce the output files   |
| quantification | (Optional) the quantification method used to generate the output files (either "FLAMES" or "Oarfish"). If not specified, the function will attempt to determine the quantification method. |

**Value**

a SummarizedExperiment object

**Examples**

```
ppl <- example_pipeline("BulkPipeline")
ppl <- run_FLAMES(ppl)
se1 <- experiment(ppl)
se2 <- create_se_from_dir(ppl@outdir, ppl@annotation)
```

---

|            |  |
|------------|--|
| create_spe | <i>Create a SpatialExperiment object</i> |
|------------|--|

---

**Description**

This function creates a SpatialExperiment object from a SingleCellExperiment object and a spatial barcode file.

**Usage**

```
create_spe(
  sce,
  spatial_barcode_file,
  mannual_align_json,
  image,
  tissue_positions_file
)
```

Arguments

|                       |   |
|-----------------------|---|
| sce                   | The SingleCellExperiment object obtained from running the <a href="#">sc_long_pipeline</a> function.                  |
| spatial_barcode_file  | The path to the spatial barcode file, e.g. "spaceranger-2.1.1/lib/python/cellranger/barcodes/                         |
| mannual_align_json    | The path to the mannual alignment json file.  |
| image                 | 'DataFrame' containing the image data. See ?SpatialExperiment::readImgData and ?SpatialExperiment::SpatialExperiment. |
| tissue_positions_file | The path to Visium positions file, e.g. "spaceranger-2.1.1/lib/python/cellranger/barcodes/                            |

Value

A SpatialExperiment object.

---

|          |                         |
|----------|-------------------------|
| cutadapt | <i>cutadapt wrapper</i> |
|----------|-------------------------|

---

Description

trim TSO adaptor with cutadapt

Usage

cutadapt(args)

Arguments

args                   arguments to be passed to cutadapt

Value

Exit code of cutadapt

Examples

cutadapt("-h")

---

|                     |  |
|---------------------|--|
| demultiplex_sockeye | <i>Demultiplex reads using Sockeye outputs</i> |
|---------------------|--|

---

**Description**

Demultiplex reads using the `cell_umi_gene.tsv` file from Sockeye.

**Usage**

```
demultiplex_sockeye(fastq_dir, sockeye_tsv, out_fq)
```

**Arguments**

|                          |  |
|--------------------------|--|
| <code>fastq_dir</code>   | The folder containing FASTQ files from Sockeye's output under <code>ingest/chunked_fastqs</code> . |
| <code>sockeye_tsv</code> | The <code>cell_umi_gene.tsv</code> file from Sockeye.  |
| <code>out_fq</code>      | The output FASTQ file.   |

**Value**

returns NULL

---

|                  |                          |
|------------------|--------------------------|
| example_pipeline | <i>Example pipelines</i> |
|------------------|--------------------------|

---

**Description**

Provides example pipelines for bulk, single cell and multi-sample single cell.

**Usage**

```
example_pipeline(type = "SingleCellPipeline", outdir)
```

**Arguments**

|                     |   |
|---------------------|---|
| <code>type</code>   | The type of pipeline to create. Options are "SingleCellPipeline", "BulkPipeline", and "MultiSampleSCPipeline".                      |
| <code>outdir</code> | (Optional) The output directory where the example pipeline will be created. If not provided, a temporary directory will be created. |

**Value**

A pipeline object of the specified type.

**See Also**

[SingleCellPipeline](#) for creating the single cell pipeline, [BulkPipeline](#) for bulk long data, [MultiSampleSCPipeline](#) for multi sample single cell pipelines.

**Examples**

```
example_pipeline("SingleCellPipeline")
```

---

|            |                             |
|------------|-----------------------------|
| experiment | <i>Get pipeline results</i> |
|------------|-----------------------------|

---

### Description

This function returns the results of the pipeline as a SummarizedExperiment object, a SingleCellExperiment object, or a list of SingleCellExperiment objects, depending on the pipeline type.

### Usage

```
experiment(pipeline)

## S4 method for signature 'FLAMES.Pipeline'
experiment(pipeline)

## S4 method for signature 'FLAMES.MultiSampleSCPipeline'
experiment(pipeline)
```

### Arguments

pipeline      A FLAMES.Pipeline object.

### Value

A SummarizedExperiment object, a SingleCellExperiment object, or a list of SingleCellExperiment objects.

### Examples

```
pipeline <- example_pipeline(type = "BulkPipeline")
pipeline <- run_FLAMES(pipeline)
se <- experiment(pipeline)
```

---

|                   |                               |
|-------------------|-------------------------------|
| fake_stranded_gff | <i>Fake stranded GFF file</i> |
|-------------------|-------------------------------|

---

### Description

Check if all the transcript in the annotation is stranded. If not, convert to '+'.

### Usage

```
fake_stranded_gff(gff_file)
```

### Value

Path to the temporary file with unstranded transcripts converted to '+'.

---

|                   |   |
|-------------------|---|
| filter_annotation | <i>filter annotation for plotting coverages</i> |
|-------------------|---|

---

### Description

Removes isoform annotations that could produce ambiguous reads, such as isoforms that only differ by the 5' / 3' end. This could be useful for plotting average coverage plots.

### Usage

```
filter_annotation(annotation, keep = "tss_differ")
```

### Arguments

|            |   |
|------------|---|
| annotation | path to the GTF annotation file, or the parsed GenomicRanges object.  |
| keep       | string, one of 'tss_differ' (only keep isoforms that all differ by the transcription start site position), 'tes_differ' (only keep those that differ by the transcription end site position), 'both' (only keep those that differ by both the start and end site), or 'single_transcripts' (only keep genes that contains a single transcript). |

### Value

GenomicRanges of the filtered isoforms

### Examples

```
filtered_annotation <- filter_annotation(
  system.file("extdata", "rps24.gtf.gz", package = 'FLAMES'), keep = 'tes_differ')
filtered_annotation
```

---

|                 |                                   |
|-----------------|-----------------------------------|
| filter_coverage | <i>Filter transcript coverage</i> |
|-----------------|-----------------------------------|

---

### Description

Filter the transcript coverage by applying a filter function to the coverage values.

### Usage

```
filter_coverage(x, filter_fn = convolution_filter)
```

### Arguments

|           |   |
|-----------|---|
| x         | The tibble returned by <a href="#">get_coverage</a> , or a BAM file path, or a GAlignments object.  |
| filter_fn | The filter function to apply to the coverage values. The function should take a numeric vector of coverage values and return a logical value (TRUE if the transcript passes the filter, FALSE otherwise). The default filter function is <a href="#">convolution_filter</a> , which filters out transcripts with sharp drops / rises in coverage. |

**Value**

a tibble of the transcript information and coverages, with transcripts that pass the filter

**Examples**

```
ppl <- example_pipeline("BulkPipeline")
steps(ppl)["isoform_identification"] <- FALSE
ppl <- run_step(ppl, "read_realignment")
x <- get_coverage(ppl@transcriptome_bam[[1]])
nrow(x)
filter_coverage(x) |>
  nrow()
```

---

|              |                            |
|--------------|----------------------------|
| find_barcode | <i>Match Cell Barcodes</i> |
|--------------|----------------------------|

---

**Description**

demultiplex reads with flexiplex

**Usage**

```
find_barcode(
  fastq,
  barcodes_file,
  max_bc_editdistance = 2,
  max_flank_editdistance = 8,
  reads_out,
  stats_out,
  threads = 1,
  pattern = c(primer = "CTACACGACGCTCTCCGATCT", BC = paste0(rep("N", 16), collapse =
    ""), UMI = paste0(rep("N", 12), collapse = ""), polyT = paste0(rep("T", 9), collapse =
    "")),
  TSO_seq = "",
  TSO_prime = 3,
  strand = "+",
  cutadapt_minimum_length = 1,
  full_length_only = FALSE
)
```

**Arguments**

|                        |  |
|------------------------|--|
| fastq                  | character vector of paths to FASTQ files or folders, if named, the names will be used as sample names, otherwise the file names will be used |
| barcodes_file          | path to file containing barcode allow-list, with one barcode in each line  |
| max_bc_editdistance    | max edit distances for the barcode sequence  |
| max_flank_editdistance | max edit distances for the flanking sequences (primer and polyT)   |

|                         |  |
|-------------------------|--|
| reads_out               | path to output FASTQ file; if multiple samples are processed, the sample name will be appended to this argument, e.g. provide path/out.fq for single sample, and path/prefix for multiple samples. |
| stats_out               | path of output stats file; similar to reads_out, e.g. provide path/stats.tsv for single sample, and path/prefix for multiple samples.  |
| threads                 | number of threads to be used   |
| pattern                 | named character vector defining the barcode pattern  |
| TSO_seq                 | TSO sequence to be trimmed   |
| TSO_prime               | either 3 (when TSO_seq is on 3' the end) or 5 (on 5' end)  |
| strand                  | strand of the barcode pattern, either '+' or '-' (read will be reverse complemented after barcode matching if '-')   |
| cutadapt_minimum_length | minimum read length after TSO trimming (cutadapt's --minimum-length)   |
| full_length_only        | boolean, when TSO sequence is provided, whether reads without TSO are to be discarded  |

### Details

This function demultiplexes reads by searching for flanking sequences (adaptors) around the barcode sequence, and then matching against allowed barcodes. For single sample, either provide a single FASTQ file or a folder containing FASTQ files. For multiple samples, provide a vector of paths (either to FASTQ files or folders containing FASTQ files). Gzipped file input are supported but the output will be uncompressed.

### Value

a list containing: reads\_tb (tibble of read demultiplexed information) and input, output, read1\_with\_adapter from cutadapt report (if TSO trimming is performed)

### Examples

```
outdir <- tempfile()
dir.create(outdir)
bc_allow <- file.path(outdir, "bc_allow.tsv")
R.utils::gunzip(
  filename = system.file("extdata", "bc_allow.tsv.gz", package = "FLAMES"),
  destname = bc_allow, remove = FALSE
)
# single sample
find_barcode(
  fastq = system.file("extdata", "fastq", "musc_rps24.fastq.gz", package = "FLAMES"),
  stats_out = file.path(outdir, "bc_stat"),
  reads_out = file.path(outdir, "demultiplexed.fastq.gz"),
  barcodes_file = bc_allow,
  TSO_seq = "AAGCAGTGGTATCAACGCAGAGTACATGGG", TSO_prime = 5,
  strand = '-', cutadapt_minimum_length = 10, full_length_only = TRUE
)
# multi-sample
fastq_dir <- tempfile()
dir.create(fastq_dir)
file.copy(system.file("extdata", "fastq", "musc_rps24.fastq.gz", package = "FLAMES"),
  file.path(fastq_dir, "musc_rps24.fastq.gz"))
```

```
sampled_lines <- readLines(file.path(fastq_dir, "muscle_rps24.fastq.gz"), n = 400)
writelines(sampled_lines, file.path(fastq_dir, "copy.fastq"))
result <- find_barcode(
  # you can mix folders and files. each path will be considered as a sample
  fastq = c(fastq_dir, system.file("extdata", "fastq", "muscle_rps24.fastq.gz", package = "FLAMES")),
  stats_out = file.path(outdir, "bc_stat"),
  reads_out = file.path(outdir, c("demultiplexed1.fastq.gz", "demultiplexed2.fastq.gz")),
  barcodes_file = bc_allow, TSO_seq = "CCCATGTACTCTGCGTTGATACCACTGCTT"
)
```

---

|          |   |
|----------|---|
| find_bin | <i>Find path to a binary Wrapper for Sys.which to find path to a binary</i> |
|----------|---|

---

**Description**

This function is a wrapper for `base::Sys.which` to find the path to a command. It also searches within the FLAMES basilisk conda environment. This function also replaces "" with NA in the output of `base::Sys.which` to make it easier to check if the binary is found.

**Usage**

```
find_bin(command)
```

**Arguments**

command                      character, the command to search for

**Value**

character, the path to the command or NA

**Examples**

```
find_bin("minimap2")
```

---

|              |                               |
|--------------|-------------------------------|
| find_isoform | <i>Isoform identification</i> |
|--------------|-------------------------------|

---

**Description**

Long-read isoform identification with FLAMES or bambu.

**Usage**

```
find_isoform(annotation, genome_fa, genome_bam, outdir, config)
```



**Arguments**

|            |   |
|------------|---|
| annotation | Path to annotation file. If configured to use bambu, the annotation must be provided as GTF file. |
| genome_fa  | The file path to genome fasta file.   |
| genome_bam | File path to BAM alignment file. Multiple files could be provided.                                |
| outdir     | The path to directory to store all output files.  |
| config     | Parsed FLAMES configurations.   |

**Value**

The updated annotation and the transcriptome assembly will be saved in the output folder as isoform\_annotated.gff3 (GTF if bambu is selected) and transcript\_assembly.fa respectively.

---

|               |                                    |
|---------------|------------------------------------|
| find_variants | <i>bulk variant identification</i> |
|---------------|------------------------------------|

---

**Description**

Treat each bam file as a bulk sample and identify variants against the reference

**Usage**

```
find_variants(
  bam_path,
  reference,
  annotation,
  min_nucleotide_depth = 100,
  homopolymer_window = 3,
  annotated_region_only = FALSE,
  names_from = "gene_name",
  threads = 1
)
```

**Arguments**

|                      |  |
|----------------------|--|
| bam_path             | character(1) or character(n): path to the bam file(s) aligned to the reference genome (NOT the transcriptome!).  |
| reference            | DNAStringSet: the reference genome   |
| annotation           | GRanges: the annotation of the reference genome. You can load a GTF/GFF annotation file with <code>anno &lt;- rtracklayer::import(file)</code> .   |
| min_nucleotide_depth | integer(1): minimum read depth for a position to be considered a variant.  |
| homopolymer_window   | integer(1): the window size to calculate the homopolymer percentage. The homopolymer percentage is calculated as the percentage of the most frequent nucleotide in a window of <code>-homopolymer_window</code> to <code>homopolymer_window</code> nucleotides around the variant position, excluding the variant position itself. Calculation of the homopolymer percentage is skipped when <code>homopolymer_window = 0</code> . This is useful for filtering out Nanopore sequencing errors in homopolymer regions. |

|                       |  |
|-----------------------|--|
| annotated_region_only | logical(1): whether to only consider variants outside annotated regions. If TRUE, only variants outside annotated regions will be returned. If FALSE, all variants will be returned, which could take significantly longer time. |
| names_from            | character(1): the column name in the metadata column of the annotation (mcols(annotation)[, names_from]) to use for the region column in the output.   |
| threads               | integer(1): number of threads to use. Threading is done over each annotated region and (if annotated_region_only = FALSE) unannotated gaps for each bam file.  |

## Details

Each bam file is treated as a bulk sample to perform pileup and identify variants. You can run `sc_mutations` with the variants identified with this function to get single-cell allele counts. Note that reference genome FASTA files may have the chromosome names field as ‘>chr1 1’ instead of ‘>chr1’. You may need to remove the trailing number to match the chromosome names in the bam file, for example with `names(ref) <- sapply(names(ref), function(x) strsplit(x, " ")[1][1])`.

## Value

A tibble with columns: `seqnames`, `pos`, `nucleotide`, `count`, `sum`, `freq`, `ref`, `region`, `homopolymer_pct`, `bam_path`. The homopolymer percentage is calculated as the percentage of the most frequent nucleotide in a window of `homopolymer_window` nucleotides around the variant position, excluding the variant position itself.

## Examples

```
ppl <- example_pipeline("SingleCellPipeline")
ppl <- run_step(ppl, "genome_alignment")
variants <- find_variants(
  bam_path = ppl@genome_bam,
  reference = ppl@genome_fa,
  annotation = ppl@annotation,
  min_nucleotide_depth = 4
)
head(variants)
```

---

FLAMES

---

*FLAMES: full-length analysis of mutations and splicing*


---

## Description

FLAMES: full-length analysis of mutations and splicing

## Value

`invisible()`

flexiplex

*Rcpp port of flexiplex***Description**

demultiplex reads with flexiplex, for detailed description, see documentation for the original flexiplex: <https://davidsongroup.github.io/flexiplex>

**Usage**

```
flexiplex(
  reads_in,
  barcodes_file,
  bc_as_readid,
  max_bc_editdistance,
  max_flank_editdistance,
  pattern,
  reads_out,
  stats_out,
  bc_out,
  reverseCompliment,
  n_threads
)
```

**Arguments**

|                                     |  |
|-------------------------------------|--|
| <code>reads_in</code>               | Input FASTQ or FASTA file  |
| <code>barcodes_file</code>          | barcode allow-list file  |
| <code>bc_as_readid</code>           | bool, whether to add the demultiplexed barcode to the read ID field          |
| <code>max_bc_editdistance</code>    | max edit distance for barcode '  |
| <code>max_flank_editdistance</code> | max edit distance for the flanking sequences '                               |
| <code>pattern</code>                | StringVector defining the barcode structure, see <code>[find_barcode]</code> |
| <code>reads_out</code>              | output file for demultiplexed reads  |
| <code>stats_out</code>              | output file for demultiplexed stats  |
| <code>bc_out</code>                 | WIP  |
| <code>reverseCompliment</code>      | bool, whether to reverse complement the reads after demultiplexing           |
| <code>n_threads</code>              | number of threads to be used during demultiplexing                           |

**Value**

integer return value. 0 represents normal return.

---

|              |   |
|--------------|---|
| get_coverage | <i>Get read coverages from BAM file</i> |
|--------------|---|

---

## Description

Get the read coverages for each transcript in the BAM file (or a GAlignments object). The read coverages are sampled at 100 positions along the transcript, and the coverage is scaled by dividing the coverage at each position by the total read counts for the transcript. If a BAM file is provided, alignment with MAPQ < 5, secondary alignments and supplementary alignments are filtered out. A GAlignments object can also be provided in case alternative filtering is desired.

## Usage

```
get_coverage(bam, min_counts = 10, remove_UTR = FALSE, annotation)
```

## Arguments

|            |  |
|------------|--|
| bam        | path to the BAM file, or a parsed GAlignments object                               |
| min_counts | numeric, the minimum number of alignments required for a transcript to be included |
| remove_UTR | logical, if TRUE, remove the UTRs from the coverage                                |
| annotation | (Required if remove_UTR = TRUE) path to the GTF annotation file                    |

## Value

a tibble of the transcript information and coverages, with the following columns:

- transcript: the transcript name / ID
- read\_counts: the total number of alignments for the transcript
- coverage\_1-100: the coverage at each of the 100 positions along the transcript
- tr\_length: the length of the transcript

## Examples

```
ppl <- example_pipeline("BulkPipeline")
steps(ppl)["isoform_identification"] <- FALSE
ppl <- run_step(ppl, "read_realignment")
x <- get_coverage(ppl@transcriptome_bam[[1]])
head(x)
```

---

|                 |                                 |
|-----------------|---------------------------------|
| get_GRangesList | <i>Parse FLAMES' GFF output</i> |
|-----------------|---------------------------------|

---

**Description**

Parse FLAMES' GFF outputs into a Genomic Ranges List

**Usage**

```
get_GRangesList(file)
```

**Arguments**

|      |                       |
|------|-----------------------|
| file | the GFF file to parse |
|------|-----------------------|

**Value**

A Genomic Ranges List

---

|         |                                    |
|---------|------------------------------------|
| gff2bed | <i>Convert GFF/GTF to BED file</i> |
|---------|------------------------------------|

---

**Description**

Convert GFF/GTF to BED file

**Usage**

```
gff2bed(gff, bed)
```

**Arguments**

|     |   |
|-----|---|
| gff | Path to the GFF/GTF file                  |
| bed | Path to the output BED file to be written |

**Value**

invisible, the BED file is written to the specified path

---

|              |  |
|--------------|--|
| index_genome | <i>Index the reference genome for minimap2</i> |
|--------------|--|

---

### Description

Calls minimap2 to index the reference genome.

### Usage

```
index_genome(pipeline, path, additional_args = c("-k", "14"))
```

```
## S4 method for signature 'FLAMES.Pipeline'
```

```
index_genome(pipeline, path, additional_args = c("-k", "14"))
```

### Arguments

|                 |   |
|-----------------|---|
| pipeline        | A FLAMES.Pipeline object.   |
| path            | The file path to save the minimap2 index. If not provided, it will be saved to the output directory with the name "genome.mmi". |
| additional_args | (optional) Additional arguments to pass to minimap2.  |

### Value

A SummarizedExperiment object, a SingleCellExperiment object, or a list of SingleCellExperiment objects.

### Examples

```
pipeline <- example_pipeline(type = "BulkPipeline")
pipeline <- index_genome(pipeline)
```

---

|                |                                 |
|----------------|---------------------------------|
| minimap2_align | <i>Minimap2 Align to Genome</i> |
|----------------|---------------------------------|

---

### Description

Uses minimap2 to align sequences against a reference database. Uses options '-ax splice -t 12 -k14 -secondary=no fa\_file fq\_in'

### Usage

```
minimap2_align(
  fq_in,
  fa_file,
  config,
  outfile,
  minimap2_args,
  sort_by,
```

```

    minimap2,
    samtools,
    threads = 1,
    tmpdir
)

```

### Arguments

|               |   |
|---------------|---|
| fq_in         | File path to the fastq file used as a query sequence file   |
| fa_file       | Path to the fasta file used as a reference database for alignment   |
| config        | Parsed list of FLAMES config file   |
| outfile       | Path to the output file   |
| minimap2_args | Arguments to pass to minimap2, see minimap2 documentation for details.  |
| sort_by       | Column to sort the bam file by, see samtools sort for details   |
| minimap2      | Path to minimap2 binary   |
| samtools      | path to the samtools binary.  |
| threads       | Integer, threads for minimap2 to use, see minimap2 documentation for details,   |
| tmpdir        | Temporary directory to use for intermediate files. FLAMES will try to detect cores if this parameter is not provided. |

### Value

a data.frame summarising the reads aligned

---

MultiSampleSCPipeline *Pipeline for multi-sample long-read scRNA-seq data*

---

### Description

Semi-supervised isoform detection and annotation for long read data. This variant is meant for multi-sample scRNA-seq data. Specific parameters can be configured in the config file (see [create\\_config](#)), input files are specified via arguments.

### Usage

```

MultiSampleSCPipeline(
  config_file,
  outdir,
  fastq,
  annotation,
  genome_fa,
  genome_mmi,
  minimap2,
  samtools,
  barcodes_file,
  expect_cell_number,
  controllers
)

```

## Arguments

|                                 |   |
|---------------------------------|---|
| <code>config_file</code>        | Path to the JSON configuration file. See <a href="#">create_config</a> for creating one.  |
| <code>outdir</code>             | Path to the output directory. If it does not exist, it will be created.   |
| <code>fastq</code>              | A named vector of fastq file (or folder) paths. Each element of the vector will be treated as a sample. The names of the vector will be used as the sample names. If not named, the sample names will be generated from the file names. |
| <code>annotation</code>         | The file path to the annotation file in GFF3 / GTF format.  |
| <code>genome_fa</code>          | The file path to the reference genome in FASTA format.  |
| <code>genome_mmi</code>         | (optional) The file path to minimap2's index reference genome.  |
| <code>minimap2</code>           | (optional) The path to the minimap2 binary. If not provided, FLAMES will use a copy from bioconda via basilisk.   |
| <code>samtools</code>           | (optional) The path to the samtools binary. If not provided, FLAMES will use a copy from bioconda via basilisk. provided, FLAMES will use a copy from bioconda via basilisk.  |
| <code>barcodes_file</code>      | The file with expected cell barcodes, with each barcode on a new line.  |
| <code>expect_cell_number</code> | The expected number of cells in the sample. This is used if <code>barcodes_file</code> is not provided. See BLAZE for more details.   |
| <code>controllers</code>        | (optional, <b>experimental</b> ) A <code>crew_class_controller</code> object for running certain steps  |

## Details

By default the pipeline starts with demultiplexing the input fastq data. If the cell barcodes are known apriori (e.g. via coupled short-read sequencing), the `barcodes_file` argument can be used to specify a file containing the cell barcodes, and a modified Rcpp version of flexiplex will be used; otherwise, `expect_cell_number` need to be provided, and BLAZE will be used to generate the cell barcodes. The pipeline then aligns the reads to the genome using minimap2. The alignment is then used for isoform detection (either using FLAMES or bambu, can be configured). The reads are then realigned to the detected isoforms. Finally, a transcript count matrix is generated (either using FLAMES's simplistic counting or oarfish's Expectation Maximization algorithm, can be configured). The results can be accessed with `experiment(pipeline)`. If the pipeline errored out / new steps were configured, it can be resumed by calling `resume_FLAMES(pipeline)`

## Value

A `FLAMES.MultiSampleSCPipeline` object. The pipeline can be run using the [run\\_FLAMES](#) function. The resulting list of `SingleCellExperiment` objects can be accessed using the `experiment` method.

## See Also

[SingleCellPipeline](#) for single-sample long data and more details on the pipeline output, [create\\_config](#) for creating a configuration file, [BulkPipeline](#) for bulk long data.

## Examples

```
reads <- ShortRead::readFastq(
  system.file("extdata", "fastq", "musc_rps24.fastq.gz", package = "FLAMES")
)
```



```

outdir <- tempfile()
dir.create(outdir)
dir.create(file.path(outdir, "fastq"))
bc_allow <- file.path(outdir, "bc_allow.tsv")
genome_fa <- file.path(outdir, "rps24.fa")
R.utils::gunzip(
  filename = system.file("extdata", "bc_allow.tsv.gz", package = "FLAMES"),
  destname = bc_allow, remove = FALSE
)
R.utils::gunzip(
  filename = system.file("extdata", "rps24.fa.gz", package = "FLAMES"),
  destname = genome_fa, remove = FALSE
)
ShortRead::writeFastq(reads[1:100],
  file.path(outdir, "fastq/sample1.fq.gz"), mode = "w", full = FALSE)
reads <- reads[-(1:100)]
ShortRead::writeFastq(reads[1:100],
  file.path(outdir, "fastq/sample2.fq.gz"), mode = "w", full = FALSE)
reads <- reads[-(1:100)]
ShortRead::writeFastq(reads,
  file.path(outdir, "fastq/sample3.fq.gz"), mode = "w", full = FALSE)
ppl <- MultiSampleSCPipeline(
  config_file = create_config(outdir, type = "sc_3end", threads = 1, no_flank = TRUE),
  outdir = outdir,
  fastq = c("sampleA" = file.path(outdir, "fastq"),
    "sample1" = file.path(outdir, "fastq", "sample1.fq.gz"),
    "sample2" = file.path(outdir, "fastq", "sample2.fq.gz"),
    "sample3" = file.path(outdir, "fastq", "sample3.fq.gz")),
  annotation = system.file("extdata", "rps24.gtf.gz", package = "FLAMES"),
  genome_fa = genome_fa,
  barcodes_file = rep(bc_allow, 4)
)
ppl <- run_FLAMES(ppl)
experiment(ppl)

```

---

|                    |  |
|--------------------|--|
| mutation_positions | <i>Calculate mutation positions within the gene body</i> |
|--------------------|--|

---

## Description

Given a set of mutations and gene annotation, calculate the position of each mutation within the gene body they are in.

## Usage

```

mutation_positions(
  mutations,
  annotation,
  type = "relative",
  bin = FALSE,
  by = c(region = "gene_name"),
  threads = 1
)

```

**Arguments**

|            |  |
|------------|--|
| mutations  | either the tibble output from <code>find_variants</code> . It must have columns <code>seqnames</code> , <code>pos</code> , and a third column for specifying the gene id or gene name. The mutation must be within the gene region.        |
| annotation | Either path to the annotation file (GTF/GFF) or a <code>GRanges</code> object of the gene annotation.  |
| type       | <code>character(1)</code> : the type of position to calculate. Can be one of "TSS" (distance from the transcription start site), "TES" (distance from the transcription end site), or "relative" (relative position within the gene body). |
| bin        | <code>logical(1)</code> : whether to bin the relative positions into 100 bins. Only applicable when <code>type = "relative"</code> .   |
| by         | <code>character(1)</code> : the column name in the annotation to match with the gene annotation. E.g. <code>c("region" = "gene_name")</code> to match the 'region' column in the mutations with the 'gene_name' column in the annotation.  |
| threads    | <code>integer(1)</code> : number of threads to use.  |

**Value**

A numeric vector of positions of each mutation within the gene body. When `type = "relative"`, the positions are normalized to the gene length, ranging from 0 (start of the gene) to 1 (end of the gene). When `type = "TSS" / type = "TES"`, the distances from the transcription start / end site. If `bin = TRUE`, and `type = "relative"`, the relative positions are binned into 100 bins along the gene body, and the output is a matrix with the number of mutations in each bin, the rows are named by the `by` column (e.g. gene name).

**Examples**

```
variants <- data.frame(
  seqnames = rep("chr14", 8),
  pos = c(1084, 1085, 1217, 1384, 2724, 2789, 5083, 5147),
  region = rep("Rps24", 8)
)
positions <-
  mutation_positions(
    mutations = variants,
    annotation = system.file("extdata", "rps24.gtf.gz", package = "FLAMES")
  )
```

---

mutation\_positions\_single

*mutation positions within the gene body*

---

**Description**

Given a set of mutations and a gene annotation, calculate the position of each mutation within the gene body. The gene annotation must have the following types: "gene" and "exon". The gene annotation must be for one gene only. The mutations must be within the gene region. The function will merge overlapping exons and calculate the position of each mutation within the gene body, excluding intronic regions.

**Usage**

```
mutation_positions_single(mutations, annotation_grange, type, verbose = TRUE)
```

**Arguments**

|                   |  |
|-------------------|--|
| mutations         | either the tibble output from <code>find_variants</code> or a <code>GRanges</code> object. Make sure to filter it for only the gene of interest.   |
| annotation_grange | <code>GRanges</code> : the gene annotation. Must have the following types: "gene" and "exon".  |
| type              | <code>character(1)</code> : the type of position to calculate. Can be one of "TSS" (distance from the transcription start site), "TES" (distance from the transcription end site), or "relative" (relative position within the gene body). |
| verbose           | <code>logical(1)</code> : whether to print messages.   |

**Value**

A numeric vector of positions of each mutation within the gene body. When `type = "relative"`, the positions are normalized to the gene length, ranging from 0 (start of the gene) to 1 (end of the gene). When `type = "TSS"` / `type = "TES"`, the distances from the transcription start / end site.

---

|                            |                            |
|----------------------------|----------------------------|
| <code>plot_coverage</code> | <i>plot read coverages</i> |
|----------------------------|----------------------------|

---

**Description**

Plot the average read coverages for each length bin or a particular isoform

**Usage**

```
plot_coverage(
  x,
  quantiles = c(0, 0.2375, 0.475, 0.7125, 0.95, 1),
  length_bins = c(0, 1, 2, 5, 10, Inf),
  weight_fn = weight_transcripts,
  filter_fn,
  detailed = FALSE
)
```

**Arguments**

|             |  |
|-------------|--|
| x           | path to the BAM file (aligning reads to the transcriptome), or the ( <code>GenomicAlignments::readGAlignments</code> ) parsed <code>GAlignments</code> object, or the tibble returned by <code>get_coverage</code> , or the filtered tibble returned by <code>filter_coverage</code> . |
| quantiles   | numeric vector to specify the quantiles to bin the transcripts lengths by if <code>length_bins</code> is missing. The length bins will be determined such that the read counts are distributed according to the quantiles.   |
| length_bins | numeric vector to specify the sizes to bin the transcripts by  |

|           |  |
|-----------|--|
| weight_fn | function to calculate the weights for the transcripts. The function should take a numeric vector of read counts and return a numeric vector of weights. The default function is <code>weight_transcripts</code> , you can change its default parameters by passing an anonymous function like <code>function(x) weight_transcripts(x, type = 'equal')</code> . |
| filter_fn | Optional filter function to filter the transcripts before plotting. See the <code>filter_fn</code> parameter in <code>filter_coverage</code> for more details. Providing a filter function here is the same as providing it in <code>filter_coverage</code> and then passing the result to this function.  |
| detailed  | logical, if TRUE, also plot the top 10 transcripts with the highest read counts for each length bin.   |

### Value

a ggplot2 object of the coverage plot(s)

### Examples

```
ppl <- example_pipeline("BulkPipeline")
steps(ppl)["isoform_identification"] <- FALSE
ppl <- run_step(ppl, "read_realignment")
# Plot the coverages directly from the BAM file
plot_coverage(ppl@transcriptome_bam[[1]])

# Get the coverage information first
coverage <- get_coverage(ppl@transcriptome_bam[[1]]) |>
  dplyr::filter(read_counts > 2) |> # Filter out transcripts with read counts < 3
  filter_coverage(filter_fn = convolution_filter) # Filter out transcripts with sharp drops / rises
# Plot the filtered coverages
plot_coverage(coverage, detailed = TRUE)
# filtering function can also be passed directly to plot_coverage
plot_coverage(ppl@transcriptome_bam[[1]], filter_fn = convolution_filter)
```

---

|                  |   |
|------------------|---|
| plot_demultiplex | <i>Plot Cell Barcode demultiplex statistics</i> |
|------------------|---|

---

### Description

produce a barplot of cell barcode demultiplex statistics

### Usage

```
plot_demultiplex(pipeline)

## S4 method for signature 'FLAMES.SingleCellPipeline'
plot_demultiplex(pipeline)
```

### Arguments

|          |                                    |
|----------|------------------------------------|
| pipeline | A FLAMES.SingleCellPipeline object |
|----------|------------------------------------|

**Value**

a list of ggplot objects:

- reads\_count\_plot: stacked barplot of: demultiplexed reads
- knee\_plot: knee plot of UMI counts before TSO trimming
- flank\_editdistance\_plot: flanking sequence (adaptor) edit-distance plot
- barcode\_editdistance\_plot: barcode edit-distance plot
- cutadapt\_plot: if TSO trimming is performed, number of reads kept by cutadapt

**Examples**

```
pipeline <- example_pipeline("MultiSampleSCPipeline") |>
  run_step("barcode_demultiplex")
plot_demultiplex(pipeline)
```

---

plot\_demultiplex\_raw    *Plot Cell Barcode demultiplex statistics*

---

**Description**

produce a barplot of cell barcode demultiplex statistics

**Usage**

```
plot_demultiplex_raw(find_barcode_result)
```

**Arguments**

find\_barcode\_result  
output from [find\\_barcode](#)

**Value**

a list of ggplot objects:

- reads\_count\_plot: stacked barplot of: demultiplexed reads
- knee\_plot: knee plot of UMI counts before TSO trimming
- flank\_editdistance\_plot: flanking sequence (adaptor) edit-distance plot
- barcode\_editdistance\_plot: barcode edit-distance plot
- cutadapt\_plot: if TSO trimming is performed, number of reads kept by cutadapt

**Examples**

```

outdir <- tempfile()
dir.create(outdir)
fastq_dir <- tempfile()
dir.create(fastq_dir)
file.copy(system.file("extdata", "fastq", "muscrps24.fastq.gz", package = "FLAMES"),
  file.path(fastq_dir, "muscrps24.fastq.gz"))
sampled_lines <- readLines(file.path(fastq_dir, "muscrps24.fastq.gz"), n = 400)
writelines(sampled_lines, file.path(fastq_dir, "copy.fastq"))
bc_allow <- file.path(outdir, "bc_allow.tsv")
R.utils::gunzip(
  filename = system.file("extdata", "bc_allow.tsv.gz", package = "FLAMES"),
  destname = bc_allow, remove = FALSE
)
find_barcode(
  fastq = fastq_dir,
  stats_out = file.path(outdir, "bc_stat"),
  reads_out = file.path(outdir, "demultiplexed.fq"),
  barcodes_file = bc_allow, TSO_seq = "CCCATGTACTCTGCGTTGATACCACTGCTT"
) |>
plot_demultiplex_raw()

```

---

plot\_isoforms

*Plot isoforms*


---

**Description**

Plot isoforms, either from a gene or a list of transcript ids.

**Usage**

```

plot_isoforms(
  sce,
  gene_id,
  transcript_ids,
  n = 4,
  format = "plot_grid",
  colors
)

```

**Arguments**

|                |   |
|----------------|---|
| sce            | The SingleCellExperiment object containing transcript counts, rowRanges and rowData with gene_id and transcript_id columns. |
| gene_id        | The gene symbol of interest, ignored if transcript_ids is provided.   |
| transcript_ids | The transcript ids to plot.   |
| n              | The number of top isoforms to plot from the gene. Ignored if transcript_ids is provided.                                    |
| format         | The format of the output, either "plot_grid" or "list".   |
| colors         | A character vector of colors to use for the isoforms. If not provided, gray will be used. for all isoforms.                 |

**Details**

This function takes a `SingleCellExperiment` object and plots the top isoforms of a gene, or a list of specified transcript ids. Either as a list of plots or together in a grid. This function wraps the `ggbio::geom_alignment` function to plot the isoforms, and orders the isoforms by expression levels (when specifying a gene) or by the order of the `transcript_ids`.

**Value**

When `format = "list"`, a list of ggplot objects is returned. Otherwise, a grid of the plots is returned.

**Examples**

```
data(scmixology_lib10_transcripts)
plot_isoforms(scmixology_lib10_transcripts, gene_id = "ENSG00000108107")
```

---

plot\_isoform\_heatmap    *FLAMES heatmap plots*

---

**Description**

Plot expression heatmap of top n isoforms of a gene

**Usage**

```
plot_isoform_heatmap(
  sce,
  gene_id,
  transcript_ids,
  n = 4,
  isoform_legend_width = 7,
  col_low = "#313695",
  col_mid = "#FFFFBF",
  col_high = "#A50026",
  color_quantile = 1,
  cluster_palette,
  ...
)
```

**Arguments**

|                                   |  |
|-----------------------------------|--|
| <code>sce</code>                  | The <code>SingleCellExperiment</code> object containing transcript counts, <code>rowRanges</code> and <code>rowData</code> with <code>gene_id</code> and <code>transcript_id</code> columns. |
| <code>gene_id</code>              | The gene symbol of interest, ignored if <code>transcript_ids</code> is provided.   |
| <code>transcript_ids</code>       | The transcript ids to plot.  |
| <code>n</code>                    | The number of top isoforms to plot from the gene. Ignored if <code>transcript_ids</code> is provided.  |
| <code>isoform_legend_width</code> | The width of isoform legends in heatmaps, in cm.   |

|                 |   |
|-----------------|---|
| col_low         | Color for cells with low expression levels in UMAPs.  |
| col_mid         | Color for cells with intermediate expression levels in UMAPs.   |
| col_high        | Color for cells with high expression levels in UMAPs.   |
| color_quantile  | The lower and upper expression quantile to be displayed between col_low and col_high, e.g. with color_quantile = 0.95, cells with expressions higher than 95% of other cells will all be shown in col_high, and cells with expression lower than 95% of other cells will all be shown in col_low. |
| cluster_palette | Optional, named vector of colors for the cluster annotations.   |
| ...             | Additional arguments to pass to <a href="#">Heatmap</a> .   |

### Details

Takes SingleCellExperiment object and plots an expression heatmap with the isoform visualizations along genomic coordinates.

### Value

a ComplexHeatmap

### Examples

```
data(scmixology_lib10_transcripts)
scmixology_lib10_transcripts |>
  scuttle::logNormCounts() |>
  plot_isoform_heatmap(gene = "ENSG00000108107")
```

---

plot\_isoform\_reduced\_dim

*FLAMES isoform reduced dimensions plots*

---

### Description

Plot expression of top n isoforms of a gene in reduced dimensions

### Usage

```
plot_isoform_reduced_dim(
  sce,
  gene_id,
  transcript_ids,
  n = 4,
  reduced_dim_name = "UMAP",
  use_gene_dimred = FALSE,
  expr_func = function(x) {
    SingleCellExperiment::logcounts(x)
  },
  col_low = "#313695",
  col_mid = "#FFFFBF",
  col_high = "#A50026",
```



```

    color_quantile = 1,
    format = "plot_grid",
    ...
)

```

## Arguments

|                  |   |
|------------------|---|
| sce              | The SingleCellExperiment object containing transcript counts, rowRanges and rowData with gene_id and transcript_id columns.   |
| gene_id          | The gene symbol of interest, ignored if transcript_ids is provided.   |
| transcript_ids   | The transcript ids to plot.   |
| n                | The number of top isoforms to plot from the gene. Ignored if transcript_ids is provided.  |
| reduced_dim_name | The name of the reduced dimension to use for plotting cells.  |
| use_gene_dimred  | Whether to use gene-level reduced dimensions for plotting. Set to TRUE if the SingleCellExperiment has gene counts in main assay and transcript counts in altExp.   |
| expr_func        | The function to extract expression values from the SingleCellExperiment object. Default is logcounts. Alternatively, counts can be used for raw counts.   |
| col_low          | Color for cells with low expression levels in UMAPs.  |
| col_mid          | Color for cells with intermediate expression levels in UMAPs.   |
| col_high         | Color for cells with high expression levels in UMAPs.   |
| color_quantile   | The lower and upper expression quantile to be displayed between col_low and col_high, e.g. with color_quantile = 0.95, cells with expressions higher than 95% of other cells will all be shown in col_high, and cells with expression lower than 95% of other cells will all be shown in col_low. |
| format           | The format of the output, either "plot_grid" or "list".   |
| ...              | Additional arguments to pass to plot_grid.  |

## Details

Takes SingleCellExperiment object and plots an expression on reduced dimensions with the isoform visualizations along genomic coordinates.

## Value

a ggplot object of the UMAP(s)

## Examples

```

data(scmixology_lib10_transcripts, scmixology_lib10, scmixology_lib90)
scmixology_lib10 <-
  scmixology_lib10[, colSums(SingleCellExperiment::counts(scmixology_lib10)) > 0]
sce_lr <- scmixology_lib10[, colnames(scmixology_lib10) %in% colnames(scmixology_lib10_transcripts)]
SingleCellExperiment::altExp(sce_lr, "transcript") <-
  scmixology_lib10_transcripts[, colnames(sce_lr)]
combined_sce <- combine_sce(sce_lr, scmixology_lib90)
combined_sce <- combined_sce |>
  scuttle::logNormCounts() |>

```

```

scater::runPCA() |>
  scater::runUMAP()
combined_imputed_sce <- sc_impute_transcript(combined_sce)
plot_isoform_reduced_dim(combined_sce, 'ENSG00000108107')
plot_isoform_reduced_dim(combined_imputed_sce, 'ENSG00000108107')

```

---

plot\_spatial\_feature *Plot feature on spatial image*

---

## Description

This function plots a spatial point plot for given feature

## Usage

```

plot_spatial_feature(
  spe,
  feature,
  opacity = 50,
  grayscale = TRUE,
  size = 1,
  assay_type = "counts",
  color = "red",
  ...
)

```

## Arguments

|            |  |
|------------|--|
| spe        | The SpatialExperiment object.  |
| feature    | The feature to plot. Could be either a feature name or index present in the assay or a numeric vector of length nrow(spe). |
| opacity    | The opacity of the background tissue image.  |
| grayscale  | Whether to convert the background image to grayscale.  |
| size       | The size of the points.  |
| assay_type | The assay that contains the given features. E.g. 'counts', 'logcounts'.  |
| color      | The maximum color for the feature. Minimum color is transparent.   |
| ...        | Additional arguments to pass to <a href="#">geom_point</a> .   |

## Value

A ggplot object.

---

|                      |   |
|----------------------|---|
| plot_spatial_isoform | <i>Plot spatial pie chart of isoforms</i> |
|----------------------|---|

---

### Description

This function plots a spatial pie chart for given features.

### Usage

```
plot_spatial_isoform(spe, isoforms, assay_type = "counts", color_palette, ...)
```

### Arguments

|               |   |
|---------------|---|
| spe           | The SpatialExperiment object.   |
| isoforms      | The isoforms to plot.   |
| assay_type    | The assay that contains the given features. E.g. 'counts', 'logcounts'.                                     |
| color_palette | Named vector of colors for each isoform.  |
| ...           | Additional arguments to pass to <a href="#">plot_spatial_pie</a> , including opacity, grayscale, pie_scale. |

### Value

A ggplot object.

---

|                  |                               |
|------------------|-------------------------------|
| plot_spatial_pie | <i>Plot spatial pie chart</i> |
|------------------|-------------------------------|

---

### Description

This function plots a spatial pie chart for given features.

### Usage

```
plot_spatial_pie(  
  spe,  
  features,  
  assay_type = "counts",  
  color_palette,  
  opacity = 50,  
  grayscale = TRUE,  
  pie_scale = 0.8  
)
```

Arguments

|               |   |
|---------------|---|
| spe           | The SpatialExperiment object.                         |
| features      | The features to plot.                                 |
| assay_type    | The assay that contains the given features.           |
| color_palette | Named vector of colors for each feature.              |
| opacity       | The opacity of the background tissue image.           |
| grayscale     | Whether to convert the background image to grayscale. |
| pie_scale     | The size of the pie charts.                           |

Value

A ggplot object.

---

|               |                            |
|---------------|----------------------------|
| quantify_gene | <i>Gene quantification</i> |
|---------------|----------------------------|

---

Description

Calculate the per gene UMI count matrix by parsing the genome alignment file.

Usage

```
quantify_gene(  
  annotation,  
  outdir,  
  pipeline = "sc_single_sample",  
  infq,  
  in_bam,  
  out_fastq,  
  n_process,  
  saturation_curve = TRUE,  
  sample_names = NULL,  
  random_seed = 2024  
)
```

Arguments

|            |   |
|------------|---|
| annotation | The file path to the annotation file in GFF3 format   |
| outdir     | The path to directory to store all output files.  |
| pipeline   | The pipeline type as a character string, either <code>sc_single_sample</code> (single-cell, single-sample), <code>bulk</code> (bulk, single or multi-sample), or <code>sc_multi_sample</code> (single-cell, multiple samples) |
| infq       | The input FASTQ file.   |
| in_bam     | The input BAM file(s) from the genome alignment step.   |
| out_fastq  | The output FASTQ file(s) to store deduplicated reads.   |
| n_process  | The number of processes to use for parallelization.   |

|                  |   |
|------------------|---|
| saturation_curve | Logical, whether to generate a saturation curve figure.   |
| sample_names     | A vector of sample names, default to the file names of input fastq files, or folder names if fastqs is a vector of folders. |
| random_seed      | The random seed for reproducibility.  |

### Details

After the genome alignment step (`do_genome_align`), the alignment file will be parsed to generate the per gene UMI count matrix. For each gene in the annotation file, the number of reads overlapping with the gene's genomic coordinates will be assigned to that gene. If a read overlaps multiple genes, it will be assigned to the gene with the highest number of overlapping nucleotides. If exon coordinates are included in the provided annotation, the decision will first consider the number of nucleotides aligned to the exons of each gene. In cases of a tie, the overlap with introns will be used as a tiebreaker. If there is still a tie after considering both exons and introns, a random gene will be selected from the tied candidates.

After the read-to-gene assignment, the per gene UMI count matrix will be generated. Specifically, for each gene, the reads with similar mapping coordinates of transcript termination sites (TTS, i.e. the end of the the read with a polyT or polyA) will be grouped together. UMIs of reads in the same group will be collapsed to generate the UMI counts for each gene.

Finally, a new fastq file with deduplicated reads by keeping the longest read in each UMI.

### Value

The count matrix will be saved in the output folder as `transcript_count.csv.gz`.

---

|                     |                                  |
|---------------------|----------------------------------|
| quantify_transcript | <i>Transcript quantification</i> |
|---------------------|----------------------------------|

---

### Description

Calculate the transcript count matrix by parsing the re-alignment file.

### Usage

```
quantify_transcript(
  annotation,
  outdir,
  config,
  pipeline = "sc_single_sample",
  ...
)
```

### Arguments

|            |   |
|------------|---|
| annotation | The file path to the annotation file in GFF3 format   |
| outdir     | The path to directory to store all output files.  |
| config     | Parsed FLAMES configurations.   |
| pipeline   | The pipeline type as a character string, either <code>sc_single_sample</code> (single-cell, single-sample), |

... Supply sample names as character vector (e.g. `samples = c("name1", "name2", ...)`) for multi-sample or bulk pipeline. `bulk` (bulk, single or multi-sample), or `sc_multi_sample` (single-cell, multiple samples)

### Value

A `SingleCellExperiment` object for single-cell pipeline, a list of `SingleCellExperiment` objects for multi-sample pipeline, or a `SummarizedExperiment` object for bulk pipeline.

---

quantify\_transcript\_flames

*FLAMES Transcript quantification*

---

### Description

Calculate the transcript count matrix by parsing the re-alignment file.

### Usage

```
quantify_transcript_flames(
  annotation,
  outdir,
  config,
  pipeline = "sc_single_sample",
  samples
)
```

### Arguments

|                         |   |
|-------------------------|---|
| <code>annotation</code> | The file path to the annotation file in GFF3 format   |
| <code>outdir</code>     | The path to directory to store all output files.  |
| <code>config</code>     | Parsed FLAMES configurations.   |
| <code>pipeline</code>   | The pipeline type as a character string, either <code>sc_single_sample</code> (single-cell, single-sample),   |
| <code>samples</code>    | A vector of sample names, required for <code>sc_multi_sample</code> pipeline. <code>bulk</code> (bulk, single or multi-sample), or <code>sc_multi_sample</code> (single-cell, multiple samples) |

### Value

A `SingleCellExperiment` object for single-cell pipeline, a list of `SingleCellExperiment` objects for multi-sample pipeline, or a `SummarizedExperiment` object for bulk pipeline.

---

|               |                                 |
|---------------|---------------------------------|
| resume_FLAMES | <i>Resume a FLAMES pipeline</i> |
|---------------|---------------------------------|

---

**Description**

This function resumes a FLAMES pipeline by running configured but unfinished steps.

**Usage**

```
resume_FLAMES(pipeline)

## S4 method for signature 'FLAMES.Pipeline'
resume_FLAMES(pipeline)
```

**Arguments**

pipeline            A FLAMES.Pipeline object.

**Value**

An updated FLAMES.Pipeline object.

**See Also**

[run\\_FLAMES](#) to run the entire pipeline.

**Examples**

```
pipeline <- example_pipeline("BulkPipeline")
pipeline <- run_step(pipeline, "genome_alignment")
pipeline <- resume_FLAMES(pipeline)
```

---

|            |                                  |
|------------|----------------------------------|
| run_FLAMES | <i>Execute a FLAMES pipeline</i> |
|------------|----------------------------------|

---

**Description**

This function runs the FLAMES pipeline. It will run all steps in the pipeline.

**Usage**

```
run_FLAMES(pipeline)

## S4 method for signature 'FLAMES.Pipeline'
run_FLAMES(pipeline)
```

**Arguments**

pipeline            A FLAMES.Pipeline object.

**Value**

An updated FLAMES.Pipeline object.

**See Also**

[resume\\_FLAMES](#) to resume a pipeline from the last completed step.

**Examples**

```
pipeline <- example_pipeline("BulkPipeline")
pipeline <- run_FLAMES(pipeline)
```

---

|          |   |
|----------|---|
| run_step | <i>Execute a single step of the FLAMES pipeline</i> |
|----------|---|

---

**Description**

This function runs the specified step of the FLAMES pipeline.

**Usage**

```
run_step(pipeline, step, disable_controller = TRUE)

## S4 method for signature 'FLAMES.Pipeline'
run_step(pipeline, step, disable_controller = TRUE)
```

**Arguments**

|                    |   |
|--------------------|---|
| pipeline           | A FLAMES.Pipeline object.   |
| step               | The step to run. One of "barcode_demultiplex", "genome_alignment", "gene_quantification", "isoform_identification", "read_realignment", or "transcript_quantification". |
| disable_controller | (optional) If TRUE, the step will be executed in the current R session, instead of using crew controllers.  |

**Value**

An updated FLAMES.Pipeline object.

**See Also**

[run\\_FLAMES](#) to run the entire pipeline. [resume\\_FLAMES](#) to resume a pipeline from the last completed step.

**Examples**

```
pipeline <- example_pipeline("BulkPipeline")
pipeline <- run_step(pipeline, "genome_alignment")
```



---

`scmixology_lib10`*scMixology short-read gene counts - sample 2*

---

**Description**

Short-read gene counts from long and short-read single cell RNA-seq profiling of human lung adenocarcinoma cell lines using 10X version 2 chemistry. See Tian, L. et al. Comprehensive characterization of single-cell full-length isoforms in human and mouse with long-read sequencing. *Genome Biology* 22, 310 (2021).

**Usage**`scmixology_lib10`**Format**

## 'scmixology\_lib10' A SingleCellExperiment with 7,240 rows and 60 columns:

**Value**

A SingleCellExperiment object

**Source**

<<https://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE154869>>

---

`scmixology_lib10_transcripts`*scMixology long-read transcript counts - sample 2*

---

**Description**

long-read transcript counts from long and short-read single cell RNA-seq profiling of human lung adenocarcinoma cell lines using 10X version 2 chemistry. See Tian, L. et al. Comprehensive characterization of single-cell full-length isoforms in human and mouse with long-read sequencing. *Genome Biology* 22, 310 (2021).

**Usage**`scmixology_lib10_transcripts`**Format**

## 'scmixology\_lib10\_transcripts' A SingleCellExperiment with 7,240 rows and 60 columns:

**Value**

A SingleCellExperiment object

**Source**

<<https://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE154869>>

---

scmixology\_lib90

*scMixology short-read gene counts - sample 1*


---

### Description

Short-read single cell RNA-seq profiling of human lung adenocarcinoma cell lines using 10X version 2 chemistry. Single cells from five human lung adenocarcinoma cell lines (H2228, H1975, A549, H838 and HCC827) were mixed in equal proportions and processed using the Chromium 10X platform, then sequenced using Illumina HiSeq 2500. See Tian L, Dong X, Freytag S, Lê Cao KA et al. Benchmarking single cell RNA-sequencing analysis pipelines using mixture control experiments. Nat Methods 2019 Jun;16(6):479-487. PMID: 31133762

### Usage

```
scmixology_lib90
```

### Format

```
## 'scmixology_lib90' A SingleCellExperiment
```

### Value

A SingleCellExperiment object

### Source

<<https://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE126906>>

---

sc\_DTU\_analysis

*FLAMES Differential Transcript Usage Analysis*


---

### Description

Differential transcription usage testing for single cell data, using colLabels as cluster labels.

### Usage

```
sc_DTU_analysis(
  sce,
  gene_col = "gene_id",
  min_count = 15,
  threads = 1,
  method = "transcript usage permutation",
  permutations = 1000
)
```

## Arguments

|              |  |
|--------------|--|
| sce          | The SingleCellExperiment object, with transcript counts in the counts slot and cluster labels in the colLabels slot. |
| gene_col     | The column name in the rowData slot of sce that contains the gene ID / name. Default is "gene_id".                   |
| min_count    | The minimum total counts for a transcript to be tested.  |
| threads      | Number of threads to use for parallel processing.  |
| method       | The method to use for testing, listed in details.  |
| permutations | Number of permutations for permutation methods.  |

## Details

Genes with more than 2 isoforms expressing more than min\_count counts are selected for testing with one of the following methods:

**transcript usage permutation** Transcript usage are taken as the test statistic, cluster labels are permuted to generate a null distribution.

**chisq** Chi-square test of the transcript count matrix for each gene.

Adjusted P-values were calculated by Benjamini–Hochberg correction.

## Value

a tibble containing the following columns:

**p.value** - the raw p-value

**adj.p.value** - multiple testing adjusted p-value

**cluster** - the cluster where DTU was observed

**transcript** - rowname of sce, the DTU isoform

**transcript\_usage** - the transcript usage of the isoform in the cluster

Additional columns from method = "transcript usage permutation":

**transcript\_usage\_elsewhere** - transcript usage in other clusters

**usage\_difference** - the difference between the two transcript usage

**permuted\_var** - the variance of usage difference in the permuted data

Additional columns from method = "chisq":

**X\_value** - the test statistic

**df** - the degrees of freedom

**expected\_usage** - the expected usage (mean across all clusters)

**usage\_difference** - the difference between the observed and expected usage

The table is sorted by P-values.

## Examples

```

outdir <- tempfile()
dir.create(outdir)
bc_allow <- file.path(outdir, "bc_allow.tsv")
genome_fa <- file.path(outdir, "rps24.fa")
R.utils::gunzip(
  filename = system.file("extdata", "bc_allow.tsv.gz", package = "FLAMES"),
  destname = bc_allow, remove = FALSE
)
R.utils::gunzip(
  filename = system.file("extdata", "rps24.fa.gz", package = "FLAMES"),
  destname = genome_fa, remove = FALSE
)

sce <- FLAMES::sc_long_pipeline(
  genome_fa = genome_fa,
  fastq = system.file("extdata", "fastq", "muscle_rps24.fastq.gz", package = "FLAMES"),
  annotation = system.file("extdata", "rps24.gtf.gz", package = "FLAMES"),
  outdir = outdir,
  barcodes_file = bc_allow,
  config_file = create_config(outdir)
)
group_anno <- data.frame(barcode_seq = colnames(sce), groups = SingleCellExperiment::counts(sce)[ "ENSMUST000001" ])
SingleCellExperiment::colLabels(sce) <- group_anno$groups
# DTU with permutation testing:
sc_DTU_analysis(sce, min_count = 1, method = "transcript usage permutation")
# now try with chisq:
sc_DTU_analysis(sce, min_count = 1, method = "chisq")

```

---

sc\_impute\_transcript    *Impute missing transcript counts*

---

## Description

Impute missing transcript counts using a shared nearest neighbor graph

## Usage

```
sc_impute_transcript(combined_sce, dimred = "PCA", ...)
```

## Arguments

|              |   |
|--------------|---|
| combined_sce | A SingleCellExperiment object with gene counts and a "transcript" altExp slot.                |
| dimred       | The name of the reduced dimension to use for building the shared nearest neighbor graph.      |
| ...          | Additional arguments to pass to <code>scrn::buildSNNGraph</code> . E.g. <code>k = 30</code> . |

## Details

For cells with NA values in the "transcript" altExp slot, this function imputes the missing values from cells with non-missing values. A shared nearest neighbor graph is built using reduced dimensions from the SingleCellExperiment object, and the imputation is done where the imputed value for a cell is the weighted sum of the transcript counts of its neighbors. Imputed values are stored in the "logcounts" assay of the "transcript" altExp slot. The "counts" assay is used to obtain logcounts but left unchanged.

## Value

A SingleCellExperiment object with imputed logcounts assay in the "transcript" altExp slot.

## Examples

```
sce <- SingleCellExperiment::SingleCellExperiment(assays = list(counts = matrix(rpois(50, 5), ncol = 10)))
long_read <- SingleCellExperiment::SingleCellExperiment(assays = list(counts = matrix(rpois(40, 5), ncol = 10)))
SingleCellExperiment::altExp(sce, "transcript") <- long_read
SingleCellExperiment::counts(SingleCellExperiment::altExp(sce))[1:2] <- NA
SingleCellExperiment::counts(SingleCellExperiment::altExp(sce))
imputed_sce <- sc_impute_transcript(sce, k = 4)
SingleCellExperiment::logcounts(SingleCellExperiment::altExp(imputed_sce))
```

---

sc\_long\_multisample\_pipeline

*Pipeline for Multi-sample Single Cell Data (deprecated)*

---

## Description

This function is deprecated. Please use [MultiSampleSCPipeline](#).

## Usage

```
sc_long_multisample_pipeline(
  annotation,
  fastqs,
  outdir,
  genome_fa,
  minimap2 = NULL,
  barcodes_file = NULL,
  expect_cell_numbers = NULL,
  config_file = NULL
)
```

## Arguments

|            |   |
|------------|---|
| annotation | The file path to the annotation file in GFF3 format |
| fastqs     | The file path to input fastq file                   |
| outdir     | The path to directory to store all output files.    |
| genome_fa  | The file path to genome fasta file.                 |

**minimap2** Path to minimap2, optional.  
**barcodes\_file** The file with expected cell barcodes, with each barcode on a new line.  
**expect\_cell\_numbers** The expected number of cells in the sample. This is used if **barcodes\_file** is not provided. See BLAZE for more details.  
**config\_file** File path to the JSON configuration file.

### Value

A list of `SingleCellExperiment` objects, one for each sample.

### See Also

[MultiSampleSCPipeline](#) for the new pipeline interface, [SingleCellPipeline](#) for single-sample pipeline, [BulkPipeline](#) for bulk long data.

### Examples

```

reads <- ShortRead::readFastq(
  system.file("extdata", "fastq", "muscr_rps24.fastq.gz", package = "FLAMES")
)
outdir <- tempdir()
dir.create(outdir)
dir.create(file.path(outdir, "fastq"))
bc_allow <- file.path(outdir, "bc_allow.tsv")
genome_fa <- file.path(outdir, "rps24.fa")
R.utils::gunzip(
  filename = system.file("extdata", "bc_allow.tsv.gz", package = "FLAMES"),
  destname = bc_allow, remove = FALSE
)
R.utils::gunzip(
  filename = system.file("extdata", "rps24.fa.gz", package = "FLAMES"),
  destname = genome_fa, remove = FALSE
)
ShortRead::writeFastq(reads[1:100],
  file.path(outdir, "fastq/sample1.fq.gz"), mode = "w", full = FALSE)
reads <- reads[-(1:100)]
ShortRead::writeFastq(reads[1:100],
  file.path(outdir, "fastq/sample2.fq.gz"), mode = "w", full = FALSE)
reads <- reads[-(1:100)]
ShortRead::writeFastq(reads,
  file.path(outdir, "fastq/sample3.fq.gz"), mode = "w", full = FALSE)

sce_list <- FLAMES::sc_long_multisample_pipeline(
  annotation = system.file("extdata", "rps24.gtf.gz", package = "FLAMES"),
  fastqs = c("sampleA" = file.path(outdir, "fastq"),
    "sample1" = file.path(outdir, "fastq", "sample1.fq.gz"),
    "sample2" = file.path(outdir, "fastq", "sample2.fq.gz"),
    "sample3" = file.path(outdir, "fastq", "sample3.fq.gz")),
  outdir = outdir,
  genome_fa = genome_fa,
  barcodes_file = rep(bc_allow, 4)
)

```

---

|                  |   |
|------------------|---|
| sc_long_pipeline | <i>Pipeline for Single Cell Data (deprecated)</i> |
|------------------|---|

---

## Description

This function is deprecated. Please use [SingleCellPipeline()] instead.

## Usage

```
sc_long_pipeline(
  annotation,
  fastq,
  outdir,
  genome_fa,
  minimap2 = NULL,
  barcodes_file = NULL,
  expect_cell_number = NULL,
  config_file = NULL
)
```

## Arguments

|                    |  |
|--------------------|--|
| annotation         | The file path to the annotation file in GFF3 format  |
| fastq              | The file path to input fastq file  |
| outdir             | The path to directory to store all output files.   |
| genome_fa          | The file path to genome fasta file.  |
| minimap2           | Path to minimap2, optional.  |
| barcodes_file      | The file with expected cell barcodes, with each barcode on a new line.   |
| expect_cell_number | The expected number of cells in the sample. This is used if barcodes_file is not provided. See BLAZE for more details. |
| config_file        | File path to the JSON configuration file.  |

## Value

A SingleCellPipeline object containing the transcript counts.

## See Also

[SingleCellPipeline](#) for the new pipeline interface, [BulkPipeline](#) for bulk long data, [MultiSampleSCPipeline](#) for multi sample single cell pipelines.

## Examples

```
outdir <- tempfile()
dir.create(outdir)
bc_allow <- file.path(outdir, "bc_allow.tsv")
genome_fa <- file.path(outdir, "rps24.fa")
R.utils::gunzip(
  filename = system.file("extdata", "bc_allow.tsv.gz", package = "FLAMES"),
```

```

    destname = bc_allow, remove = FALSE
  )
  R.utils::gunzip(
    filename = system.file("extdata", "rps24.fa.gz", package = "FLAMES"),
    destname = genome_fa, remove = FALSE
  )
  sce <- FLAMES::sc_long_pipeline(
    genome_fa = genome_fa,
    fastq = system.file("extdata", "fastq", "muscle_rps24.fastq.gz", package = "FLAMES"),
    annotation = system.file("extdata", "rps24.gtf.gz", package = "FLAMES"),
    outdir = outdir,
    barcodes_file = bc_allow
  )

```

---

|              |   |
|--------------|---|
| sc_mutations | <i>Variant count for single-cell data</i> |
|--------------|---|

---

### Description

Count the number of reads supporting each variants at the given positions for each cell.

### Usage

```
sc_mutations(bam_path, seqnames, positions, indel = FALSE, threads = 1)
```

### Arguments

|           |  |
|-----------|--|
| bam_path  | character(1) or character(n): path to the bam file(s) aligned to the reference genome (NOT the transcriptome! Unless the positions are also from the transcriptome). |
| seqnames  | character(n): chromosome names of the positions to count alleles.  |
| positions | integer(n): positions, 1-based, same length as seqnames. The positions to count alleles.   |
| indel     | logical(1): whether to count indels (TRUE) or SNPs (FALSE).  |
| threads   | integer(1): number of threads to use. Maximum number of threads is the number of bam files * number of positions.  |

### Value

A tibble with columns: allele, barcode, allele\_count, cell\_total\_reads, pct, pos, seqname.

### Examples

```

ppl <- example_pipeline("SingleCellPipeline")
ppl <- run_step(ppl, "barcode_demultiplex")
ppl <- run_step(ppl, "genome_alignment")
snps_tb <- sc_mutations(
  bam_path = ppl@genome_bam,
  seqnames = c("chr14", "chr14"),
  positions = c(1260, 2714), # positions of interest
  indel = FALSE
)

```



```
head(snps_tb)
snps_tb |>
  dplyr::filter(pos == 1260) |>
  dplyr::group_by(allele) |>
  dplyr::summarise(count = sum(allele_count)) # should be identical to samtools pileup
```

---

show,FLAMES.Pipeline-method

*Show method for FLAMES.Pipeline*


---

## Description

Displays the pipeline in a pretty format

## Usage

```
## S4 method for signature 'FLAMES.Pipeline'
show(object)

## S4 method for signature 'FLAMES.SingleCellPipeline'
show(object)

## S4 method for signature 'FLAMES.MultiSampleSCPipeline'
show(object)
```

## Arguments

object                    An object of class ‘FLAMES.Pipeline’

## Value

None. Displays output to the console.

## Examples

```
pp1 <- example_pipeline()
show(pp1)
```

---

SingleCellPipeline

*Pipeline for Single Cell Data*


---

## Description

Semi-supervised isoform detection and annotation for long read data. This variant is meant for single sample scRNA-seq data. Specific parameters can be configured in the config file (see [create\\_config](#)), input files are specified via arguments.

**Usage**

```
SingleCellPipeline(
    config_file,
    outdir,
    fastq,
    annotation,
    genome_fa,
    genome_mmi,
    minimap2,
    samtools,
    barcodes_file,
    expect_cell_number,
    controllers
)
```

**Arguments**

|                                 |  |
|---------------------------------|--|
| <code>config_file</code>        | Path to the JSON configuration file. See <a href="#">create_config</a> for creating one.   |
| <code>outdir</code>             | Path to the output directory. If it does not exist, it will be created.  |
| <code>fastq</code>              | Path to the FASTQ file or a directory containing FASTQ files. Each file will be processed as an individual sample.   |
| <code>annotation</code>         | The file path to the annotation file in GFF3 / GTF format.   |
| <code>genome_fa</code>          | The file path to the reference genome in FASTA format.   |
| <code>genome_mmi</code>         | (optional) The file path to minimap2's index reference genome.   |
| <code>minimap2</code>           | (optional) The path to the minimap2 binary. If not provided, FLAMES will use a copy from bioconda via basilisk.  |
| <code>samtools</code>           | (optional) The path to the samtools binary. If not provided, FLAMES will use a copy from bioconda via basilisk. provided, FLAMES will use a copy from bioconda via basilisk. |
| <code>barcodes_file</code>      | The file with expected cell barcodes, with each barcode on a new line.   |
| <code>expect_cell_number</code> | The expected number of cells in the sample. This is used if <code>barcodes_file</code> is not provided. See BLAZE for more details.  |
| <code>controllers</code>        | (optional, <b>experimental</b> ) A <code>crew_class_controller</code> object for running certain steps   |

**Details**

By default the pipeline starts with demultiplexing the input fastq data. If the cell barcodes are known apriori (e.g. via coupled short-read sequencing), the `barcodes_file` argument can be used to specify a file containing the cell barcodes, and a modified Rcpp version of flexiplex will be used; otherwise, `expect_cell_number` need to be provided, and BLAZE will be used to generate the cell barcodes. The pipeline then aligns the reads to the genome using minimap2. The alignment is then used for isoform detection (either using FLAMES or bambu, can be configured). The reads are then realigned to the detected isoforms. Finally, a transcript count matrix is generated (either using FLAMES's simplistic counting or oarfis's Expectation Maximization algorithm, can be configured). The results can be accessed with `experiment(pipeline)`. If the pipeline errored out / new steps were configured, it can be resumed by calling `resume_FLAMES(pipeline)`

**Value**

A `FLAMES.SingleCellPipeline` object. The pipeline can be run using `run_FLAMES(pipeline)`. The results can be accessed with `experiment(pipeline)`. The pipeline also outputs a number of output files into the given `outdir` directory. Some of these output files include:

**matched\_reads.fastq** - fastq file with reads demultiplexed

**align2genome.bam** - sorted BAM file with reads aligned to genome

**matched\_reads\_dedup.fastq** - demultiplexed and UMI-deduplicated fastq file

**transcript\_assembly.fa** - transcript sequence from the isoforms

**isoform\_annotated.filtered.gff3** - isoforms in gff3 format (also contained in the `SingleCellExperiment`)

**realign2transcript.bam** - sorted realigned BAM file using the `transcript_assembly.fa` as reference

**See Also**

[create\\_config](#) for creating a configuration file, [BulkPipeline](#) for bulk long data, [MultiSampleSCPipeline](#) for multi sample single cell pipelines.

**Examples**

```
outdir <- tempfile()
dir.create(outdir)
bc_allow <- file.path(outdir, "bc_allow.tsv")
genome_fa <- file.path(outdir, "rps24.fa")
R.utils::gunzip(
  filename = system.file("extdata", "bc_allow.tsv.gz", package = "FLAMES"),
  destname = bc_allow, remove = FALSE
)
R.utils::gunzip(
  filename = system.file("extdata", "rps24.fa.gz", package = "FLAMES"),
  destname = genome_fa, remove = FALSE
)
ppl <- SingleCellPipeline(
  config_file = create_config(outdir, gene_quantification = FALSE),
  outdir = outdir,
  fastq = system.file("extdata", "fastq", "muscrps24.fastq.gz", package = "FLAMES"),
  annotation = system.file("extdata", "rps24.gtf.gz", package = "FLAMES"),
  genome_fa = genome_fa,
  barcodes_file = bc_allow
)
ppl <- run_FLAMES(ppl)
experiment(ppl)
```

---

 steps

*Steps to perform in the pipeline*


---

**Description**

Steps to perform in the pipeline

**Usage**

```
steps(pipeline)

## S4 method for signature 'FLAMES.Pipeline'
steps(pipeline)
```

**Arguments**

pipeline            An object of class ‘FLAMES.Pipeline’

**Value**

A named logical vector containing all possible steps for the pipeline. The names of the vector are the step names, and the values are logical indicating whether the step is configured to be performed.

**Examples**

```
ppl <- example_pipeline()
steps(ppl)
```

---

|         |   |
|---------|---|
| steps<- | <i>Set steps to perform in the pipeline</i> |
|---------|---|

---

**Description**

Set steps to perform in the pipeline

**Usage**

```
steps(pipeline) <- value

## S4 replacement method for signature 'FLAMES.Pipeline'
steps(pipeline) <- value
```

**Arguments**

pipeline            An object of class ‘FLAMES.Pipeline’

value                A named logical vector containing all possible steps for the pipeline. The names of the vector are the step names, and the values are logical indicating whether the step is configured to be performed.

**Value**

An pipeline of class ‘FLAMES.Pipeline’ with the updated steps.

**Examples**

```
ppl <- example_pipeline()
steps(ppl) <- c(
  barcode_demultiplex = TRUE,
  genome_alignment = TRUE,
  gene_quantification = TRUE,
  isoform_identification = FALSE,
  read_realignment = FALSE,
  transcript_quantification = TRUE
)
ppl
# or partially change a step:
steps(ppl)["read_realignment"] <- TRUE
ppl
```

---

|                    |  |
|--------------------|--|
| weight_transcripts | <i>Weight transcripts by read counts</i> |
|--------------------|--|

---

**Description**

Given a vector of read counts, return a vector of weights. The weights could be either the read counts themselves (type = 'counts'), a binary vector of 0s and 1s where 1s are assigned to transcripts with read counts above a threshold (type = 'equal', min\_counts = 1000), or a sigmoid function of the read counts (type = 'sigmoid'). The sigmoid function is defined as  $1 / (1 + \exp(-\text{steepness}/\text{inflection} * (x - \text{inflection})))$ .

**Usage**

```
weight_transcripts(
  counts,
  type = "sigmoid",
  min_counts = 1000,
  inflection_idx = 10,
  inflection_max = 1000,
  steepness = 5
)
```

**Arguments**

|                |   |
|----------------|---|
| counts         | numeric vector of read counts   |
| type           | string, one of 'counts', 'sigmoid', or 'equal'  |
| min_counts     | numeric, the threshold for the 'equal' type   |
| inflection_idx | numeric, the index of the read counts to determine the inflection point for the sigmoid function. The default is 10, i.e. the 10th highest read count will be the inflection point.             |
| inflection_max | numeric, the maximum value for the inflection point. If the inflection point according to the inflection_idx is higher than this value, the inflection point will be set to this value instead. |
| steepness      | numeric, the steepness of the sigmoid function  |

**Value**

numeric vector of weights

**Examples**

```
weight_transcripts(1:2000)
par(mfrow = c(2, 2))
plot(
  1:2000, weight_transcripts(1:2000, type = 'sigmoid'),
  type = 'l', xlab = 'Read counts', ylab = 'Sigmoid weight'
)
plot(
  1:2000, weight_transcripts(1:2000, type = 'counts'),
  type = 'l', xlab = 'Read counts', ylab = 'Weight by counts'
)
plot(
  1:2000, weight_transcripts(1:2000, type = 'equal'),
  type = 'l', xlab = 'Read counts', ylab = 'Equal weights'
)
```

# Index

## \* datasets

scmixology\_lib10, [49](#)  
scmixology\_lib10\_transcripts, [49](#)  
scmixology\_lib90, [50](#)

## \* internal

addRowRanges, [3](#)  
fake\_stranded\_gff, [20](#)  
find\_isoform, [24](#)  
get\_GRangesList, [29](#)  
gff2bed, [29](#)  
minimap2\_align, [30](#)  
mutation\_positions\_single, [34](#)  
plot\_demultiplex\_raw, [37](#)  
plot\_spatial\_pie, [43](#)  
quantify\_transcript, [45](#)  
quantify\_transcript\_flames, [46](#)  
show, FLAMES.Pipeline-method, [57](#)

add\_gene\_counts, [4](#)  
addRowRanges, [3](#)  
annotation\_to\_fasta, [5](#)

blaze, [5](#)  
bulk\_long\_pipeline, [8](#)  
BulkPipeline, [6](#), [8](#), [9](#), [19](#), [32](#), [54](#), [55](#), [59](#)

combine\_sce, [10](#)  
config, [11](#)  
config, FLAMES.Pipeline-method (config),  
[11](#)  
config<-, [11](#)  
config<-, FLAMES.Pipeline-method  
(config<-), [11](#)  
controllers, [12](#)  
controllers, FLAMES.Pipeline-method  
(controllers), [12](#)  
controllers<-, [12](#)  
controllers<-, FLAMES.Pipeline-method  
(controllers<-), [12](#)  
convolution\_filter, [13](#), [21](#)  
create\_config, [6](#), [7](#), [9](#), [14](#), [31](#), [32](#), [57–59](#)  
create\_sce\_from\_dir, [16](#)  
create\_se\_from\_dir, [17](#)  
create\_spe, [17](#)

cutadapt, [18](#)

demultiplex\_sockeye, [19](#)

example\_pipeline, [19](#)  
experiment, [20](#)  
experiment, FLAMES.MultiSampleSCPipeline-method  
(experiment), [20](#)  
experiment, FLAMES.Pipeline-method  
(experiment), [20](#)

fake\_stranded\_gff, [20](#)  
filter\_annotation, [21](#)  
filter\_coverage, [21](#), [35](#), [36](#)  
find\_barcode, [22](#), [37](#)  
find\_bin, [24](#)  
find\_isoform, [24](#)  
find\_variants, [25](#)  
FLAMES, [26](#)  
flexiplex, [27](#)

geom\_point, [42](#)  
get\_coverage, [21](#), [28](#), [35](#)  
get\_GRangesList, [29](#)  
gff2bed, [29](#)

Heatmap, [40](#)

index\_genome, [30](#)  
index\_genome, FLAMES.Pipeline-method  
(index\_genome), [30](#)

minimap2\_align, [30](#)  
MultiSampleSCPipeline, [7](#), [9](#), [19](#), [31](#), [53–55](#),  
[59](#)  
mutation\_positions, [33](#)  
mutation\_positions\_single, [34](#)

plot\_coverage, [35](#)  
plot\_demultiplex, [36](#)  
plot\_demultiplex, FLAMES.SingleCellPipeline-method  
(plot\_demultiplex), [36](#)  
plot\_demultiplex\_raw, [37](#)  
plot\_isoform\_heatmap, [39](#)  
plot\_isoform\_reduced\_dim, [40](#)

plot\_isoforms, [38](#)  
plot\_spatial\_feature, [42](#)  
plot\_spatial\_isoform, [43](#)  
plot\_spatial\_pie, [43](#), [43](#)  
  
quantify\_gene, [44](#)  
quantify\_transcript, [45](#)  
quantify\_transcript\_flames, [46](#)  
  
resume\_FLAMES, [7](#), [47](#), [48](#)  
resume\_FLAMES, FLAMES.Pipeline-method  
    (resume\_FLAMES), [47](#)  
run\_FLAMES, [7](#), [32](#), [47](#), [47](#), [48](#)  
run\_FLAMES, FLAMES.Pipeline-method  
    (run\_FLAMES), [47](#)  
run\_step, [48](#)  
run\_step, FLAMES.Pipeline-method  
    (run\_step), [48](#)  
  
sc\_DTU\_analysis, [50](#)  
sc\_impute\_transcript, [52](#)  
sc\_long\_multisample\_pipeline, [53](#)  
sc\_long\_pipeline, [18](#), [55](#)  
sc\_mutations, [56](#)  
scmixology\_lib10, [49](#)  
scmixology\_lib10\_transcripts, [49](#)  
scmixology\_lib90, [50](#)  
show, FLAMES.MultiSampleSCPipeline-method  
    (show, FLAMES.Pipeline-method),  
    [57](#)  
show, FLAMES.Pipeline-method, [57](#)  
show, FLAMES.SingleCellPipeline-method  
    (show, FLAMES.Pipeline-method),  
    [57](#)  
SingleCellPipeline, [7](#), [9](#), [19](#), [32](#), [54](#), [55](#), [57](#)  
steps, [59](#)  
steps, FLAMES.Pipeline-method (steps), [59](#)  
steps<-, [60](#)  
steps<-, FLAMES.Pipeline-method  
    (steps<-), [60](#)  
  
weight\_transcripts, [36](#), [61](#)