

# **BSgenome.Hsapiens.NCBI.T2T.CHM13v2.0**

July 16, 2025

---

`BSgenome.Hsapiens.NCBI.T2T.CHM13v2.0`

*T2T-CHM13v2.0 assembly (*Homo sapiens*) wrapped in a BSgenome object*

---

## Description

The T2T-CHM13v2.0 assembly (accession GCA\_009914755.4), as submitted to NCBI by the T2T Consortium, and wrapped in a BSgenome object. Companion paper: "The complete sequence of a human genome" by Nurk S, Koren S, Rhie A, Rautiainen M, et al. Science, 2022.

## Note

This BSgenome data package was made from the following source data files:

`GCA_009914755.4_T2T-CHM13v2.0_genomic.fna.gz` from <https://ftp.ncbi.nlm.nih.gov/genomes/all/GCA/009/914/755/>

See `?BSgenomeForge` and the `BSgenomeForge` vignette (`vignette("BSgenomeForge")`) in the **BSgenome** software package for how to make a BSgenome data package.

## Author(s)

The Bioconductor Dev Team

## See Also

- `BSgenome` objects and the `available.genomes` function in the **BSgenome** software package.
- `DNAString` objects in the **Biostrings** package.
- The `BSgenomeForge` vignette (`vignette("BSgenomeForge")`) in the **BSgenome** software package for how to make a BSgenome data package.

**Examples**

```
BSgenome.Hsapiens.NCBI.T2T.CHM13v2.0
genome <- BSgenome.Hsapiens.NCBI.T2T.CHM13v2.0
head(seqlengths(genome))
genome[["1"]]

## -----
## Genome-wide motif searching
## -----
## See the GenomeSearching vignette in the BSgenome software
## package for some examples of genome-wide motif searching using
## Biostrings and the BSgenome data packages:
if (interactive())
  vignette("GenomeSearching", package="BSgenome")
```

# Index

```
* data
  BSgenome.Hsapiens.NCBI.T2T.CHM13v2.0,
    1
* package
  BSgenome.Hsapiens.NCBI.T2T.CHM13v2.0,
    1
available.genomes, I
BSgenome, I
BSgenome.Hsapiens.NCBI.T2T.CHM13v2.0,
  1
BSgenome.Hsapiens.NCBI.T2T.CHM13v2.0-package
  (BSgenome.Hsapiens.NCBI.T2T.CHM13v2.0),
    1
BSgenomeForge, I
DNAString, I
Hsapiens
  (BSgenome.Hsapiens.NCBI.T2T.CHM13v2.0),
    1
```