

Package ‘DNAZooData’

July 15, 2025

Title DNA Zoo data package

Version 1.9.0

Date 2023-02-09

Description DNAZooData is a data package giving programmatic access to genome assemblies and Hi-C contact matrices uniformly processed by the [DNA Zoo Consortium](https://www.dnazoo.org/). The matrices are available in the multi-resolution ‘.hic’ format. A URL to corrected genome assemblies in ‘.fastq’ format is also provided to the end-user.

License MIT + file LICENSE

URL <https://github.com/js2264/DNAZooData>

BugReports <https://github.com/js2264/DNAZooData/issues>

Depends R (>= 4.2), HiCExperiment

Imports BiocFileCache, S4Vectors, rjson, utils, tools

Suggests dplyr, testthat, methods, BiocStyle, knitr, rmarkdown

biocViews ExperimentData, SequencingData

Encoding UTF-8

VignetteBuilder knitr

LazyData false

Roxygen list(markdown = TRUE)

RoxygenNote 7.2.3

git_url <https://git.bioconductor.org/packages/DNAZooData>

git_branch devel

git_last_commit d028ac0

git_last_commit_date 2025-04-15

Repository Bioconductor 3.22

Date/Publication 2025-07-15

Author Jacques Serizay [aut, cre]

Maintainer Jacques Serizay <jacquesserizay@gmail.com>

Contents

DNAZooData	2
DNAZooDataCache	2

Index**3**

DNAZooData

*DNAZooData***Description**

Fetches files from the DNAZoo data portal and caches them using the BiocFileCache system.

Arguments

species Any species processed by the DNA Zoo (check <https://www.dnazoo.org/assemblies>) for a browser-based explorer.

Value

DNAZooData() returns a HicFile object, which can then be imported in memory using `HicExperiment::import()`. Metadata also points to a URL to directly fetch the genome assembly corrected by the DNA Zoo consortium.

Examples

```
#####
## Importing DNAZoo `.hic` files ##
#####

head(DNAZooData())
hf <- DNAZooData(species = 'Anolis_carolinensis')
hf
```

DNAZooDataCache

*Manage cache / download files from the DNAZoo data portal***Description**

Managing DNAZoo data downloads via the integrated BiocFileCache system.

Usage

```
DNAZooDataCache(...)
```

Arguments

... Arguments passed to internal `.setDNAZooDataCache` function

Value

BiocFileCache object

Examples

```
bfc <- DNAZooDataCache()
bfc
BiocFileCache::bfcinfo(bfc)
```

Index

DNAZooData, [2](#)

DNAZooDataCache, [2](#)