

BSgenome.Hsapiens.UCSC.hg38.dbSNP151.minor

July 23, 2025

BSgenome.Hsapiens.UCSC.hg38.dbSNP151.minor

Full genome sequences for Homo sapiens (UCSC version hg38, based on GRCh38.p12) with injected minor alleles (dbSNP151)

Description

Full genome sequences for Homo sapiens (Human) as provided by UCSC (hg38, based on GRCh38.p12) with minor alleles injected from dbSNP151, and stored in Biostrings objects. Only common single nucleotide variants (SNVs) with at least one alternate allele with frequency greater than 0.01 were considered. For SNVs with more than 1 alternate allele, the most frequent allele was chosen as the minor allele to be injected into the reference genome.

Author(s)

Jean-Philippe Fortin

See Also

- [BSgenome](#) objects and the [available.genomes](#) function in the **BSgenome** software package.
- [DNAString](#) objects in the **Biostrings** package.
- The BSgenomeForge vignette (`vignette("BSgenomeForge")`) in the **BSgenome** software package for how to make a BSgenome data package.

Examples

```
BSgenome.Hsapiens.UCSC.hg38.dbSNP151.minor
genome_min <- BSgenome.Hsapiens.UCSC.hg38.dbSNP151.minor
head(seqlengths(genome_min))
```

```
# Getting nucleotide at SNP rs12813551 (C/T, MAF>0.5)
# Minor allele genome has a C:
chr <- "chr12"
```

```
pos <- 25241845L
getSeq(genome_min, chr, start=pos, end=pos)

# Reference genome has the minor allele, C:
if (require(BSgenome.Hsapiens.UCSC.hg38)){
  genome_ref <- BSgenome.Hsapiens.UCSC.hg38
  getSeq(genome_ref, chr, start=pos, end=pos)
}

# Major allele genome has a T:
if (require(BSgenome.Hsapiens.UCSC.hg38.dbSNP151.major)){
  genome_maj <- BSgenome.Hsapiens.UCSC.hg38.dbSNP151.major
  getSeq(genome_maj, chr, start=pos, end=pos)
}
```

Index

- * **data**
 - BSgenome.Hsapiens.UCSC.hg38.dbSNP151.minor,
 - [1](#)
- * **package**
 - BSgenome.Hsapiens.UCSC.hg38.dbSNP151.minor,
 - [1](#)
- available.genomes, [1](#)
- BSgenome, [1](#)
- BSgenome.Hsapiens.UCSC.hg38.dbSNP151.minor,
 - [1](#)
- BSgenome.Hsapiens.UCSC.hg38.dbSNP151.minor-package
 - (BSgenome.Hsapiens.UCSC.hg38.dbSNP151.minor),
 - [1](#)
- DNAStrng, [1](#)
- Hsapiens
 - (BSgenome.Hsapiens.UCSC.hg38.dbSNP151.minor),
 - [1](#)