

# Package ‘ARRmData’

August 14, 2025

**Version** 1.44.0

**Title** Example dataset for normalization of Illumina 450k Methylation data

**Description** Raw Beta values from 36 samples across 3 groups from Illumina 450k methylation arrays

**Author** Jean-Philippe Fortin, Celia M.T. Greenwood, Aurelie Labbe

**Maintainer** Jean-Philippe Fortin <jfortin@jhsph.edu>

**License** Artistic-2.0

**Depends** R (>= 3.0.0)

**biocViews** ExperimentData, MethylationArrayData

**git\_url** <https://git.bioconductor.org/packages/ARRmData>

**git\_branch** RELEASE\_3\_21

**git\_last\_commit** 6c8d3a4

**git\_last\_commit\_date** 2025-04-15

**Repository** Bioconductor 3.21

**Date/Publication** 2025-08-14

## Contents

|                              |   |
|------------------------------|---|
| betaMatrix . . . . .         | 2 |
| greenControlMatrix . . . . . | 2 |
| redControlMatrix . . . . .   | 3 |
| sampleNames . . . . .        | 4 |

|              |          |
|--------------|----------|
| <b>Index</b> | <b>5</b> |
|--------------|----------|

---

`betaMatrix`*Example of a matrix of Beta values from the Illumina 450k array*

---

**Description**

The matrix contains the Beta values of a set of 36 samples from the Illumina Infinium Human-Methylation 450k array

**Usage**

```
data(betaMatrix)
```

**Format**

A data frame with 485577 observations (rows) and 36 samples (columns)

**Details**

Column names correspond to the sample names (of the form 5621146025\_R06C02)

**See Also**

[normalizeARRm](#) for normalization of the Beta values, [greenControlMatrix](#) and [redControlMatrix](#) for the associated negative control probe data.

**Examples**

```
data(betaMatrix)
```

---

`greenControlMatrix`*Example of a matrix containing the green negative control probes from the Illumina 450k array*

---

**Description**

The matrix contains the raw intensities of 600 negative control probes measured in the green channel for 36 samples from the Illumina Infinium HumanMethylation 450k array

**Usage**

```
data(greenControlMatrix)
```

**Format**

A data frame with 600 observations (rows) and 36 samples (columns)

### Details

Column names correspond to the sample names (of the form 5621146023\_R01C01). These samples correspond to those of [betaMatrix](#).

### See Also

[getBackground](#) to obtain background information, [redControlMatrix](#) for the equivalent negative control probes in the red channel

### Examples

```
data(greenControlMatrix)
```

---

|                  |                                                                                                    |
|------------------|----------------------------------------------------------------------------------------------------|
| redControlMatrix | <i>Example of a matrix containing the red negative control probes from the Illumina 450k array</i> |
|------------------|----------------------------------------------------------------------------------------------------|

---

### Description

The matrix contains the raw intensities of 600 negative control probes measured in the red channel for 36 samples from the Illumina Infinium HumanMethylation 450k array

### Usage

```
data(redControlMatrix)
```

### Format

A data frame with 600 observations (rows) and 36 samples (columns)

### Details

Column names correspond to the sample names (of the form 5621146023\_R01C01). These samples correspond to those of [betaMatrix](#)

### See Also

[getBackground](#) to obtain background information, [greenControlMatrix](#) for the equivalent negative control probes in the green channel

### Examples

```
data(redControlMatrix)
```

---

`sampleNames`*An example of sample names for the Illumina 450k array*

---

**Description**

Sample names for a dataset containing 36 samples from the Illumina Infinium HumanMethylation 450k array.

**Usage**

```
data(sampleNames)
```

**Format**

A character vector

**Details**

Names are of the form 5621146023\_R01C01. These sample names correspond to the names of the samples in [betaMatrix](#)

**See Also**

[getDesignInfo](#) to obtain design information,

**Examples**

```
data(sampleNames)
```

# Index

## \* **datasets**

- betaMatrix, [2](#)
- greenControlMatrix, [2](#)
- redControlMatrix, [3](#)
- sampleNames, [4](#)

betaMatrix, [2](#), [3](#), [4](#)

getBackground, [3](#)  
getDesignInfo, [4](#)  
greenControlMatrix, [2](#), [2](#), [3](#)

normalizeARRm, [2](#)

redControlMatrix, [2](#), [3](#), [3](#)

sampleNames, [4](#)