

Package ‘ipc’

January 26, 2023

Type Package

Title Tools for Message Passing Between Processes

Version 0.1.4

Author Ian E. Fellows

Maintainer Ian E. Fellows <ian@fellstat.com>

Description Provides tools for passing messages between R processes.

Shiny examples are provided showing how to perform useful tasks such as:
updating reactive values from within a future, progress bars for long running
async tasks, and interrupting async tasks based on user input.

URL <https://github.com/fellstat/ipc>

BugReports <https://github.com/fellstat/ipc/issues>

Imports R6, shiny, txtq

License MIT + file LICENCE

Encoding UTF-8

Suggests testthat, knitr, rmarkdown, future, promises, redux

VignetteBuilder knitr

RoxygenNote 7.2.2

NeedsCompilation no

Repository CRAN

Date/Publication 2023-01-26 06:50:02 UTC

R topics documented:

ipc-package	2
AsyncInterruptor	2
AsyncProgress	4
Consumer	7
defaultSource	9
Producer	10
Queue	11

redisConfig	14
redisIdGenerator	14
RedisSource	15
ShinyConsumer	16
shinyExample	17
ShinyProducer	17
shinyQueue	18
stopMulticoreFuture	19
tempFileGenerator	20
TextFileSource	20

Index	22
--------------	-----------

ipc-package	<i>Tools for performing async communication between workers in shiny</i>
-------------	--

Description

Provides tools for passing messages between R processes. Shiny Examples are provided showing how to perform useful tasks such as: updating reactive values from within a future, progress bars for long running async tasks, and interrupting async tasks based on user input.

Author(s)

Ian Fellows <ian@fellstat.com>

AsyncInterruptor	<i>An interruptor useful for stopping child processes.</i>
------------------	--

Description

An interruptor useful for stopping child processes.

An interruptor useful for stopping child processes.

Details

This class is a simple wrapper around a Queue object making adding interrupt checking to future code easy to implement and read.

Methods

`initialize(queue=shinyQueue())` Creates a new interruptor.

`interrupt(msg="Signaled Interrupt")` Signals an interrupt

`execInterrupts()` Executes anything pushed to the queue, including interrupts.

`getInterrupts()` Gets the result of the queue's executing, not throwing the interrupts.

Methods

Public methods:

- [AsyncInterruptor\\$new\(\)](#)
- [AsyncInterruptor\\$interrupt\(\)](#)
- [AsyncInterruptor\\$execInterrupts\(\)](#)
- [AsyncInterruptor\\$getInterrupts\(\)](#)
- [AsyncInterruptor\\$destroy\(\)](#)
- [AsyncInterruptor\\$clone\(\)](#)

Method `new()`: Create the object

Usage:

```
AsyncInterruptor$new(queue = shinyQueue())
```

Arguments:

`queue` The underlying queue object to use for interruption

Method `interrupt()`: signal an error

Usage:

```
AsyncInterruptor$interrupt(msg = "Signaled Interrupt")
```

Arguments:

`msg` The error message

Method `execInterrupts()`: Execute any interruptions that have been signaled

Usage:

```
AsyncInterruptor$execInterrupts()
```

Method `getInterrupts()`: Get any interruptions that have been signaled without throwing them as errors

Usage:

```
AsyncInterruptor$getInterrupts()
```

Method `destroy()`: Cleans up object after use

Usage:

```
AsyncInterruptor$destroy()
```

Method `clone()`: The objects of this class are cloneable with this method.

Usage:

```
AsyncInterruptor$clone(deep = FALSE)
```

Arguments:

`deep` Whether to make a deep clone.

Examples

```

library(future)
strategy <- "future::multisession"
plan(strategy)
inter <- AsyncInterruptor$new()
fut <- future({
  for(i in 1:100){
    Sys.sleep(.01)
    inter$execInterrupts()
  }
})
inter$interrupt("Error: Stop Future")
try(value(fut))
inter$destroy()

# Clean up multisession cluster
plan(sequential)

```

 AsyncProgress

A progress bar object where inc and set are usable within other processes

Description

A progress bar object where inc and set are usable within other processes

A progress bar object where inc and set are usable within other processes

Details

An async compatible wrapper around Shiny's progress bar. It should be instantiated from the main process, but may be closed, set and incremented from any process.

Methods**Public methods:**

- [AsyncProgress\\$new\(\)](#)
- [AsyncProgress\\$getMax\(\)](#)
- [AsyncProgress\\$getMin\(\)](#)
- [AsyncProgress\\$sequentialClose\(\)](#)
- [AsyncProgress\\$set\(\)](#)
- [AsyncProgress\\$inc\(\)](#)
- [AsyncProgress\\$close\(\)](#)
- [AsyncProgress\\$clone\(\)](#)

Method `new()`: Creates a new progress panel and displays it.

Usage:

```

AsyncProgress$new(
  ...,
  queue = shinyQueue(),
  millis = 250,
  value = NULL,
  message = NULL,
  detail = NULL
)

```

Arguments:

... Additional parameters to be passed to `Shiny::Progress`

`queue` A Queue object for message passing

`millis` How often in milliseconds should updates to the progress bar be checked for.

`value` A numeric value at which to set the progress bar, relative to min and max.

`message` A single-element character vector; the message to be displayed to the user, or NULL to hide the current message (if any).

`detail` A single-element character vector; the detail message to be displayed to the user, or NULL to hide the current detail message (if any). The detail message will be shown with a de-emphasized appearance relative to `message`.

Method `getMax()`: Returns the maximum

Usage:

```

AsyncProgress$getMax()

```

Method `getMin()`: Returns the minimum

Usage:

```

AsyncProgress$getMin()

```

Method `sequentialClose()`: Removes the progress panel and destroys the queue. Must be called from main process.

Usage:

```

AsyncProgress$sequentialClose()

```

Method `set()`: Updates the progress panel. When called the first time, the progress panel is displayed.

Usage:

```

AsyncProgress$set(value = NULL, message = NULL, detail = NULL)

```

Arguments:

`value` A numeric value at which to set

`message` A single-element character vector; the message to be displayed to the user, or NULL to hide the current message (if any).

`detail` A single-element character vector; the detail message to be displayed to the user, or NULL to hide the current detail message (if any). The detail message will be shown with a de-emphasized appearance relative to `message`.

Method `inc()`: Like `set`, this updates the progress panel. The difference is that `inc` increases the progress bar by amount, instead of setting it to a specific value.

Usage:

```
AsyncProgress$inc(amount = 0.1, message = NULL, detail = NULL)
```

Arguments:

`amount` the size of the increment.

`message` A single-element character vector; the message to be displayed to the user, or `NULL` to hide the current message (if any).

`detail` A single-element character vector; the detail message to be displayed to the user, or `NULL` to hide the current detail message (if any). The detail message will be shown with a de-emphasized appearance relative to `message`.

Method `close()`: Fires a close signal and may be used from any process.

Usage:

```
AsyncProgress$close()
```

Method `clone()`: The objects of this class are cloneable with this method.

Usage:

```
AsyncProgress$clone(deep = FALSE)
```

Arguments:

`deep` Whether to make a deep clone.

Examples

```
## Only run examples in interactive R sessions
if (interactive()) {
  library(shiny)
  library(future)
  plan(multisession)
  ui <- fluidPage(
    actionButton("run", "Run"),
    tableOutput("dataset")
  )

  server <- function(input, output, session) {

    dat <- reactiveVal()
    observeEvent(input$run, {
      progress <- AsyncProgress$new(session, min=1, max=15)
      future({
        for (i in 1:15) {
          progress$set(value = i)
          Sys.sleep(0.5)
        }
        progress$close()
        cars
      }) %...>% dat
      NULL #return something other than the future so the UI is not blocked
    })
  }
}
```

```
  })  
  
  output$dataset <- renderTable({  
    req(dat())  
  })  
}  
  
shinyApp(ui, server)  
}
```

Consumer

A Class for reading and executing tasks from a source

Description

A Class for reading and executing tasks from a source

A Class for reading and executing tasks from a source

Public fields

handlers A list of handlers

stopped Is currently stopped.

laterHandle A callback handle.

Methods

Public methods:

- [Consumer\\$new\(\)](#)
- [Consumer\\$setSource\(\)](#)
- [Consumer\\$getSource\(\)](#)
- [Consumer\\$consume\(\)](#)
- [Consumer\\$start\(\)](#)
- [Consumer\\$stop\(\)](#)
- [Consumer\\$addHandler\(\)](#)
- [Consumer\\$clearHandlers\(\)](#)
- [Consumer\\$removeHandler\(\)](#)
- [Consumer\\$initHandlers\(\)](#)
- [Consumer\\$finalize\(\)](#)
- [Consumer\\$clone\(\)](#)

Method `new()`: Creates the object.

Usage:

```
Consumer$new(source)
```

Arguments:

source A source, e.g. TextFileSource.

Method `setSource()`: Sets the source.

Usage:

```
Consumer$setSource(source)
```

Arguments:

source A source, e.g. TextFileSource.

Method `getSource()`: Gets the source.

Usage:

```
Consumer$getSource()
```

Method `consume()`: Executes all (unprocessed) signals fired to source from a Producer. If `throwErrors` is `TRUE`, the first error encountered is thrown after executing all signals. Signals are executed in the `env` environment. If `env` is `NULL`, the environment set at initialization is used.

Usage:

```
Consumer$consume(throwErrors = TRUE, env = parent.frame())
```

Arguments:

`throwErrors` Should errors be thrown or caught.

`env` The execution environment.

Method `start()`: Starts executing `consume` every `millis` milliseconds. `throwErrors` and `env` are passed down to `consume`

Usage:

```
Consumer$start(millis = 250, env = parent.frame())
```

Arguments:

`millis` milliseconds.

`env` The execution environment.

Method `stop()`: Stops the periodic execution of `consume`.

Usage:

```
Consumer$stop()
```

Method `addHandler()`: Adds a handler for 'signal'. `func`

Usage:

```
Consumer$addHandler(func, signal)
```

Arguments:

`func` The function which takes three parameters: 1. the signal, 2. the message object, and 3. the evaluation environment.

`signal` A string to bind the function to.

Method `clearHandlers()`: Removes all handlers.

Usage:

```
Consumer$clearHandlers()
```

Method `removeHandler()`: Removes a single handler.

Usage:

```
Consumer$removeHandler(signal, index)
```

Arguments:

`signal` The signal of the handler.

`index` The index of the handler to remove from the signal.

Method `initHandlers()`: Adds default handlers.

Usage:

```
Consumer$initHandlers()
```

Method `finalize()`: cleans up object.

Usage:

```
Consumer$finalize()
```

Method `clone()`: The objects of this class are cloneable with this method.

Usage:

```
Consumer$clone(deep = FALSE)
```

Arguments:

`deep` Whether to make a deep clone.

defaultSource

Get/set the class used to sink/read from the file system

Description

Get/set the class used to sink/read from the file system

Usage

```
defaultSource(sourceClass)
```

Arguments

`sourceClass` An R6 object

Producer

A Class for sending signals to a source

Description

A Class for sending signals to a source

A Class for sending signals to a source

Methods

Public methods:

- `Producer$new()`
- `Producer$setSource()`
- `Producer$getSource()`
- `Producer$fire()`
- `Producer$fireEval()`
- `Producer$fireDoCall()`
- `Producer$fireCall()`
- `Producer$clone()`

Method `new()`: Creates a Producer object linked to the source.

Usage:

`Producer$new(source)`

Arguments:

source A source.

Method `setSource()`: Setter for source.

Usage:

`Producer$setSource(source)`

Arguments:

source A source.

Method `getSource()`: Getter for source.

Usage:

`Producer$getSource()`

Method `fire()`: Sends a signal to the source with associates object obj.

Usage:

`Producer$fire(signal, obj = NA)`

Arguments:

signal A string signal to send.

obj The object to associate with the signal.

Method `fireEval()`: Signals for execution of the expression `obj` with values from the environment (or list) `env` substituted in.

Usage:

```
Producer$fireEval(expr, env)
```

Arguments:

`expr` An expression to evaluate.

`env` An environment or list for substitution

Method `fireDoCall()`: Signals for execution of the function whose string value is `name` with the parameters in list `param`.

Usage:

```
Producer$fireDoCall(name, param)
```

Arguments:

`name` the name of the function

`param` A list of function parameters.

Method `fireCall()`: Signals for execution of the function whose string value is `name` with the parameters `...`

Usage:

```
Producer$fireCall(name, ...)
```

Arguments:

`name` the name of the function

`...` The arguments to the function.

Method `clone()`: The objects of this class are cloneable with this method.

Usage:

```
Producer$clone(deep = FALSE)
```

Arguments:

`deep` Whether to make a deep clone.

Queue

A Class containing a producer and consumer

Description

Creates a Queue object for inter-process communication. Its members `producer` and `consumer` are the main entry points for sending and receiving messages respectively.

Usage

```
queue(  
  source = defaultSource()$new(),  
  producer = Producer$new(source),  
  consumer = Consumer$new(source)  
)
```

Arguments

source	The source for reading and writing the queue
producer	The producer for the source
consumer	The consumer of the source

Details

This function creates a queue object for communication between different R processes, including forks of the same process. By default, it uses `txtq` package as its backend. Technically, the information is sent through temporary files, created in a new directory inside the session-specific temporary folder (see [tempfile](#)). This requires that the new directory is writeable, this is normally the case but if `Sys.umask` forbids writing, the communication fails with an error.

Public fields

producer	A Producer object
consumer	a Consumer object.

Methods

Public methods:

- [Queue\\$new\(\)](#)
- [Queue\\$destroy\(\)](#)
- [Queue\\$clone\(\)](#)

Method `new()`: Create a Queue object

Usage:

```
Queue$new(source, prod, cons)
```

Arguments:

source The source to use for communication.

prod A Producer object.

cons A Consumer object.

Method `destroy()`: clean up object after use.

Usage:

```
Queue$destroy()
```

Method `clone()`: The objects of this class are cloneable with this method.

Usage:

```
Queue$clone(deep = FALSE)
```

Arguments:

deep Whether to make a deep clone.

Examples

```

## Not run:
library(parallel)
library(future)
library(promises)
plan(multisession)

q <- queue()

# communicate from main session to child
fut <- future({
  for(i in 1:1000){
    Sys.sleep(.1)
    q$consumer$consume()
  }
})

q$producer$fireEval(stop("Stop that child"))
cat(try(value(fut)))

# Communicate from child to main session
j <- 0
fut <- future({
  for(i in 1:10){
    Sys.sleep(.2)

    # set j in the main thread substituting i into the expression
    q$producer$fireEval(j <- i, env=list(i=i))
  }
})

while(j < 10){
  q$consumer$consume() # collect and execute assignments
  cat("j = ", j, "\n")
  Sys.sleep(.1)
}

fut <- future({
  for(i in 1:10){
    Sys.sleep(.2)

    # set j in the main thread substituting i into the expression
    q$producer$fireEval(print(i), env=list(i=i))
  }
})

q$consumer$start() # execute `consume` at regular intervals

# clean up
q$destroy()

```

```
## End(Not run)
```

redisConfig	<i>Get/set redis configuration</i>
-------------	------------------------------------

Description

Get/set redis configuration

Usage

```
redisConfig(config)
```

Arguments

config a function generating id strings

redisIdGenerator	<i>Get/set the location for temporary files</i>
------------------	---

Description

Get/set the location for temporary files

Usage

```
redisIdGenerator(generator)
```

Arguments

generator a function generating id strings

RedisSource

Reads and writes the queue to a redis db

Description

Reads and writes the queue to a redis db

Reads and writes the queue to a redis db

Methods

Public methods:

- [RedisSource\\$new\(\)](#)
- [RedisSource\\$getRedisConnection\(\)](#)
- [RedisSource\\$pop\(\)](#)
- [RedisSource\\$push\(\)](#)
- [RedisSource\\$destroy\(\)](#)
- [RedisSource\\$finalize\(\)](#)
- [RedisSource\\$clone\(\)](#)

Method `new()`: Creates a redis source object.

Usage:

```
RedisSource$new(id = redisIdGenerator>(), config = redisConfig())
```

Arguments:

`id` An identifier to use for the queue

`config` A configuration list for `redux::hiredis`

Method `getRedisConnection()`: Returns the underlying redis connection.

Usage:

```
RedisSource$getRedisConnection()
```

Method `pop()`: removes `n` items from the source and returns them

Usage:

```
RedisSource$pop(n = -1)
```

Arguments:

`n` The number of records to pop (-1 indicates all available).

Method `push()`: Adds an item to the source.

Usage:

```
RedisSource$push(msg, obj)
```

Arguments:

`msg` A string indicating the signal.

`obj` The object to associate with the signal.

Method `destroy()`: Cleans up source after use.

Usage:

`RedisSource$destroy()`

Method `finalize()`: finalize

Usage:

`RedisSource$finalize()`

Method `clone()`: The objects of this class are cloneable with this method.

Usage:

`RedisSource$clone(deep = FALSE)`

Arguments:

`deep` Whether to make a deep clone.

ShinyConsumer

A Consumer class with common task handlers useful in Shiny apps

Description

A Consumer class with common task handlers useful in Shiny apps

A Consumer class with common task handlers useful in Shiny apps

Details

In addition to 'eval' and 'function' signals, ShinyConsumer object process 'interrupt' and 'notify' signals for throwing errors and displaying Shiny notifications.

Super class

`ipc::Consumer` -> ShinyConsumer

Methods

Public methods:

- `ShinyConsumer$initHandlers()`
- `ShinyConsumer$clone()`

Method `initHandlers()`: Adds default handlers

Usage:

`ShinyConsumer$initHandlers()`

Method `clone()`: The objects of this class are cloneable with this method.

Usage:

`ShinyConsumer$clone(deep = FALSE)`

Arguments:

`deep` Whether to make a deep clone.

shinyExample	<i>Run Example Shiny Apps</i>
--------------	-------------------------------

Description

Run Example Shiny Apps

Usage

```
shinyExample(application = c("progress", "changeReactive", "cancel"))
```

Arguments

application The example to run

Details

'progress' is an example application with a long running analysis that is cancelable and has a progress bar. 'changeReaction' is the old faithful example, but with the histogram colors changing over time. 'cancel' is an example with a cancelable long running process.

ShinyProducer	<i>A Producer with methods specific for Shiny</i>
---------------	---

Description

A Producer with methods specific for Shiny

A Producer with methods specific for Shiny

Details

A Producer object with additional methods for firing interrupts, shiny notifications, and reactive value assignments.

Super class

[ipc::Producer](#) -> ShinyProducer

Methods

Public methods:

- [ShinyProducer\\$fireInterrupt\(\)](#)
- [ShinyProducer\\$fireNotify\(\)](#)
- [ShinyProducer\\$fireAssignReactive\(\)](#)
- [ShinyProducer\\$clone\(\)](#)

Method `fireInterrupt()`: Sends an error with message `msg`.

Usage:

```
ShinyProducer$fireInterrupt(msg = "Interrupt")
```

Arguments:

`msg` A string

Method `fireNotify()`: Sends a signal to create a shiny Notification with message `msg`.

Usage:

```
ShinyProducer$fireNotify(msg = "Notification")
```

Arguments:

`msg` A string

Method `fireAssignReactive()`: Signals for assignment for reactive name to value.

Usage:

```
ShinyProducer$fireAssignReactive(name, value)
```

Arguments:

`name` The name of the reactive value.

`value` The value to assign the reactive to.

Method `clone()`: The objects of this class are cloneable with this method.

Usage:

```
ShinyProducer$clone(deep = FALSE)
```

Arguments:

`deep` Whether to make a deep clone.

shinyQueue

Create a Queue object

Description

Create a Queue object

Usage

```
shinyQueue(
  source = defaultSource()$new(),
  producer = ShinyProducer$new(source),
  consumer = ShinyConsumer$new(source),
  session = shiny::getDefaultReactiveDomain()
)
```

Arguments

source	The source for reading and writing the queue
producer	The producer for the source
consumer	The consumer of the source
session	A Shiny session

Details

Creates a Queue object for use with shiny, backed by ShinyTextSource, ShiyProducer and Shiny-Consumer objects by default. The object will be cleaned up and destroyed on session end.

stopMulticoreFuture *Stops a future run in a multicore plan*

Description

Stops a future run in a multicore plan

Usage

```
stopMulticoreFuture(x)
```

Arguments

x	The MulticoreFuture
---	---------------------

Details

This function sends terminate and kill signals to the process running the future, and will only work for futures run on a multicore plan. This approach is not recommended for cases where you can listen for interrupts within the future (with AsyncInterruptor). However, for cases where long running code is in an external library for which you don't have control, this can be the only way to terminate the execution.

Note that multicore is not supported on Windows machines or within RStudio.

tempFileGenerator	<i>Get/set the location for temporary files</i>
-------------------	---

Description

Get/set the location for temporary files

Usage

```
tempFileGenerator(tempfile)
```

Arguments

tempfile	a function generating working file path (e.g. tempfile())
----------	---

TextFileSource	<i>Reads and writes the queue to a text file</i>
----------------	--

Description

Reads and writes the queue to a text file

Reads and writes the queue to a text file

Details

A wrapper around txtq. This object saves signals and associated objects to and queue, and retrieves them for processing.

Methods**Public methods:**

- [TextFileSource\\$new\(\)](#)
- [TextFileSource\\$pop\(\)](#)
- [TextFileSource\\$push\(\)](#)
- [TextFileSource\\$destroy\(\)](#)
- [TextFileSource\\$clone\(\)](#)

Method `new()`: Creates a TextFileSource

Usage:

```
TextFileSource$new(filePath = tempFileGenerator())()
```

Arguments:

filePath The path to the file.

Method `pop()`: removes n items from the source and returns them

Usage:

TextFileSource\$pop(n = -1)

Arguments:

n The number of records to pop (-1 indicates all available).

Method push(): Adds an item to the source.

Usage:

TextFileSource\$push(msg, obj)

Arguments:

msg A string indicating the signal.

obj The object to associate with the signal.

Method destroy(): Cleans up source after use.

Usage:

TextFileSource\$destroy()

Method clone(): The objects of this class are cloneable with this method.

Usage:

TextFileSource\$clone(deep = FALSE)

Arguments:

deep Whether to make a deep clone.

Index

[AsyncInterruptor](#), [2](#)

[AsyncProgress](#), [4](#)

[Consumer](#), [7](#)

[defaultSource](#), [9](#)

[ipc-package](#), [2](#)

[ipc::Consumer](#), [16](#)

[ipc::Producer](#), [17](#)

[Producer](#), [10](#)

[Queue](#), [11](#)

[queue \(Queue\)](#), [11](#)

[redisConfig](#), [14](#)

[redisIdGenerator](#), [14](#)

[RedisSource](#), [15](#)

[ShinyConsumer](#), [16](#)

[shinyExample](#), [17](#)

[ShinyProducer](#), [17](#)

[shinyQueue](#), [18](#)

[stopMulticoreFuture](#), [19](#)

[Sys.umask](#), [12](#)

[tempfile](#), [12](#)

[tempFileGenerator](#), [20](#)

[TextFileSource](#), [20](#)