

Package ‘ons’

March 12, 2026

Title Download Data from the Office for National Statistics

Version 0.1.0

Description Provides functions to download and tidy statistical data published by the Office for National Statistics
<<https://www.ons.gov.uk>>. Covers GDP, inflation (CPI, CPIH, RPI), unemployment, employment, wages, trade, retail sales, house prices, productivity, population, and public sector finances. Most series are fetched from the ONS website using its CSV time series endpoint. House price data is sourced from HM Land Registry
<<https://www.gov.uk/government/organisations/land-registry>>. Data is cached locally between sessions.

License MIT + file LICENSE

Encoding UTF-8

Language en-GB

RoxygenNote 7.3.3

Imports cli (>= 3.6.0), httr2 (>= 1.0.0), tools

Suggests testthat (>= 3.0.0)

Config/testthat/edition 3

URL <https://github.com/charlescoverdale/ons>

BugReports <https://github.com/charlescoverdale/ons/issues>

Depends R (>= 4.1.0)

NeedsCompilation no

Author Charles Coverdale [aut, cre]

Maintainer Charles Coverdale <charlesfcoverdale@gmail.com>

Repository CRAN

Date/Publication 2026-03-12 09:00:02 UTC

Contents

clear_cache	2
ons_cpi	3
ons_employment	4
ons_gdp	5
ons_get	6
ons_house_prices	7
ons_inactivity	8
ons_monthly_gdp	9
ons_population	10
ons_productivity	11
ons_public_finances	12
ons_retail_sales	13
ons_search	14
ons_trade	15
ons_unemployment	16
ons_wages	17
Index	18

clear_cache	<i>Clear the local download cache</i>
-------------	---------------------------------------

Description

Removes cached data files stored by this package. By default all cached files are deleted. Use `max_age_days` to remove only files older than a given number of days.

Usage

```
clear_cache(max_age_days = NULL)
```

Arguments

`max_age_days` Numeric. If supplied, only files older than this many days are removed. If NULL (the default), all cached files are removed.

Value

Invisibly returns NULL. Called for its side effect of deleting cached files.

Examples

```
clear_cache()
```

ons_cpi	<i>Download consumer price inflation</i>
---------	--

Description

Downloads CPI, CPIH, or RPI data from the ONS. Returns either the annual rate of change or the index level.

Usage

```
ons_cpi(  
  measure = c("cpi", "cpih", "rpi"),  
  type = c("rate", "index"),  
  from = NULL,  
  to = NULL,  
  cache = TRUE  
)
```

Arguments

measure	Character. One of "cpi" (default), "cpih", or "rpi".
type	Character. One of "rate" (default, annual percentage change) or "index" (index level).
from	Date or character (YYYY-MM-DD). Start date. Defaults to NULL (all available data).
to	Date or character (YYYY-MM-DD). End date. Defaults to NULL.
cache	Logical. Use cached data if available (default TRUE).

Value

A data frame with columns:

date Date. First day of the month.

value Numeric. Inflation rate (percent) or index level.

Source

<https://www.ons.gov.uk>

Examples

```
ons_cpi(from = "2020-01-01")
```

ons_employment *Download employment rate*

Description

Downloads the UK employment rate (aged 16 to 64, seasonally adjusted) from the ONS Labour Market Statistics. Available from 1971.

Usage

```
ons_employment(  
  group = c("total", "male", "female"),  
  from = NULL,  
  to = NULL,  
  cache = TRUE  
)
```

Arguments

group	Character. One of "total" (default), "male", or "female".
from	Date or character (YYYY-MM-DD). Start date. Defaults to NULL (all available data).
to	Date or character (YYYY-MM-DD). End date. Defaults to NULL.
cache	Logical. Use cached data if available (default TRUE).

Value

A data frame with columns:

date Date. First day of the period.

value Numeric. Employment rate (percent).

Source

<https://www.ons.gov.uk>

Examples

```
ons_employment(from = "2020-01-01")
```

`ons_gdp`*Download GDP data*

Description

Downloads quarterly Gross Domestic Product data from the ONS. Available from 1948 (levels) or 1955 (growth rates).

Usage

```
ons_gdp(  
  measure = c("growth", "yoy", "level", "nominal"),  
  from = NULL,  
  to = NULL,  
  cache = TRUE  
)
```

Arguments

<code>measure</code>	Character. One of "growth" (default, quarter-on-quarter percentage change), "yoy" (year-on-year percentage change), "level" (chained volume measure in GBP millions, seasonally adjusted), or "nominal" (current price GBP millions, seasonally adjusted).
<code>from</code>	Date or character (YYYY-MM-DD). Start date. Defaults to NULL (all available data).
<code>to</code>	Date or character (YYYY-MM-DD). End date. Defaults to NULL.
<code>cache</code>	Logical. Use cached data if available (default TRUE).

Value

A data frame with columns:

date Date. First day of the quarter.

value Numeric. GDP value (percent for growth measures, GBP millions for level measures).

Source

<https://www.ons.gov.uk>

Examples

```
ons_gdp(from = "2020-01-01")
```

`ons_get`*Download any ONS time series by CDID code*

Description

Fetches a time series from the ONS website using its CDID (four-character series identifier). The function uses the ONS Search API to discover the download path, then retrieves the CSV.

Usage

```
ons_get(cdid, from = NULL, to = NULL, cache = TRUE)
```

Arguments

<code>cdid</code>	Character vector. One or more ONS CDID codes (e.g. "IHYQ" for quarterly GDP growth).
<code>from</code>	Date or character (YYYY-MM-DD). Start date filter. Defaults to NULL (all available data).
<code>to</code>	Date or character (YYYY-MM-DD). End date filter. Defaults to NULL (up to the latest observation).
<code>cache</code>	Logical. Use cached data if available (default TRUE).

Details

CDID codes can be found by browsing the ONS time series explorer at <https://www.ons.gov.uk/timeseriestool> or by using `ons_search()`.

Value

A data frame with columns:

date Date. Observation date (first day of the period).

cdid Character. The CDID code.

value Numeric. Observation value.

Source

<https://www.ons.gov.uk>

Examples

```
ons_get("IHYQ", from = "2020-01-01")
```

ons_house_prices *Download UK house prices*

Description

Downloads UK average house prices from the HM Land Registry UK House Price Index. Available from 1968. Data is jointly produced by the ONS and HM Land Registry.

Usage

```
ons_house_prices(from = NULL, to = NULL, cache = TRUE)
```

Arguments

from	Date or character (YYYY-MM-DD). Start date. Defaults to NULL (all available data).
to	Date or character (YYYY-MM-DD). End date. Defaults to NULL.
cache	Logical. Use cached data if available (default TRUE).

Details

The function automatically finds the latest available monthly file from HM Land Registry, working backwards from the current month.

Value

A data frame with columns:

date Date. First day of the month.

average_price_gbp Numeric. Average house price (GBP).

annual_change_pct Numeric. Annual percentage change.

Source

<https://www.gov.uk/government/collections/uk-house-price-index-reports>

Examples

```
ons_house_prices(from = "2020-01-01")
```

ons_inactivity	<i>Download economic inactivity</i>
----------------	-------------------------------------

Description

Downloads the number of economically inactive people (aged 16 to 64, seasonally adjusted) from the ONS Labour Market Statistics. Available from 1971.

Usage

```
ons_inactivity(from = NULL, to = NULL, cache = TRUE)
```

Arguments

from	Date or character (YYYY-MM-DD). Start date. Defaults to NULL (all available data).
to	Date or character (YYYY-MM-DD). End date. Defaults to NULL.
cache	Logical. Use cached data if available (default TRUE).

Value

A data frame with columns:

date Date. First day of the period.

value Numeric. Economically inactive people (thousands).

Source

<https://www.ons.gov.uk>

Examples

```
ons_inactivity(from = "2020-01-01")
```

ons_monthly_gdp	<i>Download monthly GDP estimate</i>
-----------------	--------------------------------------

Description

Downloads the monthly estimate of GDP from the ONS. This is an experimental index-based estimate, available from 1997.

Usage

```
ons_monthly_gdp(from = NULL, to = NULL, cache = TRUE)
```

Arguments

from	Date or character (YYYY-MM-DD). Start date. Defaults to NULL (all available data).
to	Date or character (YYYY-MM-DD). End date. Defaults to NULL.
cache	Logical. Use cached data if available (default TRUE).

Value

A data frame with columns:

date Date. First day of the month.

value Numeric. Monthly GDP index (2019 = 100).

Source

<https://www.ons.gov.uk>

Examples

```
ons_monthly_gdp(from = "2020-01-01")
```

ons_population	<i>Download population estimates</i>
----------------	--------------------------------------

Description

Downloads mid-year population estimates for the United Kingdom from the ONS. Returns annual estimates.

Usage

```
ons_population(from = NULL, to = NULL, cache = TRUE)
```

Arguments

from	Date or character (YYYY-MM-DD). Start date. Defaults to NULL (all available data).
to	Date or character (YYYY-MM-DD). End date. Defaults to NULL.
cache	Logical. Use cached data if available (default TRUE).

Value

A data frame with columns:

date Date. Mid-year date (represented as 1 January).

value Numeric. Population estimate (thousands).

Source

<https://www.ons.gov.uk>

Examples

```
ons_population(from = "2000-01-01")
```

ons_productivity *Download labour productivity*

Description

Downloads quarterly labour productivity data from the ONS. Available as output per hour worked or output per worker.

Usage

```
ons_productivity(  
  measure = c("per_hour", "per_worker"),  
  from = NULL,  
  to = NULL,  
  cache = TRUE  
)
```

Arguments

measure	Character. One of "per_hour" (default, output per hour worked) or "per_worker" (output per worker). Both are seasonally adjusted indices.
from	Date or character (YYYY-MM-DD). Start date. Defaults to NULL (all available data).
to	Date or character (YYYY-MM-DD). End date. Defaults to NULL.
cache	Logical. Use cached data if available (default TRUE).

Value

A data frame with columns:

date Date. First day of the quarter.

value Numeric. Productivity index.

Source

<https://www.ons.gov.uk>

Examples

```
ons_productivity(from = "2020-01-01")
```

ons_public_finances *Download public sector finances*

Description

Downloads public sector net borrowing (excluding public sector banks) from the ONS. Available from 1993.

Usage

```
ons_public_finances(from = NULL, to = NULL, cache = TRUE)
```

Arguments

from	Date or character (YYYY-MM-DD). Start date. Defaults to NULL (all available data).
to	Date or character (YYYY-MM-DD). End date. Defaults to NULL.
cache	Logical. Use cached data if available (default TRUE).

Value

A data frame with columns:

date Date. First day of the month.

value Numeric. Public sector net borrowing (GBP millions).

Source

<https://www.ons.gov.uk>

Examples

```
ons_public_finances(from = "2020-01-01")
```

ons_retail_sales *Download retail sales index*

Description

Downloads the Retail Sales Index from the ONS. Returns volume (quantity) or value (amount spent) indices.

Usage

```
ons_retail_sales(  
  type = c("volume", "value"),  
  from = NULL,  
  to = NULL,  
  cache = TRUE  
)
```

Arguments

type	Character. One of "volume" (default, quantity bought, seasonally adjusted) or "value" (amount spent, not seasonally adjusted).
from	Date or character (YYYY-MM-DD). Start date. Defaults to NULL (all available data).
to	Date or character (YYYY-MM-DD). End date. Defaults to NULL.
cache	Logical. Use cached data if available (default TRUE).

Value

A data frame with columns:

date Date. First day of the month.

value Numeric. Retail sales index.

Source

<https://www.ons.gov.uk>

Examples

```
ons_retail_sales(from = "2020-01-01")
```

ons_search	<i>Search for ONS time series</i>
------------	-----------------------------------

Description

Searches the ONS catalogue for time series matching a keyword or phrase. Returns CDID codes, titles, and dataset information that can be used with `ons_get()`.

Usage

```
ons_search(query, limit = 10L)
```

Arguments

query	Character. Search term (e.g. "GDP growth", "unemployment").
limit	Integer. Maximum number of results to return (default 10, maximum 50).

Value

A data frame with columns:

cdid Character. The four-character CDID code.
dataset_id Character. The ONS dataset identifier.
title Character. Description of the series.
release_date Character. Date of the most recent release.

Source

<https://www.ons.gov.uk>

Examples

```
ons_search("GDP growth")
```

`ons_trade`*Download UK trade data*

Description

Downloads UK trade in goods and services data from the ONS. Available from 1948.

Usage

```
ons_trade(  
  measure = c("balance", "exports", "imports"),  
  from = NULL,  
  to = NULL,  
  cache = TRUE  
)
```

Arguments

<code>measure</code>	Character. One of "balance" (default, trade balance), "exports" (total exports), or "imports" (total imports). All in GBP millions, current prices, seasonally adjusted.
<code>from</code>	Date or character (YYYY-MM-DD). Start date. Defaults to NULL (all available data).
<code>to</code>	Date or character (YYYY-MM-DD). End date. Defaults to NULL.
<code>cache</code>	Logical. Use cached data if available (default TRUE).

Value

A data frame with columns:

date Date. First day of the month.

value Numeric. Trade value (GBP millions).

Source

<https://www.ons.gov.uk>

Examples

```
ons_trade(from = "2020-01-01")
```

ons_unemployment	<i>Download unemployment rate</i>
------------------	-----------------------------------

Description

Downloads the UK unemployment rate (aged 16 and over, seasonally adjusted) from the ONS Labour Market Statistics. Available from 1971.

Usage

```
ons_unemployment(from = NULL, to = NULL, cache = TRUE)
```

Arguments

from	Date or character (YYYY-MM-DD). Start date. Defaults to NULL (all available data).
to	Date or character (YYYY-MM-DD). End date. Defaults to NULL.
cache	Logical. Use cached data if available (default TRUE).

Value

A data frame with columns:

date Date. First day of the period.

value Numeric. Unemployment rate (percent).

Source

<https://www.ons.gov.uk>

Examples

```
ons_unemployment(from = "2020-01-01")
```

`ons_wages`*Download average weekly earnings*

Description

Downloads average weekly earnings (AWE) for the whole economy from the ONS Labour Market Statistics. Available from 2000.

Usage

```
ons_wages(  
  measure = c("level", "growth", "real"),  
  from = NULL,  
  to = NULL,  
  cache = TRUE  
)
```

Arguments

<code>measure</code>	Character. One of "level" (default, GBP per week), "growth" (year-on-year 3-month average percentage change), or "real" (real terms index, seasonally adjusted regular pay).
<code>from</code>	Date or character (YYYY-MM-DD). Start date. Defaults to NULL (all available data).
<code>to</code>	Date or character (YYYY-MM-DD). End date. Defaults to NULL.
<code>cache</code>	Logical. Use cached data if available (default TRUE).

Value

A data frame with columns:

date Date. First day of the month.

value Numeric. Earnings level (GBP), growth rate (percent), or real index.

Source

<https://www.ons.gov.uk>

Examples

```
ons_wages(from = "2020-01-01")
```

Index

[clear_cache](#), [2](#)

[ons_cpi](#), [3](#)

[ons_employment](#), [4](#)

[ons_gdp](#), [5](#)

[ons_get](#), [6](#)

[ons_get\(\)](#), [14](#)

[ons_house_prices](#), [7](#)

[ons_inactivity](#), [8](#)

[ons_monthly_gdp](#), [9](#)

[ons_population](#), [10](#)

[ons_productivity](#), [11](#)

[ons_public_finances](#), [12](#)

[ons_retail_sales](#), [13](#)

[ons_search](#), [14](#)

[ons_search\(\)](#), [6](#)

[ons_trade](#), [15](#)

[ons_unemployment](#), [16](#)

[ons_wages](#), [17](#)