

# BSD 00, 000, 000 0000

## Abstract

00000000 00000000 0000 "00000000 00000000" 0000 000 00000000 00 0000 0000 0000 000000 0000000000'0  
00000000 000000000 00000000 0000 0000 000000000 000000000 00000000 000000000 0000 00 00000000 00000000  
000000000000 0000 000000 00000000 00.0% 00000000000 00000000 0000 00 0000000000 00 00.0% 00000000000 00000000  
00 **BSD** 000000000 00000000 0000000000; 0000000000 00000000 0000000000000000 0000000, 00000, [Yahoo!](#) **BSD** 00000000  
00000000 0000 0000000 000000000 **FTP** 00000000 [ftp.cdrom.com](#) **BSD** 00000000 0000 0000000000 0000000 0.0  
0000000000 0000 00000 0000000 0000 00000000 **BSD**'0 000000 00 000000000 0000, 0000 0000 000000000 0000 **BSD** 000  
00000000000 0000000 00000 000000000

**BSD**'0 000000000 00000000 0000000 00 0000 0000000 0000 ? 00 0000000000 0000 00000 0000 000000000000000 00 000000  
000000000000

00 0000000000 **BSD** 0 000000000000 00 00000000000000000000 0000000 00000000 0000 00000

---

## Table of Contents

1. <b>BSD</b> 00 ? .....	1
2. 000 0000000!!! 0000 0000 00 ? .....	2
3. <b>BSD</b> 000 00000000 00 ? .....	3
4. <b>BSD</b> 0000 0000000000 .....	3

## 1. **BSD** 00 ?

**BSD** 0000 00 *Berkley Software Distribution* 0 00000000000 **BSD** 0000 0000000000000000 00000000000000,  
00000000 0000 0000000000 00000000000 00000000 0000 **AT&T**'0 000000000000 00000000 0000000000 0000 0000000  
0000 00 0000000000 0000 00000000 **4.4BSD-Lite** 0000 00000000 00 0000000000 00000000 0000 0000 00000000 0000000000  
0000000000 000000000 0000000000 0000 000000 00 00000000000000 0000 00000 0000000000 0000000000 00000000  
0000, 0000 000000 00000000000000 00 00000 (**GNU**) 00000000000 0000000000000000 00000 **BSD** 0000000000 0000000000  
0000000000 00 0

### **BSD** 00000000

0000 0000000000 0000000000 000000 0000 0 000000 0000000 0000 0000 00000000 00000000 000000000000 000000  
0000000 000000000 000000000000 00000

000000000 000000000 00, 00000000000 000000000 00000 00000 000000000000 0000000, 00000000 **BSD** 00000000000 00000000  
00000000 0000 00000 00000000000 000000 000000000000000 0000 0000000000 00000000000 0000

### **C** 0000000000

0000 00 0000000000 0000000000 **API** 0000000000 0000 0000000000

**BSD C** 000000000000 0000, 0000000000 0000000000 0000, 00000 (**GNU**) 0000000000000 0000 00000 0000

0000000 00000000 00000000

000000000000 000, 0000 00000000, 0000000000, 00000000 00000000 000 0000 00000000 00000000 0000 000000  
GNU 000000000 0000, 000 00 000

### X WINDOW

000 0000 000000000000 0000000000 00000000 00000000 (GUI)0

00000000 BSD'00 X WINDOW 00000000 0000 0000 0000 XFree86 00000 0000000000 0000000 00000 000000000000 00000000

## 2. 0000 0000000000!!! 000000 000000 00 ?

BSD 0000000000 00000000000000 000 000000000 000000 0000 000000 00000000 000000 AT&T'0 000000000000 00000000  
0000000000 0000 00 00000 000000 000000 `UNIX System V'0 000000000000 00000000 00000 00000 000000000000, 000000  
0000 AT&T 0000 0000000 000000 000000000000 000000 00000000000 0000000000 0000 00000000

0000 000000 00 AT&T 0000000000 0000 000000000000 0000000000 0000 000000000000 0000 00000000 000000 BSD'0000 00000000 0000 0000  
0000 00000000 00000000000000 AT&T 0000000 000000000000 00000000000000000000, 00000000000000000000 00000000000000  
000000000 0000000000 0000000000 0000000000 0000000000 00000000 00000000 00000000 00000000 00000000 00000000 00000000  
0000 000000000000 0000 000000 00Berkley Software Distribution 00 BSD0

000000 00000000 BSD'000 00000 0000000000 00000000 00000000 00000000 00000000 000000 00000000 00000000 00 0000 Defence  
Advanced Research Agency (DARPA) 0 00000 CSRG'0 00000 00000000 0000000000 0000 00 0000000000 0000 CSRG'0 0000  
DARPA'0 0000000000 0000000000 ARPANET 0000000000 000000 0000000000 00000000 00000 00 00000000000000 0000 0000 00  
000000000000 00000000000 00000000000 0000 00000000000 0000 0000 0000 TCP/IP0 TCP/IP 0000 000000000000 0000000000  
0000000000000000 00000000 0000000000000000 0000000000 0000000000 00000000 00000000 00000000 00000000 00000000, 00  
0000 4.2 BSD'0 0000; 0000 000000 000000

00000 00000 0000 00000 00000 00000000000000 0000000000 0000 00000 00000 00000000 00000000 00000000 00000000 00000 00 0000  
000000000000 000000 00000000000000 00000 0000000000 000000 00000 00000 0000 0000 0000000000000000 0000000000  
0000000000 00000000 4.2 BSD'0 0000 00000000 0000 SunOS 00000 00000 0000 AT&T 000000 000000000000 0000000000000000  
00000000 00000 00000000 0000, 0000 00000 00000000 System III 0000 0000 0000000000 000000 System V 0000000000 00000 000000  
System V'0 0000 00000000000000 0000 0000 00, 0000 0000000000 0000000000 BSD'0 0000000000 00000000000000 00000000 00  
000000 00000000000000 0000 TCP/IP 0000000000, csh 0000 0000 VI 00000000 BSD 00000 00000 00 000000000000000000 00000000 0000  
00 Berkeley Extensions0

BSD'0 00000000 0000 AT&T'0 0000000000 00000000 00000000 000000 000000000000 0000000000 0000 00000 000000 00000  
00000 0000 0000 CSRG'0 00000000000000 0000000 0000 0000 0000000000 BSD 00000000000000 00000 0000000 0000000000 0000000000  
0000000000 00000000 AT&T'0 00000000000000 0000000000 0000 00000 000000000000 0000000000 0000 0000000000 00000000 000000  
0000000000 00, BSD'0 000000 00000000 000000000000 00000000 00000000000000 0000 0, 00 0000 NET/2 0000  
00000000, 0000000000 0000000000 000000000000 00 00000000 000000000000 0000 Net/2 0000 00000000000000000000  
0000000000 0000 0000, Net/2'0 0000000000 00000 000000 00% 0000 0000 00000000 CSRG'0 00000 000000 0000000000 00  
0000000000 00 0000000000 00000000 00000 000000 0000 000000 0000 000000 00000 000000 000000 000000 000000 000000  
CSRG'0 0000000000 000000000000 00000 000000 Berkley Software Design Inc 00000 00000 0000000000 0000 00000 0000  
00000000 Net/2'0 000000000000 0000 0000000000 BSD/386 000000 00000 0000000000 000000000000 00000 00000000 00000000  
000000 00 0000000000 000000000000 0000 0000000000 0000 0000 BSD/OS 0000 0000

0000000000 0000000000 0000000000 0000000000 0000000000 0000000000 0000000000 0000000000 0000000000 0000000000  
00 0000 0000 0000 0000 NetBSD 0 FreeBSD 00000 0000 0000 0000000000 0000000000 000000000000 0000000 00000 000000



## 4.2. BSD 2-Clause License

BSD 2-Clause License is a simple, permissive license that allows users to use, modify, and distribute the software for any purpose, including commercial purposes, without the need to provide source code or attribution.

The BSD 2-Clause License is a simple, permissive license that allows users to use, modify, and distribute the software for any purpose, including commercial purposes, without the need to provide source code or attribution.

This license is based on the BSD 2-Clause License, which is a simple, permissive license that allows users to use, modify, and distribute the software for any purpose, including commercial purposes, without the need to provide source code or attribution.

### Core Team

The BSD 2-Clause License is a simple, permissive license that allows users to use, modify, and distribute the software for any purpose, including commercial purposes, without the need to provide source code or attribution.

The BSD 2-Clause License is a simple, permissive license that allows users to use, modify, and distribute the software for any purpose, including commercial purposes, without the need to provide source code or attribution.

### Core Team

The BSD 2-Clause License is a simple, permissive license that allows users to use, modify, and distribute the software for any purpose, including commercial purposes, without the need to provide source code or attribution.

BSD 2-Clause License is a simple, permissive license that allows users to use, modify, and distribute the software for any purpose, including commercial purposes, without the need to provide source code or attribution.

1. The BSD 2-Clause License is a simple, permissive license that allows users to use, modify, and distribute the software for any purpose, including commercial purposes, without the need to provide source code or attribution.
2. BSD 2-Clause License is a simple, permissive license that allows users to use, modify, and distribute the software for any purpose, including commercial purposes, without the need to provide source code or attribution.
3. The BSD 2-Clause License is a simple, permissive license that allows users to use, modify, and distribute the software for any purpose, including commercial purposes, without the need to provide source code or attribution.

4. 通常情況下，CVS 管理的是 BSD 的源碼。在 BSD 的源碼中，CVS 管理的是 BSD 的源碼。在 BSD 的源碼中，CVS 管理的是 BSD 的源碼。

通常情況下，BSD 的源碼是通過 CVS 管理的。在 BSD 的源碼中，CVS 管理的是 BSD 的源碼。在 BSD 的源碼中，CVS 管理的是 BSD 的源碼。

1. 通常情況下，CVS 管理的是 BSD 的源碼。在 BSD 的源碼中，CVS 管理的是 BSD 的源碼。在 BSD 的源碼中，CVS 管理的是 BSD 的源碼。
2. 通常情況下，CVS 管理的是 BSD 的源碼。在 BSD 的源碼中，CVS 管理的是 BSD 的源碼。在 BSD 的源碼中，CVS 管理的是 BSD 的源碼。
3. RELEASE 通常情況下，CVS 管理的是 BSD 的源碼。在 BSD 的源碼中，CVS 管理的是 BSD 的源碼。在 BSD 的源碼中，CVS 管理的是 BSD 的源碼。

### 4.3. BSD 的分支

通常情況下，BSD 的源碼是通過 CVS 管理的。在 BSD 的源碼中，CVS 管理的是 BSD 的源碼。在 BSD 的源碼中，CVS 管理的是 BSD 的源碼。

通常情況下，BSD 的源碼是通過 CVS 管理的。在 BSD 的源碼中，CVS 管理的是 BSD 的源碼。在 BSD 的源碼中，CVS 管理的是 BSD 的源碼。

- FreeBSD 的源碼是通過 CVS 管理的。在 BSD 的源碼中，CVS 管理的是 BSD 的源碼。在 BSD 的源碼中，CVS 管理的是 BSD 的源碼。
- NetBSD 的源碼是通過 CVS 管理的。在 BSD 的源碼中，CVS 管理的是 BSD 的源碼。在 BSD 的源碼中，CVS 管理的是 BSD 的源碼。
- OpenBSD 的源碼是通過 CVS 管理的。在 BSD 的源碼中，CVS 管理的是 BSD 的源碼。在 BSD 的源碼中，CVS 管理的是 BSD 的源碼。

BSD license and other licenses

BSD license and other licenses are used in BSD/OS and Mac OS X

- 4.4 BSD license and other licenses are used in BSD/OS and Mac OS X, and FreeBSD's BSD/OS license is also used
- BSD license and other licenses are used in Mac OS X and FreeBSD's BSD license is also used

### 4.4. BSD and GNU licenses

BSD license and GNU General Public License (GPL) are used in BSD/OS and Mac OS X. BSD license is a permissive license, while GPL is a copyleft license. BSD license allows for the use of the code in both source and binary form, while GPL requires that the source code be made available to anyone who receives the binary code.

### 4.5. BSD license and other licenses

BSD license and other licenses are used in BSD/OS and Mac OS X. BSD license is a permissive license, while GPL is a copyleft license. BSD license allows for the use of the code in both source and binary form, while GPL requires that the source code be made available to anyone who receives the binary code.

BSD license and other licenses are used in BSD/OS and Mac OS X. BSD license is a permissive license, while GPL is a copyleft license. BSD license allows for the use of the code in both source and binary form, while GPL requires that the source code be made available to anyone who receives the binary code.

### 4.6. BSD license and other licenses

BSD license and other licenses are used in BSD/OS and Mac OS X. BSD license is a permissive license, while GPL is a copyleft license. BSD license allows for the use of the code in both source and binary form, while GPL requires that the source code be made available to anyone who receives the binary code.

BSD license and other licenses are used in BSD/OS and Mac OS X. BSD license is a permissive license, while GPL is a copyleft license. BSD license allows for the use of the code in both source and binary form, while GPL requires that the source code be made available to anyone who receives the binary code.

- BSD license and other licenses are used in BSD/OS and Mac OS X. BSD license is a permissive license, while GPL is a copyleft license. BSD license allows for the use of the code in both source and binary form, while GPL requires that the source code be made available to anyone who receives the binary code.
- BSD license and other licenses are used in BSD/OS and Mac OS X. BSD license is a permissive license, while GPL is a copyleft license. BSD license allows for the use of the code in both source and binary form, while GPL requires that the source code be made available to anyone who receives the binary code.
- BSD license and other licenses are used in BSD/OS and Mac OS X. BSD license is a permissive license, while GPL is a copyleft license. BSD license allows for the use of the code in both source and binary form, while GPL requires that the source code be made available to anyone who receives the binary code.
- BSD license and other licenses are used in BSD/OS and Mac OS X. BSD license is a permissive license, while GPL is a copyleft license. BSD license allows for the use of the code in both source and binary form, while GPL requires that the source code be made available to anyone who receives the binary code.

- 00000000000 00000000 BSD'00 0000000 000000 0000 00000000 000000 0000 00 0000 0000000000 0000000000 0000000000 00000000 00000000 BSD'0 00000000000 00000000 00000000000 0000000 0000000

## 4.7. BSD 000000000000 000000 0 0000000000000

BSDi 00000000 BSD/OS 00000000000 00000 00000 00000000 0000000000 00000 FreeBSD 0000000000 00000 00000000 0000000000

00000000 FreeBSD, NetBSD 0 OpenBSD'0 00000000000 0000000000 000000 0000000 00000 0000000000000 0000000000 00000000000 00000000000 00000 00000 0000000 00000