The following table summarizes all ved commands:

Key Label		CTRL	ESC CTRL	ALT set mark first	ALT ESC set mark first			
	@	where from top	where from bot	where mark from top	where mark from bot			
\leftarrow	A	start of line	start of para	start of line	start of para			
F2	В	go to beginning	go to bottom	go to beginning	go to bottom			
F1	C	exit [+save file buffer]	save file buffer	~	~			
F3	D	delete char	delete words	~	~			
\rightarrow	\mathbf{E}	end of line	end of para	end of line	end of para			
\rightarrow	\mathbf{F}	forward char	forward word	forward char	forward word			
F11	\mathbf{G}	get file	change file	edit macro file	~			
\leftarrow	H	back char	back word	back char	back word			
TAB	I	tab	~	tab	~			
NL	J	insert new line	~	jump to mark	switch mark and cursor			
F4	K	kill line	kill para	kill selection	~			
	${f L}$	re-display	adjust window	curr line \rightarrow top	~			
CR	\mathbf{M}	insert new line	change modes	sets mark	~			
\downarrow	N	down line	down para	down line	down para			
F5	O	open line	~	open line	~			
\uparrow	P	up line	up para	up line	up para			
	Q	XON	~	~	~			
F9	R	forward search	reverse search	forward search	reverse search			
	S	XOFF	~	~	~			
F6	T	save line	save para	save selection	~			
		into paste buf	into paste buf	into paste buf	into paste buf			
	U	multiply	mult=#	~	~			
F7	\mathbf{V}	paste	paste and	replace select	replace select			
			clear paste buf	with paste buf	clear paste buf			
F12	\mathbf{W}	write file	write paste buf	write selection	~			
	X	XTD	execute buf	exec selection	~			
	Y	save char	save word	~	~			
		into paste buf	into paste buf					
F10	\mathbf{Z}	re-search	reverse re-srch	re-srch	reverse re-srch			
ESC	[ESC	~	ALT ESC	~			
]	ALT	ALT ESC	goto tag	pop tag stack			
F8	\	chng paste buf	clr paste buf	~	~			
	^	quote char	quote to 8 bit	quote to 8bit ctl	quote hex			
	=	undo delete	~	clear mark	~			
DEL	DEL	erase char	erase word	~	~			
XTD commands:								

XTD commands:

Key Label		CTRL	ESC CTRL	ALT set mark first	ALT ESC set mark first
	H	help	~	~	~
	X	execute cmd	~	~	~
	${f Z}$	suspend	~	~	~

Special Escape commands:

ESC # Set mult to # for next command. (# is any number)

ESC % Search matching parenthesis.

ESC * Call temporary macro. ESC : Introduce colon command.

ESC n Next Page. ESC p Previous Page.

ALT ESC n Set Mark then next Page.
ALT ESC p Set Mark then previous Page.

Colon commands:

Backup file (same as ESC ^C) backup bind Print or set command bindings help Print colon command help macro Set temporary macro map **Set/view mappings** Switch to next file next Switch to previous file prev Quit editor (same as ^C) quit set **Set parameters**

set Set parameters substitute Substitute pattern tag Go to named tag

Colon set commands:

* autoindent Set autoindent mode.
linelen Set line length to arg.

* magic Set magic search mode

* markwrap Mark wrapping lines

optline Set optimal line number to arg.
pmargin Set page margin for scrolling to arg.

psize Set page length to arg. tabstop Set tab width to arg.

taglength Set number of significant characters for tag search to arg.

tags Set tag file search path to arg.

wrapmargin Set wrap margin for auto new line to arg.

Commands marked with an asterix are boolean. They may be set to false by prepending a no to the name.